# DEPARTMENT OF THE INTERIOR

FRANKLIN K. LANE, Secretary

UNITED STATES GEOLOGICAL SURVEY GEORGE OTIS SMITH, Director

BULLETIN 633

# SPIRIT LEVELING IN MAINE

1899-1915

ANA BOY

R. B. MARSHALL, CHIEF GEOGRAPHER

Work done in cooperation with the State



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916



## DEPARTMENT OF THE INTERIOR

FRANKLIN K. LANE, Secretary

UNITED STATES GEOLOGICAL SURVEY GEORGE OTIS SMITH, Director

**Bulletin 633** 

# SPIRIT LEVELING IN MAINE

1899-1915

R. B. MARSHALL, CHIEF GEOGRAPHER

Work done in cooperation with the State



Wpisano do inwentarza ZAKŁADU GŁOLOGJI

Dział Nr. 2

1977

WASHINGTON

GOVERNMENT PRINTING OFFICE

1916



#### ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT


5 CENTS PER COPY


# CONTENTS.

E GEOLOG S	Page.
Introduction.	5
Cooperation	5
Previous publication	5
Personnel	5
Classification	5
Bench marks	6
Datum	6
Topographic maps.	7
Precise leveling.	8
Bath, Freeport, Gray, Kezar Falls, Portland, and Sebago quadrangles (Cum-	
berland and Oxford counties)	8
Primary leveling.	10
Portland quadrangle (Cumberland and York counties)	10
Anson, Augusta, Bingham, Brassua Lake, Kingsbury, Moosehead, Norridge-	
wock, Skowhegan, The Forks, Vassalboro, and Waterville quadrangles	
(Kennebec, Somerset, and Piscataquis counties)	12
Buckfield, Lewiston, Livermore, and Poland quadrangles (Androscoggin,	
Cumberland, Franklin, Kennebec, Oxford, and Sagadahoc counties)	18
Bethel, Bryant Pond, Fryeburg, Kezar Falls, and Norway quadrangles	
(Cumberland, Oxford, and York counties)	23
Belfast, Brooks, Burnham, Castine, Liberty, Rockland, and Waldoboro	
quadrangles (Kennebec, Knox, Lincoln, and Waldo counties)	28
Bangor, Bluehill, Bucksport, Ellsworth, Mount Desert, Orland, and Orono	
quadrangles (Hancock, Penobscot, and Waldo counties)	35
Mattawamkeag, Millinocket, Passadumkeag, Seboeis, and Winn quad-	
rangles (Penobscot County).	39
Boyd Lake, Passadumkeag, and Suponic quadrangles (Penobscot County).	41
Cherryfield quadrangle (Washington County)	44
Cutler and Eastport quadrangles (Washington County)	45
Augusta, Bath, Bethel, Bryant Pond, Buckfield, Dixfield, Freeport, Gar-	
diner, Lewiston, and Livermore quadrangles (Androscoggin, Cumber-	
land, Franklin, Kennebec, Oxford, and Sagadahoc counties)	46
Brassua Lake, Chesuncook, Churchill Lake, Harrington Lake, Long Pond,	
Matagamon, Millinocket, Moosehead, Mount Katahdin, Norcross, North-	
east Carry, Shin Ponds, Staceyville, and Telos Lake quadrangles (Penob-	10
scot, Piscataquis, and Somerset counties)	49
Appendix: Secondary elevations	54 59
rudex	99

# ILLUSTRATION.

	Page
PLATE I. Geological Survey bench marks	 . 5





GEOLOGICAL SURVEY BENCH MARKS.

A, Tablet used in cooperating States. The State name is inserted at G. B and D, Copper temporary bench mark, consisting of a nail and copper washer. A, C, and E, Tablets for stone or concrete structures. F, Iron post used where there is no rock.

# SPIRIT LEVELING IN MAINE, 1899-1915.

R. B. MARSHALL, Chief Geographer.

#### INTRODUCTION.

Cooperation.—The State of Maine contributed financially to this work during the years 1899 to 1915, inclusive, and was represented by Leslie A. Lee and C. S. Hichborn from 1899 to 1908, inclusive, by Nathaniel M. Jones in 1909, by F. C. Robinson and B. M. Fernald in 1910, by F. W. Plaisted in 1911–12, by William T. Haines in 1913–14, and by Benjamin F. Cleaves in 1915.

Previous publication.—The results of spirit leveling previously published in Bulletin 437, containing descriptions and elevations of bench marks established in Maine from 1899 to 1909, inclusive, and based on the 1903 adjustment, have been corrected to agree with the 1912 adjustment of precise leveling of the Coast and Geodetic Survey and are here republished, together with all results of spirit leveling by the United States Geological Survey since 1909. The elevations are likely to be changed but slightly by any future adjustment.

Personnel.—The field work from 1899 to 1906, inclusive, was done under the direction of H. M. Wilson, geographer, and that from 1907 to 1915, inclusive, was done under Frank Sutton, geographer. The work since January, 1908, was done under the general direction of R. B. Marshall, chief geographer. Credit is given in the heading of each list to the several levelmen. The office work of computation, adjustment, and preparation of lists was done mainly by S. S. Gannett, geographer, under the general direction of E. M. Douglas, geographer.

Classification.—The elevations are classified as precise or primary, according to the methods employed in their determination. The former are determined by lines of levels run either in both forward and backward directions or by simultaneous double-rodded lines, a high-grade instrument being used and special precautions being taken in observations and reduction to correct errors and make the line continuously good throughout. The latter or primary levels are determined with the Y level, precautions being taken against only the principal errors and the levels being run mostly in circuits of single

lines. The allowable limit of error observed on the precise work already done by the Geological Survey in this State is represented in feet by  $0.017\sqrt{D}$  and that for the primary work by  $0.05\sqrt{D}$ , in which

D is the length of circuit in miles.

Bench marks.—The standard bench marks are of two forms. The first form is a circular bronze or aluminum tablet (C and E. Pl. I). 3½ inches in diameter and ¼ inch thick, having a 3-inch stem, which is cemented in a drill hole in solid rock in the wall of some public building, a bridge abutment, or other substantial masonry structure. The second form (F, Pl. I), used where masonry or rock is not available, consists of a hollow wrought-iron post 31 inches in outer diameter and 4 feet in length, which is set about 3 feet in the ground. The bottom is spread out to a width of 10 inches in order to give a firm bearing on the earth, and a bronze or aluminum-bronze cap is riveted over the top of the post. A third style of bench mark, with abbreviated lettering (B and D, Pl. I), is used for unimportant points. This consists of a special copper nail 11 inches in length driven through a copper washer 7 inch in diameter. The tablets as well as the caps on the iron posts are appropriately lettered, and cooperation by States is indicated by the addition of the State name (G. Pl. I).

The numbers stamped on the bench marks described in the following pages represent the elevations to the nearest foot as determined by the levelman. These numbers are stamped with  $\frac{3}{16}$ -inch steel dies on the tablets or post caps, to the left of the word "Feet." The office adjustment of the notes and the reduction to mean sealevel datum may so change some of the figures that the original markings are 1 or 2 feet in error. It is assumed that engineers and others who have occasion to use the bench-mark elevations will apply to the Director of the United States Geological Survey, at Washington, D. C., for the adjusted values, and will use the markings as identification numbers only.

Datum.—All elevations determined by the United States Geological Survey and the United States Coast and Geodetic Survey are referred to mean sea level, which is the level that the sea would assume if the influence of winds and tides were eliminated. This level is not the elevation determined from the mean of the highest and the lowest tides, nor is it the half sum of the mean of all the high tides and the mean of all the low tides, which is called the half-tide level. Mean sea level is the average height of the water, all stages of the tide being considered. It is determined from observations made by means of tidal gages placed at stations where local conditions, such as long, narrow bays, rivers, and like features, will not affect the height of the water. To obtain even approximately correct results these observations must extend over at least one lunar month, and if

accuracy is desired they must extend over several years. At ocean stations the half-tide level and the mean sea level usually differ but little. It is assumed that there is no difference between the mean sea levels determined from observations in the Atlantic Ocean, the Gulf of Mexico, and the Pacific Ocean.

The connection with tidal stations for bench marks in certain areas that lie at some distance from the seacoast is still uncertain, and this fact is indicated by the addition of a letter or word to the right of the word "Datum" on tablets or posts. For such areas corrections for published results will be made from time to time as the precise-level lines of the United States Geological Survey, the United States Coast and Geodetic Survey, or other Government organizations are extended.

Topographic maps.—Maps of the following quadrangles, wholly or partly in Maine, have been published by the United States Geological Survey up to July 1, 1916. They may be obtained, unless otherwise noted, at 10 cents each or \$3 for 50 on application to the Director of

Livermore.

the Survey, at Washington, D. C.

Anson. Augusta. Bangor. Bar Harbor. Berwick (Me.-N. H.) Biddeford Bingham. Bluehill.1 Boothbay. Bryant Pond. Buckfield. Bucksport. Buxton. Casco Bav. Castine.1 Cherryfield. Deer Isle.1 Dover (N.H.-Me.)2 Eastport. Ellsworth. Freeport. Fryeburg. Gardiner. Gorham (N. H.-Me.).2 Grav. Kennebunk. Kezar Falls. Lewiston.

Matinicus. Monhegan.3 Mount Desert. Mount Washington and vicinity (N. H .-Me.).2 Newfield (Me.-N. H.). Norridgewock. North Conway (N. H.-Me.).2 Norway. Orland. Orono. Penobscot Bay.1 Petit Manan. Poland. Portland. Rockland. Sebago. Skowhegan. Small Point. Swan Island. Tenants Harbor. The Forks. Vassalboro. Vinalhaven.1 Waterville. Wiscasset. York (Me.-N. H.).

3 Shows wooded areas.

<sup>&</sup>lt;sup>1</sup>Bluehill, Castine, Deer Isle, and Vinalhaven sheets, on scale of 1:62500, have been reduced and form Penobscot Bay sheet, on scale of 1:125000.

<sup>&</sup>lt;sup>2</sup> Mount Washington and vicinity map includes Gorham and North Conway sheets, together with the Crawford Notch and Mount Washington sheets, New Hampshire.

#### PRECISE LEVELING.

Bath, Freeport, Gray, Kezar Falls, Portland, and Sebago quadrangles.

#### CUMBERLAND AND YORK COUNTIES.

The elevations in the following list are the result of two lines of precise levels run in 1906: One line from Portland, northeast along the Maine Central Railroad, to Brunswick (where it joins the doublerodded primary line of the water-resources branch from Augusta). and thence up the Androscoggin River; the other line from Portland, northwest along the Maine Central Railroad, to Cornish, and thence west along highways through the southern part of Kezar Falls quadrangle to the New Hampshire State line. Both lines are based on a bench mark established by the United States Engineer Corps in 1901 from previous marks set by the Coast and Geodetic Survey, now destroyed, the heights of which were determined from tidal records made in 1852-53 and in 1864-1866. The bench mark is the bottom of a half-inch drill hole one-eighth inch deep on the upper surface of the water table between the columns at the right of the Commercial Street entrance to the customhouse building. Its elevation is 14.069 feet above mean sea level, and the mean range of tide at Portland as corrected in 1896 is 8.824 feet. The methods, instrument, and limit of error were practically those now used by the Coast and Geodetic Survey, except that the rods were 3.5 yards long, graduated to yards and hundredths with incased thermometers.

#### PORTLAND QUADRANGLE.

[Latitude 43° 30'-43° 45'; longitude 70° 15'-70° 30'.]

From Portland northeast along Maine Central R. R. to Cumberland Junction.	
Portland, on step at right side of main entrance to city hall; bronze tablet stamped "67"	Feet. 66. 582
Portland, on upper surface of water table between columns at right of Commercial Street entrance to customhouse, bottom of half-inch drill hole	
one-eighth inch deep (above low water, 18.481)	14.069
Portland, 0.9 mile south of customhouse, on foundation of highway bridge over railroad, east side of track; chiseled square	12. 210
Portland, right side of main entrance to Union Station; aluminum tablet stamped "26".	26. 070
Woodfords, in front of station; top of rail	65. 7
Deering Junction, in front of station; top of rail.	103.8
Deering Junction, 0.2 mile northeast of, southeast side of track, 225 feet northeast of highway, in west side of granite ledge; aluminum tablet	
stamped "110"	109. 530
Deering Junction, 2.9 miles northeast of, railroad bridge over Presumpscot	
River, northwest side of track, on top of northeast abutment; aluminum	-
tablet stamped "48"	47. 694

From Portland along Maine Central R. R. to Newhall.	
Portland, on right side of main entrance to Union Station (porte-cochère),	Feet.
in curb; aluminum tablet stamped "26"	26.070
Cumberland Mills, 0.2 mile northwest of, south side of track, west abutment of railroad bridge, in retaining wall; aluminum tablet stamped "69"	68. 599
South Windham depot, 110 feet east of, first road east of station parallel with	00.000
railroad, south of Troad, 3 feet higher than road, in rock ledge east side of	
road; aluminum tablet stamped "154"	153. 906
Newhall, in front of station; top of rail	168. 09
GRAY QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 70° 15′-70° 30′.]	
At Cumberland Junction.	
Cumberland Junction, 250 feet south of station, southeast side of track, top	stant.
of culvert; aluminum tablet stamped "58".  Cumberland Junction, in front of station; top of rail.	57. 984 59. 0
	59.0
FREEPORT QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 70°-70° 15′.]	
From Cumberland Junction northeast along Maine Central R. R. to Brunswick.	
Cumberland Junction, 3.6 miles northeast of, bridge over Royal River, northwest side of track, on top of south abutment; aluminum tablet	
stamped "92".  Yarmouth Junction, in front of station; top of rail.	91. 821 89. 8
Yarmouth, 1.7 miles northeast of, 364 feet southwest of overhead highway	00.0
bridge, southeast side of track, on ledge; chiseled square	73. 212
Yarmouth Junction, 4 miles northeast of, southwest end of southeast abut-	00.000
ment of overhead highway bridge; aluminum tablet stamped "90" Freeport, in front of station; top of rail	89. 950 129. 6
Freeport, 0.2 mile northeast of, northwest side of track, just south of high-	123. 0
way, in rock ledge; aluminum tablet stamped "133"	132. 504
Freeport, 4.1 miles northeast of, southeast side of track, in rock ledge; alu-	
minum tablet stamped "136".	135. 529
BATH QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 69° 45′-70°.]	
At Brunswick.	
Brunswick, west side of Union Station, about 16 feet from southwest corner of grating over basement windows, in curb 6 inches from wall; aluminum	
tablet stamped "67"	66. 519
Brunswick, left of main entrance to city hall, in wall; aluminum tablet	00.010
stamped "70"	69. 589
Brunswick, south side of Union Station, in doorstep leading to basement; bronze tablet stamped "67"	67. 094
SEBAGO QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 70° 30′-70° 45′.]	
From Sebago along Maine Central R. R. to point 2.1 miles northwest of Mattocks.	
Sebago, in front of station; top of rail.	275. 453
Sebago Lake station, 0.3 mile northwest of, north side of track, in rock ledge;	210.100
aluminum tablet stamped "287"	287. 555
Richville, in front of station; top of rail	313. 740

Richville, 0.6 mile northwest of, right side of track, in rock; aluminum	Feet. 293, 283
tablet stamped "293"	
Steep Falls, in front of station; top of rail	303. 432
Steep Falls, 0.2 mile northwest of, right side of track, in rock; aluminum	
tablet	300. 370
Mattocks, in front of station; top of rail	283. 331
Mattocks, 2.1 miles northwest of, right side of track, in rock; aluminum	
tablet stamped "320"	320.050
KEZAR FALLS QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 70° 45′-71°.]	
From Cornish west along highways to point 1.2 miles west of Porter.	
Cornish, at forks of Maine and Cumberland streets, on right side going east,	
in side yard of dwelling, in rock; aluminum tablet stamped "347"	346. 943
Kezar Falls, northeast of bridge, in Hollem's lot, 60 feet from road, 12 feet	
east of west fence, in rock; aluminum tablet stamped "381"	381. 345
Porter, 1.2 miles west of north side of road, in rock; aluminum tablet	
stamped "399"	398, 873

### PRIMARY LEVELING.

Portland quadrangle.

### CUMBERLAND AND YORK COUNTIES.

Elevations are based on precise level bench marks at Portland and Cumberland Mills.

The leveling was done in 1914 by R. C. Seitz.

#### PORTLAND QUADRANGLE.

[Latitude 43° 30'-43° 45'; longitude 70° 15'-70° 30'.]

all the applications while controlled the control of the control o	
From Portland southwest along Boston & Maine R. R. to Saco, thence north along highways to Buxton station, thence east along Boston & Maine R. R. to Cumberland Mills.	
Portland, on right side of main entrance to Union Station, in curb; alumi-	Feet.
num tablet stamped "26"	26. 070
Portland, Vaughan Bridge, on coping stone at southeast corner; chiseled	
cross	15.96
Portland, 2 miles south of, T road southeast, northeast angle of Saco road	1
and Old Rigby road; top of fire hydrant	33.78
Portland, 3.50 miles south of, junction eastern and western divisions Boston	THE REAL PROPERTY.
& Maine R. R., end of culvert in north angle; bronze tablet stamped	
"Me. 36 1914 S"	36. 185
Private road crossing; top of east rail	31. 68
Private road crossing; top of east rail.	40.8
Portland, 5 miles southwest of, \(\frac{3}{4}\) mile north of Oakhill station, west end	
of culvert under railroad; tablet stamped "Me. 40 1914 S"	39.565
Oakhill station; top of rail	34. 2
Oakhill station, on rock near pump at south end of station; chisel mark	37. 20
Oakhill station, 1 mile south of, northwest corner of culvert under railroad;	
chisel mark.	10.22
West Scarboro station, 0.50 mile north of, on bowlder east of track; chisel	
mark	5.43
IIIdi K	

### PRIMARY LEVELING.

	Feet.
West Scarboro station, at highway crossing; top of east rail	12.1
West Scarboro station, 0.70 mile south of, on east right-of-way line of Boston	
& Maine R. R., north foundation stone of overhead bridge; tablet	t
stamped "Me. 35 1914 S"	
West Scarboro station, 1.70 miles south of, northwest corner of base of sema-	ALEXON CO.
phore; chisel mark	
West Scarboro station, 2.30 miles south of; top of rail over highway	
West Scarboro station, 3.35 miles south of, northwest corner of base of sema-	
phore 969; chisel mark	76.06
Saco station, 1.30 miles north of, top of west end of south abutment of over-	o backer
head bridge; tablet stamped "Me. 71 1914 S"	70, 782
Saco station, north street crossing, in northeast angle, stone property	h-lightly.
corner; chisel mark.	
Saco station, 1 mile south of, top of northwest corner north abutment Saco	
River bridge; tablet stamped "Me. 73 1914 S"	
Saco station, 1.40 miles northwest of, T road northeast, on rock in east	, , , ,
angle; chisel mark	
Saco station, 2.5 miles northwest of, private road south to Pillsbury's re-	
treat, in west end of small box drain; copper nail.	
Saco station, 3.20 miles northwest of, about 200 feet west of T road south,	
north end stone arch under highway; tablet stamped "Me. 134 1914 S".	
Saco station, 4.10 miles northwest of, T road northeast, in base of telephone	
pole in triangle; copper nail	
Heath meetinghouse, 0.20 mile south of, on stone at northeast corner of	
small bridge; chisel mark.	
Heath meetinghouse, 3 mile north of, about 1,000 feet west of forks of road,	
north end of stone arch; tablet stamped "Me. 93 1914 S"	92. 300
South Buxton, 2½ miles (air line) south of, forks of road, on rock on east	
side of road in front of house and at south corner of triangle; chisel mark.	158, 88
York-Cumberland county line; T road west	187
Dunstan, 5 miles west of, 3.5 miles east of Buxton station, at cross roads,	
rock in southwest angle; chisel mark	147. 85
Dunstan, 5 miles west of, 3.5 miles east of Buxton station, in southeast angle	
of stone property corner; tablet stamped "Me. 1914 147 S"	
Private road south, on rock; chisel mark	146. 841 176. 76
South Buxton, at cross roads, rock ledge in southeast angle; chisel mark	182.73
Private road south	173
Buxton station, 1 mile east of, stone at east end of culvert, 150 feet north of	173
cross roads; chisel mark	191. 41
Gorham, 3.60 miles south of, west end of small drain under railroad at south	191. 41
side of highway; tablet stamped "Me. 1914 181 S"	100 004
	180. 994 183. 2
Highway crossing; top of rail	183. 2
	100 07
of railroad; top of stone post	198. 37
Highway crossing; top of east rail.  Gorham, 1.10 miles south of, in southwest corner of base of block signal No.	234. 3
	040 77
1353; top of bolt	243. 71
Gorham, south end of second (from ground) course of masonry in west abut-	010 011
ment of overhead bridge; tablet stamped "Me. 212 1914 S"	212. 011
Gorham station; top of rail	207. 7
Gorham station, 0.70 mile north of, at highway crossing; top of east rail	179.8

Gorham, 1.30 miles northeast of, at highway crossing, in base of danger sig-	Feet.
nal; spike	153
Gorham, 2 miles northeast of; highway crossing	116
Gorham, 2.80 miles northeast of, 1.10 miles southwest of Westbrook station,	
about 150 feet north of highway crossing, in southeast corner of base of	
block signal No. 1392; top of bolt	109.99
Westbrook station, 1,200 feet south of, at highway crossing; top of east rail	73.3
Westbrook station, 100 feet south of, in switch stand; top of spike	63.77
Cumberland Mills, at railroad crossing; top of rail	70.7
Cumberland Mills, 0.20 mile west of, south side of track, west abutment of	
railroad bridge over Presumpscot River, in retaining wall; tablet	
stamped "69"	68. 599

Anson, Augusta, Bingham, Brassua Lake, Kingsbury, Moosehead, Norridgewock, Skowhegan, The Forks, Vassalboro, and Waterville quadrangles.

### KENNEBEC, SOMERSET, AND PISCATAQUIS COUNTIES.

The elevations in the following list are based on tidal records of the Coast and Geodetic Survey at Portland. The work was previously based on Augusta datum from tidal records of the Coast and Geodetic Survey at Hallowell; but the results of a doublerodded line run in 1905 by the water-resources branch of the United States Geological Survey from Augusta to Brunswick, checking upon the Coast and Geodetic Survey gage bench marks at Abagadassett Point and Pleasant Point with a connection also at Moosehead from Penobscot River levels, showed considerable error. A line of precise levels was therefore run from Portland (where a more reliable sealevel value could be obtained) to Brunswick, from which was derived a correction of 2.651 feet to be added to the original unpublished values of the water-resources branch and 2.593 to be added to the original unpublished elevations of the bench marks on Augusta datum from Augusta to Moosehead. The closures upon Coast and Geodetic Survey gage bench marks by the water-resources branch line corrected to Portland datum are as follows: At Point Pleasant. +1.11 feet; at Abagadassett Point, +0.41 feet; at Hallowell bench mark 2, +2.651 feet; at Augusta, +4.608 feet.

A small discrepancy with levels brought by the topographic branch from Bangor up the Penobscot River, in 1904, to Norcross and thence by wye and water levels in the four succeeding years by the water-resources branch to Moosehead, has been adjusted to the leveling of the water-resources branch.

The leveling was done in 1903 and 1904 by F. J. McMaugh. Leveling in-Kingsbury quadrangle and additional leveling in Anson and Skowhegan quadrangles was done in 1912 by K. E. Schlachter.

#### AUGUSTA QUADRANGLE.

[Latitude 44° 15'-44° 30'; longitude 69° 45'-70°.]

#### From Hallowell north along Maine Central R. R. to Augusta.

<ul> <li>Hallowell, on south face of stone snubbing post of Granite Company's wharf; horizontal chisel mark ¹ (Coast and Geodetic Survey bench mark No. 1).</li> <li>Hallowell, Water Street (southeast) corner of cotton mill; horizontal chisel mark (Coast and Geodetic Survey bench mark No. 2; discarded elevation by Coast and Geodetic Survey equals 24.44 feet above mean water level).</li> <li>Augusta, at northwest corner of west wing of state house; aluminum tablet stamped (reestablished in 1909 by the water-resources branch).</li> </ul>	Feet. 13. 804 27. 091 152. 950
Augusta, in the upper and outer stone on top of the small ornamental tower, on the southwest corner of river wall around the arsenal; drilled hole 2	21. 168
VASSALBORO QUADRANGLE.	
[Latitude 44° 15′-44° 30′; longitude 69° 30′-69° 45′.]	
From Augusta north along Maine Central R. R. to Vassalboro.	
Augusta, 4 miles northeast of, 865 feet north of milestone "66 and 185," in south granite abutment of railroad culvert; aluminum tablet stamped	entent
"34 Augusta"	37. 046
mark	51. 53
Vassalboro, stone culvert near milestone "73 and 183," Portland and Vanceboro, in southeast corner; aluminum tablet stamped "39 Augusta"  Vassalboro, in front of station; top of rail.	42.027 57.4
WATERVILLE QUADRANGLE.	
[Latitude 44° 30′-44° 45′; longitude 69° 30′-69° 45′.]	
From Vassalboro north along Maine Central R. R. to Goodwill.	
Winslow, 0.5 mile south of, 5.5 miles north of Vassalboro, in east abutment of new bridge over Kennebec River; aluminum tablet stamped "53"	
Augusta''	55. 584
Winslow, in front of station; top of rail.  Waterville, west side of canal, on grounds of Hollingsworth & Whitney, in	54.8
stone wall; brass cap	78.157
bridge, in ledge marked "Top of flash boards"; copper bolt	52.16
Shawmut, in west wall of engine house of the Lawrence Newhall plant;	
aluminum tablet stamped "113 Augusta".  Shawmut, in front of station; top of rail.	115. 226 126. 0
Goodwill Farm, in front of station; top of rail	119.6
Hinckley, in front of station; top of rail.	132.6
Goodwill, 1.8 miles north of, in milestone "7 miles to Skowhegan, 95 miles	
to Portland"; aluminum tablet stamped "126 Augusta"	128. 580

<sup>&</sup>lt;sup>1</sup> This bench mark is assumed to have settled 0. 344 foot, as found by checked connection with bench mark No. 2. Discarded elevation by Coast and Geodetic Survey equals 11.50 feet above mean water level.

<sup>&</sup>lt;sup>2</sup> Elevation by the water-resources branch, United States Geological Survey, exact point of Coast and Geodetic Survey bench mark impossible to determine; discarded elevation by Coast and Geodetic Survey equals 16.56 feet above mean water level.

### NORRIDGEWOCK QUADRANGLE.

[Latitude 44° 30′-44° 45′; longitude 69° 45′-70°.]

[Latitude 44 - 30 - 44 - 45 ; longitude 69 - 45 - 70 - ]	
From Skowhegan southwest along Skowhegan & Norridgewock Electric Ry. to Norridgewock.	
Norridgewock, in northeast corner of hotel; aluminum tablet stamped "199 Augusta"	Feet. 201.854
Norridgewock, in front of station; top of rail	202.3
ANSON QUADRANGLE.	
[Latitude 44° 45′-45°; longitude 69° 45′-70°.]	
From Norridgewock north along Somerset Ry. to Anson.	
Madison, in center of town, in underpinning of Odd Fellows block; aluminum tablet stamped "294 Augusta".  Anson, in front of station; top of rail.	297. 035 263. 4
From Madison east to Madison Center, thence north via North Madison to Solon.	
Madison Center, at entrance to Lakewood Park (property of Somerset Traction Co.), at forks of road, in granite foundation of farmhouse; bronze tablet stamped "363 Augusta".  North Madison, 540 feet south of first four of "Twelve Corners," on summit of small hill, west side of road, in flint ledge; bronze tablet stamped "622	365. 627
Augusta''.  Solon, New Caratunk Hotel (J. H. Grey, owner), in granite underpinning of west corner; bronze tablet stamped "403 Augusta".	624. 508 405. 416
From Solon west along public roads to Embden Center.	-
Embden Center, at three corners of road, in front of old house, east side of road; bronze tablet stamped "474 Augusta".	476. 681
From Embden Center south along public road via North Anson to Anson.	
North Anson, opposite road forks, in east face of southeast corner of granite underpinning of building owned by F. W. Bunker; aluminum tablet stamped "293 Augusta"  North Anson, in front of station; top of rail	295. 658 315. 4
From point 3 miles north of Skowhegan along highway to Madison Center.	
Skowhegan, 3 miles north of, along Madison Avenue, 100 feet south of entrance to home of Charles F. Davis, east side of road, in rock culvert; aluminum tablet stamped "487 Me".  Skowhegan, 4 miles north of, along Madison Avenue, at northeast corner of crossroads, at White School; chiseled square on rock, marked "T. B. M. 503.3"	486. 703 503. 15
SKOWHEGAN QUADRANGLE.	000.10
[Latitude 44° 45′-45°; longitude 69° 30′-69° 45′.]	
At Skowhegan.	
	170 0
Skowhegan, in front of station; top of rail.  Skowhegan, in corner of high school building, on island; aluminum tablet stamped "172 Augusta." (Reported as having the end defaced)  Skowhegan, 0.3 mile south of station, on coping stone at west end of south	172. 8 174. 484
abutment of railroad bridge; aluminum tablet stamped "176 Augusta"	178.897

#### From Skowhegan northwest along highway 2.3 miles.

Skowhegan, 1.3 miles north of, electric railway bridge over Cold Brook, in northeast corner of concrete abutment; chiseled square, painted "T.	Feet.
B. M. 227.0''	226.93
chiseled square on rock, marked "319.2 T. B. M."	319.10
From point near Skowhegan northeast along highway to Athens, thence southeast via Corston Corner to Canaan, thence west to Skowhegan.	
Skowhegan, 1.8 miles north of, along North Avenue (Athens road), at forks	
of Old Athens road, east side of road; copper nail in telephone pole, marked "T. B. M. 237.7".	235. 22
Skowhegan, 2.8 miles north of, along Athens road, in northwest corner of highway bridge over East Branch of Cold Brook; aluminum tablet	manual)
stamped ''198 Me''. Skowhegan, 3.5 miles north of, on Hilton Hill, 400 feet north of C. B. White's	197.787
house, east side of road; chiseled square on rock, marked "T. B. M. 361.9".  Skowhegan, 4.5 miles north of, along Athens road, bridge over Devils Bog Brook, in stone at southeast corner; chiseled square, marked "T. B. M.	361.82
328.2".  Revere School, northwest corner of crossroad, in rock; aluminum tablet	328.16
stamped "414 Me".  Revere School, 1.3 miles north of, along Athens road, 300 feet south of D. D.	414.362
Collins's home, 20 feet east of center of road; chiseled square on rock, marked "T. B. M. 316.8".	316.71
Revere School, 2.5 miles north of, along Athens road, 300 feet south of Ernest Fowler's home, 12 feet east of center of road; chiseled square on rock,	310.71
marked "T. B. M. 357.5".  Cass Corner, 0.8 mile south of, along Skowhegan road, 250 feet north of corner	357.42
of E. Madison road, 15 feet east of road center, in stone; aluminum tablet stamped "348 Me"	348. 219
Cass Corner, 0.3 mile southwest of, along Skowhegan road, in Eaton's concrete water trough; chiseled square on basin, marked "T. B. M. 386.7"	386.56
Cass Corner, 1,500 feet east of, along Athens road, 12 feet south of road; chiseled square on rock, marked "T. B. M. 407.5"	407.42
Athens, in southeast abutment of bridge over Wesserunsett Stream; alumi-	
num tablet stamped "344 Me".  Athens, 1 mile southeast of, along Hartland road, south side of road; chis-	344. 018
eled square on rock, marked "T. B. M. 431.2"	431.11
square on rock, marked "T. B. M. 386.6".  Athens, 2.5 miles southeast of, along Hartland road, west side of road at	386. 51
corner, in rock; aluminum tablet stamped "405 Me"	405. 341
marked "T. B. M. 267.4"	267. 26
over Black Stream; chiseled square on rock, marked "271.2 T. B. M." Corston Corner, 2.5 miles south of, 1,500 feet south of Geo. O. Currie's home,	271. 10
20 feet east of road, in rock; aluminum tablet stamped "284 Me" Gould's (Richard's) corner 750 feet north of McKinley School, east side of	284. 313
road at forks; chiseled square on rock, marked "T. B. M. 310.3"	310. 24
Gould's (Richard's) corner, 1 mile south of, in northwest corner of Mitchell's corner; chiseled square on rock, marked "316.3 T. B. M."	316. 22

Mitchell's corner, 0.8 mile southeast of, along Canaan road, opposite C. H. Wheeler's home, west side of road, in rock; aluminum tablet stamped	Feet.
"320 Me"	320. 176
Brown School, opposite schoolhouse, at corner; chiseled square on rock, marked "T. B. M. 289.7"	289. 53
Canaan, 2.8 miles north of, along Horseback road, opposite E. S. Damon's home, west side of road, in rock; aluminum tablet stamped "298 Me"	298. 076
Canaan, 1 mile north of, along Horseback road, east side of road; chiseled square on rock marked "T. B. M. 281.0"	280. 90
Canaan, in northeast corner of bridge over Canaan (Carrabassett) Brook, in concrete coping; aluminum tablet stamped "235 Me"	235. 336
Canaan, 0.5 mile west of, along Skowhegan road, in front of Geo. F. Barrett's home; chiseled square on rock marked "325.4 T. B. M."	325. 23
Canaan, 2 miles west of, along Skowhegan road, at corner, south side of road; chiseled square on rock, marked "T. B. M. 331.9"	331. 79
Canaan, 3 miles west of, along Skowhegan road, at southeast corner, in rock; aluminum tablet stamped "286 Me".	285. 891
Skowhegan, 4 miles east of, along Canaan road, in southwest corner of cross-	
roads, chiseled square on rock, marked "T. B. M. 444.9"	444. 77
M. 199.1"	198. 93
Bridge; aluminum tablet stamped "130 Me."	129. 957
road, south side of road; chiseled square on stone, marked "143.9"	143. 75
From Athens via circuitous course northwest to West Athens, thence north to Garfield School, thence northeast and southeast to Harmony, thence south and southeast to Corston Corner. Part of line.	
Athens, 1.8 miles northwest of, alongWest Athens road, at foot of mail box in front of old house; chiseled square on rock, marked "414.9"	414.76
"377.9" West Athens, 180 feet north of corner, at mill, 25 feet west of road, in ledge;	377.75
aluminum tablet stamped "465 Me.".  Lincoln School, 1.5 miles north of West Athens, in doorstep; aluminum	464. 825
tablet stamped "548 Me."  Lincoln School, 0.8 mile east of, north side of road; chiseled square on rock,	548. 154
marked "T. B. M. 579.0" Lincoln School, 2.2 miles east of, 350 feet east of Geo. Leavitt's home, north	578. 87
side of road; chiseled square on rock, marked "T. B. M. 774.9"	774. 74 842. 146
Garfield School, 1.2 miles east of, south side of road; chiseled square in rock, marked "T. B. M. 736.3"	736. 11
Garfield School, 1.5 miles east of, south margin of road; chiseled square on ledge, marked "T. B. M. 664.3"	664. 17
Harmony, 1.5 miles north of, along North road, west side of road; chiseled square on rock, marked "T. B. M. 384.2"	384. 01
Harmony, at three forks north of, west side of road; chiseled square on rock, marked "T. B. M. 355.1".	354. 87

Harmony, in northeast abutment of highway bridge over Higgins Brook; bronze tablet stamped "312 Me."	312. 213
square on rock, marked "T. B. M. 398.0"	397. 79
in rock; aluminum tablet stamped "391 Me".  Hurd School, 2.5 miles west of, along Skowhegan road, 40 feet north of	391. 211
road; chiseled square on rock, marked "375.0 T. B. M.".  Corston Corner, 1.8 miles northeast of, along Harmony road, 100 yards east of crossroads, 35 feet south of road in field, in rock; aluminum tablet	
stamped "305 Me"	304. 494
side of road, chiseled square on rock, marked "T. B. M. 279.4"	279. 14
KINGSBURY QUADRANGLE.	
[Latitude 45°-45° 15'; longitude 69° 30'-69° 45'.]	
Portion of circuit from Athens to Corston Corner.	
Garfield School, 2 miles east of, in southeast corner of crossroads (over Dore Hill), 10 yards from intersection, in rock; bronze tablet stamped "619 Me".	618. 736
Garfield School, 3 miles east of, at corner near small cemetery, on east side	010. 750
of road; chiseled square on rock, marked "657.1 T. B. M."	656. 88
Klondike School, 0.5 mile northeast of, north side of road; chiseled square	101 10
on rock, marked "464.6 T. B. M.".  Klondike School, 0.8 mile east of, at junction with North road, northeast end	464. 42
of highway retaining wall, in rock; bronze tablet stamped "472 Me"	471. 413
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.	471. 413
of highway retaining wall, in rock; bronze tablet stamped "472 Me"	471. 413
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.	471. 413
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15′; longitude 69° 45′-70°.]  From Solon north along Somerset Ry. to Bingham.	471. 413
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta"	471. 413 378. 216
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta"	378. 216
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta"	378. 216 369. 334
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45′-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta"  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta"  Bingham, in front of station; top of rail.	378. 216
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.	378. 216 369. 334
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house;	378. 216 369. 334 351. 8
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".	378. 216 369. 334
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house;	378. 216 369. 334 351. 8
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".	378, 216 369, 334 351, 8
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta"  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta"  Bingham, in front of station; top of rail  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta"  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta"	378. 216 369. 334 351. 8 436. 434 453. 669
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum	378. 216 369. 334 351. 8 436. 434 453. 669
of highway retaining wall, in rock; bronze tablet stamped "472 Me"  BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum tablet stamped "1324 Augusta" (bench mark on old line was unrecov-	378. 216 369. 334 351. 8 436. 434 453. 669 590. 384
BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum tablet stamped "1324 Augusta" (bench mark on old line was unrecovered and elevation may be 3 feet too great).	378. 216 369. 334 351. 8 436. 434 453. 669 590. 384
BINGHAM QUADRANGLE.  [Latitude 45°-45° 15′; longitude 69° 45′-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum tablet stamped "1324 Augusta" (bench mark on old line was unrecovered and elevation may be 3 feet too great).  Deadwater station, 3.7 feet east of southwest corner of tank house in granite	378. 216 369. 334 351. 8 436. 434 453. 669 590. 384
BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum tablet stamped "1324 Augusta" (bench mark on old line was unrecovered and elevation may be 3 feet too great).  Deadwater station, 3.7 feet east of southwest corner of tank house in granite underpinning; aluminum tablet stamped "1001 Augusta".  Austin Pond, 100 feet east of main camp, 40 feet south of road to pond, in	378. 216 369. 334 351. 8 436. 434 453. 669 590. 384 1, 326. 534 1, 003. 500
BINGHAM QUADRANGLE.  [Latitude 45°-45° 15'; longitude 69° 45'-70°.]  From Solon north along Somerset Ry. to Bingham.  Bingham, 3 miles south of, 7 miles north of Solon, right side of road, in bowlder; bronze tablet stamped "376 Augusta".  Bingham, bridge over Austin Stream, in south end of east abutment; bronze tablet stamped "367 Augusta".  Bingham, in front of station; top of rail.  From Bingham north along highway to Carritunk.  Bingham, 6.5 miles north of, in southeast corner of George Gordon's house; bronze tablet stamped "434 Augusta".  Briggs Ferry, 600 feet north of (10.6 miles north of Bingham), right side of road, in ledge of rocks; bronze tablet stamped "451 Augusta".  Carritunk, 1,000 feet south of post office, right of road, in rock ledge; bronze tablet stamped "588 Augusta".  From Bingham northeast along Somerset Ry. to Austin Pond and Moxie Pond.  Bingham, 5 miles northeast of, in rock wall at Chamberlain Hill; aluminum tablet stamped "1324 Augusta" (bench mark on old line was unrecovered and elevation may be 3 feet too great).  Deadwater station, 3.7 feet east of southwest corner of tank house in granite underpinning; aluminum tablet stamped "1001 Augusta".	378. 216 369. 334 351. 8 436. 434 453. 669 590. 384 1, 326. 534 1, 003. 500

#### THE FORKS QUADRANGLE.

[Latitude 45° 15'-45° 30'; longitude 69° 45'-70°.]

let stamped "576 Augusta"	The Forks, 2.5 miles south of, 5.2 miles north of Carritunk, 2,000 feet north of Ed. Morris's house, east side of road, in ledge of rocks; aluminum tab-	Feet.
The Forks, east end of bridge over Kennebec River, in granite abutment; bolt	let stamped "576 Augusta"	579.066
The Forks, 3 miles north of, west side of river, 300 feet south of Cold Stream, in rock ledge; aluminum tablet stamped "611 Augusta"	The Forks, east end of bridge over Kennebec River, in granite abutment;	
in rock ledge; aluminum tablet stamped "611 Augusta". 614.090 The Forks, 10.2 miles north of, north bank of Chase Stream at mouth, in rock ledge; aluminum tablet stamped "757 Augusta". 760.062 Indian Pond, east bank of river near southeast corner of dam, in rock ledge; aluminum tablet stamped "933 Augusta". 936.013  From The Forks east to lower (north) end of Moxie Pond, thence by water levels to upper end.  The Forks, 3 miles east of, 320 feet east of Ed. Croto's house, south side of road, in large bowlder; aluminum tablet stamped "901 Augusta". 903.261  Moxie Pond, north end of, at upper dam, in ledge at east side of Moxie Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959 Augusta". 961.259  Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta". 966.060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948.300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1, 028.154  Moosehead Lake, low water of October, 1903; surface. 1, 022.0  Moosehead Lake; high water (from information by proprietor of Outlet	bolt	577. 33
The Forks, 10.2 miles north of, north bank of Chase Stream at mouth, in rock ledge; aluminum tablet stamped "757 Augusta"	in rock ledge: aluminum tablet stamped "611 Augusta"	614. 090
Indian Pond, east bank of river near southeast corner of dam, in rock ledge; aluminum tablet stamped "933 Augusta"	The Forks, 10.2 miles north of, north bank of Chase Stream at mouth, in	
aluminum tablet stamped "933 Augusta". 936. 013  From The Forks east to lower (north) end of Moxie Pond, thence by water levels to upper end.  The Forks, 3 miles east of, 320 feet east of Ed. Croto's house, south side of road, in large bowlder; aluminum tablet stamped "901 Augusta". 903. 261  Moxie Pond, north end of, at upper dam, in ledge at east side of Moxie Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959 Augusta". 961. 259  Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta". 966. 060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30'—45° 45'; longitude 69° 45'—70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30'—45° 45'; longitude 69° 30'—69° 45'.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet 1 stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	rock ledge; aluminum tablet stamped "757 Augusta"	760. 062
The Forks east to lower (north) end of Moxie Pond, thence by water levels to upper end.  The Forks, 3 miles east of, 320 feet east of Ed. Croto's house, south side of road, in large bowlder; aluminum tablet stamped "901 Augusta"	aluminum tablet stamped "933 Augusta"	936. 013
The Forks, 3 miles east of, 320 feet east of Ed. Croto's house, south side of road, in large bowlder; aluminum tablet stamped "901 Augusta"	From The Forks east to lower (north) end of Moxie Pond, thence by water levels to	
moxie Pond, north end of, at upper dam, in ledge at east side of Moxie Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959 Augusta".  Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta".  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta".  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta".  1,028. 154  Moosehead Lake, low water of October, 1903; surface.  1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet		
Moxie Pond, north end of, at upper dam, in ledge at east side of Moxie Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959 Augusta". 961. 259  Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta". 966. 060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	The Forks, 3 miles east of, 320 feet east of Ed. Croto's nouse, south side of	903, 261
Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959 Augusta". 961. 259  Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta". 966. 060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	Moxie Pond, north end of, at upper dam, in ledge at east side of Moxie	
Moxie Pond, on west bank of Baker Stream, 50 feet east of railroad location, in ledge; aluminum tablet stamped "963 Augusta". 966. 060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30'-45° 45'; longitude 69° 45'-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30'-45° 45'; longitude 69° 30'-69° 45'.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet 1 stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	Stream, 90 feet northeast of sluice gate; aluminum tablet stamped "959	0.01 010
in ledge; aluminum tablet stamped "963 Augusta". 966. 060  BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	Augusta".	961. 259
BRASSUA LAKE QUADRANGLE.  [Latitude 45° 30'-45° 45'; longitude 69° 45'-70°.]  From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30'-45° 45'; longitude 69° 30'-69° 45'.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	in ledge; aluminum tablet stamped "963 Augusta"	966. 060
From Indian Lake northeast along north side of Indian Pond to Moosehead.  Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet		
Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	[Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]	
road, in rock ledge; aluminum tablet stamped "946 Augusta". 948. 300  MOOSEHEAD QUADRANGLE.  [Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped "1026 Augusta". 1,028. 154  Moosehead Lake, low water of October, 1903; surface. 1,022. 0  Moosehead Lake; high water (from information by proprietor of Outlet	From Indian Lake northeast along north side of Indian Pond to Moosehead.	
[Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]  At Moosehead.  Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet ¹ stamped  "1026 Augusta"	Marrs Camp, north end of Indian Pond, 6.1 miles north of dam, at side of road, in rock ledge; aluminum tablet stamped "946 Augusta"	948. 300
Moosehead, southeast corner of east abutment of Canadian Pacific Ry. bridge over east outlet of Moosehead Lake; aluminum tablet 1 stamped "1026 Augusta"	MOOSEHEAD QUADRANGLE.	
Moosehead, southeast corner of east abutment of Canadian Pacific Ry.  bridge over east outlet of Moosehead Lake; aluminum tablet <sup>1</sup> stamped  "1026 Augusta"	[Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]	
bridge over east outlet of Moosehead Lake; aluminum tablet <sup>1</sup> stamped "1026 Augusta"	At Moosehead.	
"1026 Augusta"	Moosehead, southeast corner of east abutment of Canadian Pacific Ry.	
Moosehead Lake, low water of October, 1903; surface	bridge over east outlet of Moosehead Lake; aluminum tablet 1 stamped	1 000 154
Moosehead Lake; high water (from information by proprietor of Outlet	"1026 Augusta"	1, 028, 194
	Moosehead Lake; high water (from information by proprietor of Outlet	-,
		1, 028. 7

### Buckfield, Lewiston, Livermore, and Poland quadrangles.

# ANDROSCOGGIN, CUMBERLAND, FRANKLIN, KENNEBEC, OXFORD, AND SAGADAHOC COUNTIES.

The elevations in the following list are based on bench marks of the double-rodded line of the Androscoggin River survey (water-resources branch United States Geological Survey), corrected in accord with the precise-level line of the topographic branch from Portland to Brunswick; and such of those bench marks as come in these quadrangles are included in the list.

<sup>&</sup>lt;sup>1</sup> Elevation as brought by careful wye and water levels from Bangor, 1,028.223—a closure of 0.069, which can be thrown to water levels and the Penobscot and these corrected Kennebec levels from Portland can be considered as adjusted.

The leveling was done in 1905 and 1906 by F. J. McMaugh, additional leveling in Buckfield quadrangle was done in 1910 by H. P. Kilby and in Livermore quadrangle in 1910 by Charles Hartman.

#### LEWISTON QUADRANGLE.

[Latitude 44°-44° 15; longitude 70°-70° 15'.]

From Lisbon Falls northwest along Maine Central R. R. to Lewiston, thence north to Keens Mills. 1	
Lisbon Falls, in ledge about "10½ miles to Lewiston," side of river opposite lower end of Frosts Park; aluminum tablet (permanent bench mark No. 7) Dingley farm, in large bowlder near north line, east of road about 300 feet;	Feet. 111. 231
aluminum tablet (permanent bench mark No. 9).  Babbett & Googin dam, in high point of ledge below (this ledge is in bed of river and is an island during high water); aluminum tablet (permanent	265. 527
bench mark No. 10).	225. 889
From Lewiston northeast along Maine Central R. R. to Leeds Junction, thence south along Maine Central R. R. to Lisbon.	
Lewiston, in south wall 50 feet north of west end of dam No. 4, Union Waterworks Co.; point "S".	170. 61
Lewiston, near end of railroad bridge over canal, southwest corner of Bates cotton mill, on foundation.	
Lewiston, in south face of southwest corner of post-office building; alumi-	148. 400
num tablet stamped "Augusta 196".  Lewiston, opposite baggage room at upper station; north rail.	196.000
Lewiston, 2.8 miles north of, west side of track, in milestone "V 215";	205. 1
aluminum tablet stamped "Augusta 228".	227. 852
Lewiston, 5.8 miles north of, in milestone "V 212;" aluminum tablet stamped "Augusta 275"	275, 312
Greene, in front of station; top of rail	302. 0
Greene, 0.25 mile north of, in ledge; aluminum tablet stamped "293 Augusta".	292. 611
Leeds, in front of station; top of west rail	271. 2
Leeds, 0.25 mile south of, in milestone "V 207"; aluminum tablet stamped "Augusta 281"	281. 194
Wales, in front of station, at crossing; top of rail.	255. 4
Leeds Junction, 3 miles south of, in east face of south wall of stone culvert; aluminum tablet stamped "Augusta 254"	
Sabattus, 330 feet east of station, north of track, in large bowlder; alumi-	253. 925
num tablet stamped "Augusta 266".	265. 797
Sabattus, in front of station; top of rail  Webster woolen mills, Sabattus River; top of dam	262. 3
Crowleys Junction, south end of west abutment.	215. 8
Crowleys Junction, north end of east abutment of railroad bridge; alumi-	188. 324
num tablet stamped "189 Augusta"	189. 108
Crowleys, in front of station; top of east rail.  Crowleys, 1.2 miles from junction, at Moody Brook, in east wall, at south	191. 2
end of granite abutment	186. 683
Lisbon, in front of station; top of east rail	199. 8
Lisbon, in front of office building of Farwell mills, 9 feet from northwest corner, 160 feet from junction of Main and Farwell streets: aluminum	
tablet stamped "185 Augusta"	184. 801

<sup>&</sup>lt;sup>1</sup> Bench marks by water-resources branch.

From Lewiston southwest along the Grand Trunk Ry. and the Maine Central R. R. to Rumford Junction.	Feet.
Auburn, main track of Grand Trunk Ry.; top of south rail	147. 5
boro 221 miles"; aluminum tablet stamped "205 Augusta"	205. 210
POLAND QUADRANGLE.	
[Latitude 44°-44° 15′; longitude 70° 15′-70° 30′.]	
From Rumford Junction west to Poland, thence north to Buckfield.	
Lewiston Junction, 1 mile north of, north end of east abutment of Maine Central R. R. bridge; aluminum tablet stamped "280 Augusta" Elmwood Farm station; top of east rail	280. 381 300. 7 322. 7
Poland, in front of station; top of rail  Poland, 1.7 miles north of station, 475 feet south of milepost, in west end of south wall of culvert; aluminum tablet stamped "284 Augusta"	313. 0 283. 725
Mechanic Falls, in front of Maine Central R. R. station; top of west rail  Mechanic Falls, 1 mile north of, 420 feet north of railroad crossing, west end of south abutment of Maine Central R. R. bridge over Bog Brook; alumi-	303. 4
num tablet stamped "267 Augusta".  West Minot, main track in front of station; top of west rail	267. 237 347. 1
West Minot, 250 feet north of station, 50 feet south of highway bridge, 80 feet west of track, in rock ledge; aluminum tablet stamped "334 Augusta"  East Hebron, 875 feet north of railroad crossing at station, 75 feet west of	. 334. 356
railroad track, in large bowlder; aluminum tablet stamped "348"	347. 889
From Poland southwest to west Poland, thence north via water leveling to Oxford, thence north 3.6 miles.	
Poland, 2.2 miles from, 18 feet south of road and 750 feet east of road on east	
side of Tripp Pond; aluminum tablet stamped "343"	343. 073
Tripp Pond, July 7, 1906, 11.30 a. m.; surface of water	305. 5
Russell; aluminum tablet stamped "33"	332.977
Thompson Lake, July 9, 1906, 3.25 p. m.; surface of water	324.7
stamped "348"  Oxford, 3.6 miles north of, 500 feet north of Gilman's crossing, 280 feet east of highway, on property of A. O Lovering; aluminum tablet stamped	348. 340
"363"	363. 348
From South Paris east 5 miles along road to Buckfield.	
South Paris, 2.1 miles east of, west bank of Stony Brook, 25 feet north of bridge and 85 feet northeast of road forks, in ledge; aluminum tablet	
stamped "479". South Paris, 4.9 miles east of, east of road, in pasture, and 130 feet southeast	478.783
of four corners, in ledge; aluminum tablet stamped "1015"	1,014.906
"576"	576. 129

#### BUCKFIELD QUADRANGLE.

[Latitude 44° 15′-44° 30′; longitude 70° 15′-70° 30′.]

From point 5 miles east of South Paris northeast to Buckfield, thence east to Turner.	
Buckfield, 2.6 miles west of, north side of road, in angle of fence, 330 feet west of house belonging to Greene Turner, in large bowlder; aluminum	Feet.
tablet stamped "826".  Buckfield, in second course from top, at east end of south abutment of rail-	826. 376
road bridge over Twentymile River; aluminum tablet stamped "364" Turner, top of coping at north end of dam, 2 feet south of face of retaining	364. 259
wall and 2.5 feet west of downstream face of dam; aluminum tablet stamped "303".	302, 903
	302. 303
From Buckfield north along Maine Central R. R. to Gilbertville.	
Buckfield, 1 mile north of, east side of track; spike in milepost "Rumford	
Falls 27 M.; Portland 57 M."	372. 39
Buckfield, 2 miles north of, east side of track; spike in milepost "Rumford	00000
Falls 26 M.; Portland 58 M."	373.86
Buckfield, 3 miles north of, east side of track; spike in base of milepost	901 91
"Rumford Falls 25 M.; Portland 59 M.".  Buckfield, 4 miles north of, east side of track; spike in base of milepost	381. 31
"Rumford Falls 24 M.; Portland 60 M."	392. 68
East Sumner, northeast abutment of Maine Central R. R. bridge over east	002.00
branch Nezinscot River; aluminum tablet stamped "391"	390. 998
East Sumner, 1 mile north of, east side of track; spike in milepost "Rum-	
ford Falls 22 M.; Portland 62 M."	455, 39
Hartford station, 150 feet north of, east abutment of railroad culvert; alum-	
inum tablet stamped "468"	467. 887
Hartford, 1 mile north of, east side of track; spike in milepost "Rumford	
Falls 20 M.; Portland 64 M."	486.05
Hartford, 2 miles north of, east side of track; spike in milepost "Rumford	100 00
Falls 19 M.; Portland 65 M."	463. 99
Hartford, 3 miles north of, east side of track; spike in milepost "Rumford	100.00
Falls 18 M.; Portland 66 M.".  Lake Anasagunticook, surface of water, Sept. 5, 1910	420. 98 403. 3
Canton, Maine Central R. R. crossing at station; spike in plank of crossing.	403. 87
Canton, northwest corner of Baptist church, on water table; aluminum tab-	100.01
let stamped "409 Me."	408. 671
Canton, 1 mile north of, north side of track; spike in milepost "Rumford	
Falls 16 M.; Portland 69 M.".	392.359
Gilbertville, set in southwest corner of highway bridge; aluminum tablet	
(Old elevation 395.591)	395. 591
From Dixfield to Dickvale along highways and return.	
Dixfield, in southwest bridge seat of highway bridge over Androscoggin	
River between West Peru and Dixfield; aluminum tablet stamped	
"411 Me."	411.482
West Peru, 500 feet north of church, at intersection of roads; paint mark on	
stone post	439.26
West Peru, 0.9 mile south of, 100 feet north of D. L. Chenery's residence,	
west side of highway; paint mark on rock	516.78
West Peru, 1.2 miles southeast of, at intersection of roads; paint mark on	
rock	509.40
Dickvale, 75 feet east of schoolhouse, 75 feet east of highway, set in large	510 189
hamildow an field of E. I. I hage taniet grammed "hill"	THE LAM

## From East Sumner to Sumner along highways and return.

Edd with the third of the Cotal B. B. bill	
East Sumner; set in northeast abutment of Maine Central R. R. bridge over east branch of Nezinscot River; aluminum tablet stamped "391"	Feet. 390. 998
East Sumner, 1 mile west of, 200 feet west of cemetery, at crossroads; paint	000.000
mark on rock	412.18
Sumner, 1 mile southwest of, 50 feet north of highway, at south side of	
Labradore Pond, set in rock; aluminum tablet stamped "474"	474.078
From Canton along highways to a point 3 miles east of. (Unchecked spur.)	
Canton, northwest corner of Baptist Church, set in water table; aluminum	
tablet stamped "Maine 409"	408.755
Canton, 0.9 mile east of: paint mark on rock at intersection of roads Canton, 2 miles east of, 500 feet east of schoolhouse; paint mark on rock at	404.925
north side of road	421.636
Canton, 3 miles east of, 1,000 feet west of Emerson Poland's residence, set	121.000
in large bowlder at northeast side of highway; aluminum tablet stamped	
"491"	491.076
Note.—The above line is roughly checked by secondary levels.	
Near Buckfield.	
Buckfield, 3.3 miles east of, 35 feet north of road, 125 feet east of house owned	
by H. D. Irish, 130 feet west of culvert over brook, in ledge; aluminum	
tablet	322.008
LIVERMORE QUADRANGLE.	
[Latitude 44° 15′-44° 30′; longitude 70°-70° 15′.]	
From Keens Mills Cemetery east, north, and west along highways via Dead River, Wayne, Fayette, and Twelve Corners to Livermore Falls.	
Keens Mills Cemetery, 0.2 mile north of, in orchard of Edward Pratt, 500	
feet north of house, and 150 feet east of highway; aluminum tablet	
stamped "283"	283.111
Leeds Center, 2.5 miles west of, at intersection of T road running north;	000 70
paint mark on top of bowlder, marked "363"	362.72
by 3 by 2 feet bowlder in field; aluminum tablet stamped "328 Me."	327.974
Leeds Center, 50 feet east of store at road corners; nail in telephone pole,	
marked "304"	303.94
Leeds Center, 0.4 mile north of, 500 feet southwest of cemetery, 100 feet	200 20
north of road corners; paint mark on large bowlder, marked "308"  Dead River station, 600 feet south of, set in northwest abutment of Maine	308.39
Central R. R. bridge; aluminum tablet stamped "280 Me."	279.762
Dead River station, 1,200 feet northeast of, 40 feet northeast of road corners;	
paint mark on top of large bowlder, marked "291"	290.99
Wayne, southwest corner of Baptist Church, set in water table; aluminum tablet stamped "299 Me.".	299.106
Four Corners, 2 miles north of Wayne; paint mark northeast corner of lower	299.100
step of schoolhouse, marked "360"	360.13
Wayne, 3 miles north of, set in top of large bowlder at southwest corner of	
four corners of roads; aluminum tablet stamped "407 Me."	406.640
Wayne, 3.8 miles north of, at junction of T roads, 0.4 mile west of pond; paint mark on rock, marked "461".	461.29
Wayne, 5 miles north of, west side of road, opposite white house, top of	101. 20
rise in road; paint mark on ledge of rock, marked "496"	496.02

Wayne, 6 miles north of, 0.2 mile southeast of Fayette village, 250 feet south of four corners, set in ledge of rock on west side of road; aluminum tablet	Feet.
stamped "542 Me."	542.046
Fayette Village, 900 feet south of church, south side of road at forks of	
roads, in front of large yellow house; paint mark on rock marked "601".	601.15
Fayette, 1 mile north of, west side of road, opposite white house 500 feet	
distant above base of hill; paint mark on rock, marked "488"	488. 31
Fayette, 2 miles north of, 20 feet south of Fayette Ridge schoolhouse, at	
4 corners of roads; paint mark on rock, marked "726"	725. 53
Twelve corners, northeast corner of 4 corners, northwestern portion of 12	
corners, 60 feet southeast of white house, in ledge of rock; aluminum	
tablet stamped "372"	372.422
Livermore Falls, 3 miles east of, at forks of roads, top of hill, 0.2 mile west	
of pond; paint mark on rock, marked "529"	528.56
Livermore Falls, 1 mile south of, in center of 4 corners; paint mark on top	
of southeast corner of stone watering trough, marked "305"	304.78
Livermore Falls, southeast corner of post office in brick building, set in	
water table; aluminum tablet stamped "349"	349.355

#### Bethel, Bryant Pond, Fryeburg, Kezar Falls, and Norway quadrangles.

### CUMBERLAND, OXFORD, AND YORK COUNTIES.

The leveling was done in Bethel quadrangle in 1908 by C. K. Alexander, in 1911 by K. F. Maxcy, in 1912 by K. E. Schlachter, in Bryant Pond and Norway quadrangles in 1911 by Maxcy, in Fryeburg and Kezar Falls quadrangles in 1909 by E. B. Hillegass.

#### BETHEL QUADRANGLE.

[Latitude 44° 15′-44° 30′; longitude 70° 45′-71°.]

From point 2 miles east of Bethel to Bethel and north to Androscoggin Riv	er.
Bethel, 2 miles east of, north side of east abutment of railroad bri	
aluminum tablet stamped "655"	
Bethel, 0.8 mile east of; nail in top of; milepost "69-228", marked "66	0" 659.65
Bethel; top of south rail near west end of station platform, marked "6	54". 653.5
Androscoggin River, highway bridge over, between Mayville and Be	thel,
in west end of south abutment; aluminum tablet stamped "648"	647. 566
From Bethel south to point near Lynchville. (Parts of two lines.)	
Bethel, corner of High and Main streets, in front of C. C. Bryant & S	Son's
store, rock at foot of telephone pole, marked "684"	683.70
Bethel, junction of Elm Street with street south of common; south	west
corner on rock, marked "727"	
Bethel, 0.8 mile south of station, road fork, northeast corner of street; c	hisel
mark on rock, marked "655"	
Bethel, 2 miles south of railway station, 650 feet north of residence	
Robert Clough, east of road; top of bowlder, marked "717"	
Bethel, 3 miles south of, 75 feet north of Albany-Bethel town line, no	
east corner of road fork at north end of Songo Pond; nail in root of	
marked "659"	
Songo Pond; surface of water, Sept. 2, 1911	
Songo Pond, near south end of, west of road, in top face of large bow	
aluminum tablet stamped "663"	002.112

Songo Pond, just south of, northwest corner of road fork; paint mark on stone marked "659".	Feet. 658. 70
Albany town house, 1.3 miles north of, at northwest corner of road forks, paint mark on rock, marked "651"	650.35
Albany town house, at southwest corner of crossroads; chisel mark on rock, marked "647"	646. 963
Albany town house, 0.8 mile south of, west of road near Carter Grover's residence, in rock ledge; aluminum tablet stamped "643"	642. 926
Albany town house, 1.2 miles south of, second-class road fork; point on rock, marked "622"	621.63
Albany town house, 2.1 miles south of, bridge over Crooked River; point on planking on east side, marked "586".	
Lynchville, 2.5 miles north of, 275 feet north of bridge over Crooked River, in rock ledge on west side of road; aluminum tablet stamped "573"	585. 36 572. 80
From Bethel along highway north to North Bethel, thence northwest to Ketchum. (Double spur.)	
Bethel, 1 mile north of, west side of North Bethel road, 150 feet north of Leland Bartlett's residence; chiseled square on bed rock, marked "T.	
B. M. 665.9". Bethel, 2 miles north of, west side of North Bethel road, 25 feet north of old	665. 86
water trough; chiseled square on rock culvert, marked "T. B. M. 646.8". North Bethel, on west side of road at road fork, in concrete culvert; alu-	646. 83
minum tablet stamped "645 Me"	644. 598
square on stone culvert, marked "T. B. M. 649.5".  North Bethel, 2.4 miles north of, 100 feet east of center of Sunday River	649. 57
road, 100 feet north of James J. Spinney's residence; chiseled square on rock, marked ''T. B. M. 677.6".  Artists Bridge crossing Sunday River, in southeast corner of; aluminum	677. 65
tablet stamped "693 Me"	693, 239
Ketchum road, 200 feet west of David Fleet's residence; chiseled square on rock, marked "T. B. M. 725"	FOF 00
Artists Bridge over Sunday River, 2.3 miles west of, south of Ketchum road, 100 feet east of Louis Eamos's home, 15 feet south of center of road;	725. 03
chiseled square on rock, marked "T. B. M. 789.9".  Ketchum, 0.5 mile east of, south side of North Bethel road, 160 feet east of	789. 96
town line, in rock; aluminum tablet stamped "Me 863"	863. 737
From West Bethel south along highway to Bennett's Bridge over Pleasant River. (Double spur.)	
West Bethel, 0.5 mile west of, along Gorham road, in northeast corner of bridge over Pleasant River; aluminum tablet stamped "656"	655. 764
West Bethel, 1.4 miles south of, along Pleasant River road, east side of road, about 300 feet north of house; copper nail in stump, marked "T. B. M. 673.1"	000.70
West Bethel, 2.1 miles south of, along Pleasant River road, east side of road;	673. 12
copper nail in stump, marked "T. B. M. 677.8"	677. 71
Meadow Brook Bridge, 1 mile west of, north side of road to Bennett's; chis-	672. 478
eled square on rock, marked "T. B. M. 723.8"	723.67

Meadow Brook Bridge, 2 miles west of, north side of road to Bennett's, a little southwest of Solomon Westleigh's house; chiseled square on rock	
marked "T. B. M. 816.6".  Bennetts Bridge over Pleasant River, near, at southeast corner of, in	816. 51
stone; aluminum tablet stamped "858 Me"	857. 696
From Gilead south along highway to point 3 miles south of Hastings. (Double spur.)	
Gilead, 0.2 mile west of, in northeast corner of Grand Trunk Ry. bridge over Wild River; aluminum tablet stamped "712 Me"	712. 052
Gilead, 1 mile south of, opposite old camp, west side of Hastings road; chiseled square on rock, marked "T. B. M. 728.7"	728. 65
marked "T. B. M. 795.0".  Hastings, northeast corner of scales in front of office, in rock; aluminum	794. 86
tablet stamped "839 Me"	839. 232
in tree stump, marked "T. B. M. 891.7"	891. 60
square on rock, marked "T. B. M. 957.7"	957. 66
dam, in bedrock; aluminum tablet stamped "1041 Me"	1, 040. 491
BRYANT POND QUADRANGLE.	
[Latitude 44° 15′-44° 30′; longitude 70° 30′-70° 45′.]	
From South Paris northwest along Grand Trunk Ry.to point 2 miles east of Bethel.	
South Paris, 2 miles north of, east of track; copper nail in top of milepost	
49–248, marked "414"	413.55
South Paris, 2.4 miles north of, east side of north abutment of railroad	400 500
bridge, in granite capstone; aluminum tablet stamped "409"	408. 582
South Paris, 5.1 miles north of, 330 feet north of milepost 52–247; spike	413. 93
driven in side of "W" post, marked "419"	418.51
Snow Falls, at road crossing, at milepost P 53-M 244, west of track, in face	
of ledge; aluminum tablet stamped "462"	461. 442
Snow Falls, 1 mile north of; nail in top of milepost 54-243, marked "478" West Paris, 350 feet south of station, east side of north abutment of railroad	477. 68
bridge, in granite capstone; aluminum tablet stamped "486"	485. 984
West Paris, 0.8 mile north of, in top of signal wire post opposite milepost	
56–241; nail marked "496"	496. 19
West Paris, 3 miles north of, 215 feet north of milepost 58-239, 215 feet	
south of Greenwood road crossing, in ledge west of track; aluminum tab- let stamped "577".	576 700
West Paris, 3.8 miles north of; nail in top of milepost 59-238, marked "634".	576. 700 633. S8
West Paris, 4.8 miles north of; nail in south side of milepost 60-237, marked	
"695"	694. 35
north of road crossing; nail in top of switch stand west of track, marked	
"714"	713. 74
Bryant Pond, 0.4 mile west of, just west of secondary grade crossing near	
residence of Amanda Sheeran, in top of bowlder north of track; aluminum	
tablet stamped "720"	719. 768
Bryant Pond, 1.3 miles west of, 400 feet west of milepost 63–234; copper nail in south side of railroad culvert, marked "728"	728. 23
nair in south side of railroad curvert, marked 128	140.40

	Feet.
South Pond; surface of water, Aug. 3, 1911	719. 0
Bryant Pond, 2.3 miles west of; nail in top of milepost 64-233, marked	#00 #a
"729". Round Pond; surface of water, Aug. 3, 1911	728. 76 719. 0
Locke Mills, in front of station; top of rail, marked "726"	725.33
Locke Mills, about 400 feet north of station, about 100 feet west of Mount	120.00
Abram Hotel, in face of ledge; aluminum tablet stamped "753"	752. 793
Locke Mills, 2 miles west of, 231 feet east of milepost 67-229; copper nail in	
road crossing, marked "680"	679. 79
NORWAY QUADRANGLE.	
[Latitude 44°-44° 15′; longitude 70° 30′-70° 45′.]	
Near South Paris.	
South Paris, 1.4 miles south of, south end of east wall of granite arch culvert;	
aluminum tablet stamped "376"	376. 407
South Paris, 1 mile south of, east of track; copper nail in top of milepost	
46-251, marked "382"  South Paris, 0.8 mile south of, railway bridge over Little Androscoggin	382. 13
River, south end of; top of west rail, marked "377"	077 07
South Paris, in front of station; top of west rail of main track, marked "392".	377. 37 392. 20
South Paris, 1 mile north of, east of track; nail in top of milepost 48–249,	002. 20
marked "393"	393. 43
KEZAR FALLS QUADRANGLE.	
[Latitude 43° 45′-44°; longitude 70° 45′-71°.]	
From point near Porter north along highways to Fryeburg.	
Porter, 1.2 miles west of, north side of road, in rock; aluminum tablet	
stamped "399"	398. 873
Porter, 3.3 miles northwest of, at fork of roads, in large rock, southwest	
corner of forks; aluminum tablet stamped "496"	495. 815
Rands School, 6.5 miles northwest of Porter, west of road, opposite school-	* 7
house, in rock ledge; aluminum tablet stamped "875".	875. 374
Brownfield station, 3.8 miles southwest of, in large rock north of road;	
aluminum tablet stamped "515".  Brownfield, 3 miles west of station, at southeast corner of road crossing, on	514. 969
granite post; paint mark "481.6"	481. 69
Fryeburg, 3.9 miles south of, on west side of road, in large rock; aluminum	401.09
tablet stamped "493".	493. 458
From Cornish northwest along Maine Central R. R. to Fryeburg. (Mean of two run-	1001 100
nings.)	
Cornish station, on Maine Central R. R.; spike in east end of crossing	
planks, marked "300"	299.98
West Baldwin, 600 feet east of station; spike in east end of railroad-crossing	
planks, marked "346"	345. 52
Bridgton Junction, 1 mile southeast of, at northeast side of railroad, in top	
face of culvert stone; aluminum tablet stamped "356".  Hiram, 2 miles west of, south side of railroad, in top face of southeast abut-	355. 538
ment of small bridge; aluminum tablet stamped "398"	396. 596
East Brownfield (Brownfield station), at southeast corner of station, in top	550.550
face of large embedded rock; aluminum tablet stamped "400"	398. 935
East Brownfield (Brownfield station), 3 miles northwest of, at crossing of	
brook, in top face of south side of east abutment of bridge; aluminum	
tablet stamped "386"	384.820

#### FRYEBURG QUADRANGLE.

[Latitude 44°-44° 15'; longitude 70° 45'-71°.]

From Fryeburg northeast along highways to West Bridgton, thence northwest to Lovell.	
Fryeburg, at corner of Main and Portland streets, in east face of monument; aluminum tablet stamped "429"	Feet. 429. 245
tablet stamped "478".  East Fryeburg, at northeast corner of road crossing, in southwest corner of	478. 300
Mount Pleasant Band hall; aluminum tablet stamped "486"	486.606
num tablet stamped "516".  Lovell, 2.9 miles southeast of, in southeast corner of Black Mountain school-	515. 994
house; aluminum tablet stamped "549".  Lovell, 0.2 mile north of road forks, in front of C. K. Chapman's residence,	549. 226
in rock of stone wall; aluminum tablet stamped "439"	439. 425
Sweden Corner, at northwest corner of road crossing, in southeast corner	
of stone wall of O. P. Saunders's residence; aluminum tablet stamped "692".	692.067
East Sweden, in southeast corner of stone wall of schoolhouse; aluminum tablet stamped "568"	568. 263
schoolhouse; aluminum tablet stamped "963"	963.723
residence, in large rock; aluminum tablet stamped "797"	797. 533
Church; aluminum tablet stamped "650".  Lynchville, on foundation stone on north side at east end of bridge over	650.884
Crooked River; paint mark "555.7"	554.122
From Fryeburg north along highways to North Fryeburg, thence east to Lovell, thence north to East Stoneham.	
Fryeburg Center, opposite Odd Fellows' hall, at northwest corner of road forks, in face of large bowlder; aluminum tablet stamped "438"  North Fryeburg, in top face of door stone of Universalist Chapel; aluminum	437.797
tablet stamped "388".  North Fryeburg, at northwest corner of Harry Hutchin's general store, on	388.114
top of stone post; chisel mark "387"	386.00
num tablet stamped "381".  Center Lovell, 300 feet south of schoolhouse, east of road, in top face of	380. 870
large bowlder; aluminum tablet stamped "530"	529.644
tablet stamped "725"	724.478
minum tablet stamped "629"	628. 553
Harbor, 2.8 miles northwest of, west of road opposite O. P. Stevens's resi-	
dence, in rock; aluminum tablet stamped "423"	423. 187

Belfast, Brooks, Burnham, Castine, Liberty, Rockland, and Waldoboro quadrangles.

KENNEBEC, KNOX, LINCOLN, AND WALDO COUNTIES.

The leveling was done in Belfast quadrangle in 1904 by F. J. McMaugh, in 1913 by J. M. Perkins, in 1914 by K. E. Schlachter, in Brooks and Burnham quadrangles in 1914 by Schlachter, in Castine quadrangle in 1904 by McMaugh, in Liberty quadrangle in 1913 by Perkins, in 1914 by Schlachter, in Rockland quadrangle in 1904 by McMaugh, and in Waldoboro quadrangle in 1913 by Perkins.

Feet.

194.012

247.51

199.56

187.657

535.40

#### BELFAST QUADRANGLE.

[Latitude 44° 15′-44° 30′; longitude 69°-69° 15′.]

From point 2 miles south of Appleton north along highway to point 1 mile southeast

of South Montville.

Appleton, 0.5 mile east of, at four roads, on granite boulder 10 feet north of

road and 30 feet west of cooper shop; on rock; square cut	265.40
Appleton, opposite post office, in yard of Vina Gushee, on top of stone	
bound, at road corner; square cut	152.14
Appleton, 0.5 mile north of, at road leading to Belfast, on top of rock;	
painted square	247.51
Appleton, 1.6 miles north of, at four roads, in front of J. P. Moody's house,	
on stone in culvert; bronze tablet stamped "455"	455.149
Appleton, 2 miles north of, on West Appleton road, at four corners, on stone	100 00
20 feet north of mail boxes; square cut	427.35
West Appleton, 1.3 miles south of, at southeast corner of four corners, in	071 70
small bowlder; square.	371. 72
West Appleton, at four roads, on outcrop of ledge southwest of road and 50 feet from road intersection; bronze tablet stamped "315"	314, 465
South Montville, 1 mile southeast of, at road corner, on stone by north bank	314. 400
of Georges River, 35 feet north of bridge and west side of road, on stone;	
square cut	268, 36
From Swanville south along highway to Belfast.	200.00
Swanville, 3 miles south of, in granite ledge at left of road; aluminum tablet	
stamped "216"	215. 852
Belfast, on Church Street front of court-house, in water table; aluminum	700 000
tablet stamped "102"	102.368
From Ducktrap River southwest along highway via Lincoln to Camden.	
Northport, 4.1 miles south of, 100 feet south of L. D. Ames's house, 65 feet	
west of road; aluminum tablet stamped "34"	34.059
Lincolnville Beach, north end of bridge over inlet; mark on stone coping.	8.68
Lincolnville, 2.4 miles south of, in ledge at top of hill, 25 feet south of wood	
1 , 000 6 , 11 61 1	701 070

road west, 600 feet south of house; aluminum tablet stamped "194"....

square.

North Appleton, 0.5 mile northwest of, at crossroad, in bowlder, in northeast corner; chiseled square painted "199.6".

North Appleton, 0.4 mile southeast of, at Thompson's corner, northeast corner of crossroads, in culvert; bronze tablet stamped "Maine 188"....

North Appleton, 1.7 miles southeast of, in northwest corner of T road, in bowlder; chiseled square, painted "535.4".....

From point 0.5 mile north of Appleton east along highway to Ducktrap.

Appleton, 0.5 mile north of, at road to Belfast, on top of rock; painted

North Appleton, 2.5 miles east of, northwest corner of T road, in ledge; chis-	Feet.
eled square painted "583.2".  Hope, 0.7 mile northwest of, in southwest corner of crossroads, on limestone	583. 18
slab; chiseled square painted "460.9"	460.89
Hope, in corner diagonally opposite post office at crossroads, in rock; bronze	- 198900
tablet stamped "Maine 349".	349.340
Hope, 1.2 miles northeast of, at T road, in bowlder in southeast corner,	001.00
near stone wall; chiseled square painted "234.1"	234. 06
on west margin of highway; chiseled square, painted "194.2"	194. 18
Lincolnville Center, 0.2 mile southwest of post office, 100 feet south of Meth-	
odist Church, in ledge west margin of road; bronze tablet, stamped "Maine	
213 (?)"	201. 401
Lincolnville Center, at corner, in platform of pump; copper nail with	150.15
painted circle.  Lincolnville Center, 0.7 mile east of, on bowlder near stone wall in north-	179. 15
west corner of crossroads; chiseled square, painted "177.5"	177.41
Lincolnville Beach, 2 miles southwest of, 60 feet north of Stevens's corner,	
on bowlder on east margin of road; bronze tablet stamped "Maine 261"	261. 174
Lincolnville Beach, 1 mile west of, at crossroads, (Carver corner), in ledge	
300 feet south of corner, in east margin of road; chiseled square, painted	100 05
"188.1".  Ducktrap, (4.1 miles south of Northport), in ledge 65 feet west of highway,	188. 05
150 feet south of L. D. Ames's residence; aluminum tablet stamped "34".	34. 059
From Belfast southwest along highway to South Montville.	
Belfast, on Church Street front of courthouse, in water table; aluminum	
tablet stamped "102"	102.368
Belfast, 1.3 miles southwest of, along Lincolnville road, 150 feet north of	
A. H. Young's house, on bowlder in east margin of road; chiseled square	176. 60
Belfast, 2.3 miles southwest of (Pitcher's corner), 600 feet west of fork of	
road, in ledge on south margin of road; chiseled square, painted "161.6"	161. 64
Pitcher School, 100 feet east of crossroads, in bowlder, in north margin of road; bronze tablet, stamped "Maine 295".	294. 856
Pitcher School, 1 mile west of, at crossroads, on stone culvert in southwest	234. 000
corner; chiseled square, painted "366.9".	366. 95
Center Belmont School, 1.3 miles east of, at T road, on culvert in north-	1- 11
west corner; chiseled square, painted "301.5"	301. 59
Center Belmont School, at crossroads, in ledge at northwest corner of school-	
house; bronze tablet, stamped "Maine 285". Wilkins's Corner, 20 feet south of road forks, on bowlder in east margin of	285. 138
road; chiseled square, painted "313.8"	313. 92
Searsmont, 2.3 miles east of, 175 feet west of bridge, in ledge on south mar-	010.02
gin of road; chiseled square, painted "222.3".	222.38
Searsmont, 0.6 mile east of, in southeast corner at road fork, on bowlder;	
chiseled square, painted "276.9"	277. 00
Searsmont, 0.3 mile east of, 100 feet north of road fork, on bowlder in west margin of road; chiseled square	959 49
Searsmont, in northeast corner of stone step of Methodist Church; bronze	253. 43
tablet stamped "Maine 227"	226, 992
Searsmont, 2 miles west of, at T road, on bowlder in southwest corner;	or Suc
chiseled square, painted "286.6"	286. 70
South Montville, 1 mile southeast of, at road corner (Woodman's mills)	
on stone near north bank of Georges River, 35 feet north of bridge, west of road: square cut.	268, 360
Of toad. Sudate Cub	400, 000

Near Knox Center. (Part of line leveled twice from Polands Corner to Belfast.)	
Knox Center, 1.8 miles south of, at crossroads, on bowlder in southwest corner; chiseled square, painted "510.8"	Feet. 510. 53
west of bridge, on south side of road; chiseled square, painted "356.0"	355. 67
From Waldo station southeast along Maine Central R. R. to Belfast. (Leveled twice.)	
Waldo, at station; top of rail	261. 1
track and 20 feet east of road, in bowlder; bronze tablet	229. 44
track, on bowlder; chiseled square	191. 87
track, in bowlder; bronze tablet.  City Point station, ‡ mile south of, at road crossing, west margin of road, west	73. 640
of track, on bowlder; chiseled square.  Belfast, 1 mile north of, 10 feet south of crossing, on east side of railroad	36. 74
culvert; top of painted bolt	28. 97
BROOKS QUADRANGLE.	
[Latitude 44° 30′-44° 45′; longitude 69°-69° 15′.]	
From Knox Center northeast along highway to point near Brooks, thence southeast along Maine Central R. R. to Waldo. (Leveled twice.)	
Knox Center (H. W. Boulter's store), 140 feet west of bridge, in bowlder on	
south margin of road; bronze tablet stamped "Maine 334"	333. 248
Knox station, 1 mile south of, at crossroads, on rock in northwest corner; chiseled square, painted "443.6"	443. 29
Knox station, 1½ miles southeast of, at Bailey's crossing, 60 feet east of, on	440. 20
rock in south edge of right of way; chiseled square, painted "489.2"	488. 79
Knox station, 2.1 miles southeast of, 750 feet east of milepost 16 from Bel-	
fast, on bowlder in north margin of track; chiseled square, painted	TOT 04
"521.7"	521. 24
Knox station, 2.4 miles southeast of, at road crossing, 50 feet north of railroad, 20 feet east of highway, in ledge; bronze tablet, stamped "Maine	
498"	498. 052
Brooks, 3 miles west of, 120 feet west of milepost 15, on rock in north margin	
of road, near crossing; chiseled square, painted "480.6"	480. 19
Brooks, 2 miles west of, at grade crossing at Hoop-pole landing, in northwest	444 00
bridge seat; chiseled square.	411. 28 395. 24
Brooks, 1.1 miles west of, 550 feet east of crossing; top of rail	395. 24
in bowlder; chiseled square	400.04
Brooks, northeast corner of A. E. Chase Co.'s store, in concrete step opposite;	
bronze tablet	386. 55
Brooks, 1.2 miles east of, at road crossing, east of highway, south edge of	001 00
railroad track, in bowlder; chiseled square	361. 69
in ledge; chiseled square	346. 11
Brooks station, 3 miles east of, in southeast bridge seat, 300 feet north of	0.00
milepost 9: bronze tablet	315. 684
Waldo, 2 miles north of, near water tank, on northwest bridge seat; chiseled	200
square	290. 49 278. 6

563.44

#### BURNHAM QUADRANGLE.

[Latitude 44° 30′-44° 45′; longitude 69° 15′-69° 30′.]

Near south border of quadrangle.	
Sibley Corner, 1 mile east of, in rock southwest corner of crossroads; chiseled square painted "815.0"  Sibley Corner, 75 feet north of crossroads, in ledge northwest corner; chiseled corner, 75 feet north of crossroads, in ledge northwest corner; chiseled corner, 75 feet north of crossroads, in ledge northwest corner; chiseled corner, 75 feet north of crossroads, in ledge northwest corner; chiseled corner, 75 feet north of crossroads, in ledge northwest corner.	Feet. 814. 82
eled square painted "555.4".  South Albion, 0.7 mile southeast of, in bowlder in southwest corner of T	555. 15
road; chiseled square painted "415.2" South Albion (Puddleduck), in coping southwest corner of bridge over 15-	415. 00
mile stream; bronze tablet stamped "Maine 243"	242. 95
LIBERTY QUADRANGLE.	
[Latitude 44° 15′-44° 30′; longitude 69° 15′-69° 30′.]	
At point 2 miles south of Appleton.	
Appleton, 2 miles south of, at road corner east of Sennebec Lake and on road to Union, on bowlder 25 feet west of large elm tree; bronze tablet stamped "131"	130. 974
From South Somerville east along highway to Cunninghams Corner.	
South Somerville, at four corners near T. P. Jones's store, 10 feet north of road and 50 feet east of corner, in granite bowlder; bronze tablet	
stamped "274." (This bench mark may soon be removed on account of State highway work)	273. 219
West Washington, at four roads, northwest corner of road intersection, in bowlder; square cut	300. 85
boards; square cut	232. 78
on bowlder 10 feet west of highway; bronze tablet stamped "288"	288. 271
From point 2 miles east of Stickney Corner east along highway 1.2 miles.	
Stickney Corner, 2 miles east of, at road corner, in stone supporting guide boards; square cut	755 500
Stickney Corner, 2.3 miles east of, on bowlder by south side of road, 40 feet west of iron bridge over Modomac River; bronze tablet stamped	155. 700
"146"	145. 465
Union, on flat stone in grass triangle; square cut	375. 87
From South Montville along highway north to Liberty, thence west to Palermo Center, thence south to West Washington.	
South Montville, 0.5 mile north of, at four roads, 5 feet from guide board	
post, in top of stone; square cut	407. 58
in diameter, in yard of Frank Cunningham; copper nailLiberty, 1 mile east of, by bridge over Trues Pond, on stone in bridge abut-	314. 95
ment, north side of road and east of bridge; bronze tablet stamped "297". Liberty, at four roads near Skidmore's store, under elm tree, 25 feet in rear	297. 402
of Hunt & Walker Co.'s office, on top of rock; chiseled squareLiberty, 1.5 miles northwest of, at road corner, west of road and 80 feet south	376. 61

of corner, on top of bowlder; square cut.....

Liberty, 1.7 miles northwest of, 0.2 mile west of road corner, on land of Mr. Dymol, on bowlder 15 feet north of road; bronze tablet stamped "512". St. George Lake; water surface Sept. 26, 1913	Feet. 511. 908 505. 1
Liberty, 2.3 miles west of, on road to East Palermo, in front of house of C. R. Nelson, in top of concrete culvert; square cut	514. 70
vert opposite store; square cut	551. 35
pasture, on top of bowlder, square cut	478. 11
15 feet from road and 30 feet from Day's store, in top of stone; square cut. East Palermo, 0.5 mile north of, at road corner, on large flat rock, north of	506. 75
triangle between roads; bronze tablet stamped "368".  East Palermo, 1.5 miles northwest of, at road corner, on large granite	368. 576
bowlder north of road leading to Freedom; square cut	301. 45
Jones, on bowlder 10 feet from stone wall; bronze tablet stamped "498". Palermo, at road corner 1.2 miles south of Greeley's corner, on stone in yard	498. 304
of Handy & Howard, 10 feet south of locust tree; square cut.  Palermo, 2.3 miles south of Greeley's corner, at four roads, on ledge 10 feet	450. 16
in front of old schoolhouse; square cut.  Somerville, 1.5 miles north of Sand Hill corner, at a road corner, on large	316. 31
granite bowlder east of road intersection; bronze tablet stamped "332" Somerville, at Sand Hill schoolhouse, on south stone of south door steps;	332. 009
square cut	300. 42 288. 28
West Washington, 2 miles north of, at road corner, 2 miles west of Razor-	298. 20
ville, on stone supporting guide boards; bronze tablet stamped "466"  West Washington, 0.5 mile north of, at road corner, on stone supporting guide boards; square cut	465. 965 344. 28
West Washington, at four roads, northwest corner of road intersection, on bowlder; square cut	300. 85
From point 1 mile east of Liberty along highway north to Poland's corner, thence northwest and west to point near China, thence south along Wiscassett, Waterville & Farmington R. R. and highway to Palermo.	
Liberty, 1 mile east of, at bridge over Trues Pond, on stone in abutment, north side of road, east of bridge; bronze tablet stamped "297"	297, 402
Kingdon, in rock in southeast corner of crossroad; chiseled square, painted "307.6"	307. 65
Kingdon, 1.5 miles north of, along Freedom road, 0.2 mile south of T road west, in ledge east margin of road; bronze tablet stamped "Maine 413".	413. 174
Bean's corner, 1 mile south of, at northeast road corner; in rock, chiseled square painted "515.8"	515. 65
Bean's corner, in bowlder in northeast corner of crossroads; chiseled square painted "639.3"	639. 16
Poland's corner, 300 feet south of, in bowlder east margin of road; bronze tablet stamped "Maine 559".	558. 646
Poland's corner, ½ mile north of, in bowlder west margin of road, at road fork; chiseled square painted "547.9".	547. 70
West Montville, 1.5 miles east of, in ledge in southeast corner of crossroad; chiseled square painted "612.0"	611. 76

West Montville, at road forks, in rock north side of culvert; chiseled square	Feet.
painted "540.3"	540. 06
square painted "714.5"	714. 33
Freedom, 2 miles south of, 0.37 mile west of Gregory's corner, 375 feet west of	
road corner, in bowlder north margin of road; bronze tablet stamped	701. 412
"Maine 702". Hutchin's corner, in bowlder, 100 feet east of crossroads, on north margin	701. 412
of road; bronze tablet stamped "Maine 538"	538. 162
Hutchin's corner, 1 mile west of, at road fork north, in ledge north margin of	
road; chiseled square painted "538.7"	538. 52
crossroad, at south margin of road, on rock; chiseled square painted	
"307.9"	307.72
Sennett's corner (W. F. Sennett), in bowlder in northwest corner of T road;	107 00
chiseled square, painted "497.8".  China, 1.5 miles northeast of, 160 feet south of road corner, in bowlder west	497. 63
margin of road; bronze tablet stamped "Maine 275"	274. 715
China station, 10 feet north of; top of west rail, painted "213.6"	213. 45
China, 3 miles south of (Cole station), southwest corner, at road corner, 350	220 000
feet west of railroad, in bowlder; bronze tablet stamped "Maine 339"  Palmero station, 1.4 miles north of, 15 feet north of highway bridge over rail-	339. 000
road, on bowlder east margin of track; chiseled square, painted "335.2".	335.06
Palmero station, in telephone pole in northwest corner of intersection of	050.05
highway and railway; top of railroad spike, painted "352.2"	352. 05
West Branch of Sheepscot Stream; bronze tablet stamped "Maine 346"	345. 487
Palermo, 1.2 miles southeast of, 250 feet south of road fork, in bowlder, west	
margin of western highway; chiseled square painted "425.5"	425. 39
chiseled square paintd "448.1"	448. 02
Palermo Center, 150 feet east of Greeley's corner, in orchard of S. B. Jones,	
on bowlder 10 feet north of stone wall; bronze tablet stamped "498"	498. 304
WALDOBORO QUADRANGLE.	
[Latitude 44°-44° 15'; longitude 69° 15'-69° 30'.]	
From Warren west along Maine Central R. R. to Glendon station, thence along high- ways north to West Washington, east to Union, and south to Warren station.	
Warren, road corner at Monument Square, in ledge, south point of triangu-	Tarrett.
lar park; drill hole. Warren, 0.7 mile southwest of, opposite H. L. Russell's store at road cor-	151.82
ners; elevation on top of iron gate box cover near signboard	158. 39
Warren station, 50 feet east of, at crossing; top of north rail	53. 2
South Pond; surface of water June 25, 1913.	34.7
Warren station, 0.6 mile west of, at crossing; top of rail.  Warren station, 2 miles west of, at road crossing, granite stone 20 feet north	67. 6
of railroad and 20 feet east of highway; bronze tablet stamped "147"	147. 411
Warren station, 2.7 miles west of, at Goshen Crossing (East Waldoboro sta-	
tion), in top of bowlder west of crossing and 15 feet north of railroad; drill hole.	167. 21
Warren station, 4 miles west of, in stone in southwest abutment of railroad	201.21
culvert; drill hole	162. 60
Waldoboro station, 1.2 miles east of, at highway crossing; top of south rail	170. 2

Waldoboro station, 0.7 mile east of, at road crossing, in ledge southeast of crossing, ten feet from road and 20 feet from railroad; drill hole	Feet. 157. 48
Waldoboro, 110 feet north of highway crossing by station, in ledge in yard	700 700
of M.R. Achorn, and 10 feet from highway; bronze tablet stamped "108". Winslows Mills, top of north rail, main track opposite station; painted rail.	108. 197 75. 6
Winslows Mills, 0.6 mile west of, at road crossing, on bowlder 2 feet in diam-	75.0
eter, 35 feet north of track and 40 feet east of highway; bronze	
tablet stamped "99"	99. 249
Glendon station, top of south rail opposite depot; painted rail	118.7
Glendon station, 0.5 mile west of, at road crossing, in ledge 10 feet south of	Charle.
track and 20 feet east of highway; bronze tablet stamped "120"	119. 689
Benner's corner, at junction of Pond road, and stage road from Waldoboro	
to Jefferson, in lower stone of gateway in stone wall, 30 feet from angle in	
wall; hollow square cut	218.37
Jefferson, 3.8 miles south of, on Pond road leading to Waldoboro, in bowlder,	
east side of road, and 150 feet south of A. W. Flagg's house; bronze tablet	
stamped "158"	158. 098
Jefferson, 0.8 mile southeast of, at road corner on Pond road, on top of bowl-	
der, north of grass triangle and 6 feet from road; square cut	171.11
Jefferson, at east end of village, at intersection of Pond road with road lead-	
ing to North Waldoboro, in flat stone in culvert 600 feet east of Sylvester's	00 000
store; bronze tablet stamped "63".	62. 688
Damariscotta Lake; surface of water July 18, 1913.	51.6
Jefferson, west end of village at road corner by Week's store, in top of rock west of grass triangle; square cut.	700 04
West Jefferson, 100 feet east of road four corners, in front of Shepherd Ceme-	102. 24
tery, in hitching stone; top of ring bolt.	297. 00
West Jefferson, 3 mile north of, by side of road, 200 feet north of house of	231.00
W. B. Tibbetts, in granite bowlder 20 feet west of road; bronze tablet	
stamped "297"	296. 393
West Jefferson, 2.2 miles north of, on road to South Somerville, at road	200.000
corner, in small rock in center of grass triangle; square cut	291.80
South Somerville, 0.7 mile south of, 100 feet south of house of Orin Bowman,	
in ledge 8 feet west of road; square cut	257. 60
Stickney corner, 0.3 mile west of, at road corner, in stone supporting	
guideboards; square cut	396. 73
Stickney corner, at intersection of roads, on stone 6 feet from road, on bank-	
ing in front of residence of William Racklief; square cut on stone	341, 48
Stickney corner, 0.9 mile east of, at road corner, in top of stone near gate-	
way in stone wall; square cut	250. 01
Union, 3.7 miles north of, at road corner on North Union road, in bowlder,	
west side of road at fork; square cut	404. 34
Union, 2.6 miles north of, on North Union road, in yard of Gleason school,	
in flat stone near road; square cut	436.04
Union, 1 mile west of, at four roads, opposite residence of F. S. Burgess, in ledge, 8 feet from signboards; temporary bench mark	-
	107. 64
Union, 0.6 mile north of, at road corner, south end of grass triangle; in small	05 51
bowlder; square cut	85. 51
feet from guideboards; bronze tablet stamped "97"	06 005
South Union, 0.3 mile south of, at Philbrook's crossing, in small bowlder,	96. 835
east side of road and 35 feet north of Georges Valley R. R.; square cut	56. 23
White's Crossing; top of rail	41. 1
0)	

Warren station, 3.5 miles north of, at road crossing, Tutton's crossing, and at road corner, on small bowlder 100 feet east of railroad and on south side of highway near spring; bronze tablet stamped "45"	Feet. 44. 646
side of highway hear spring; bronze tablet stamped 45	44. 040
CASTINE QUADRANGLE.	
[Latitude 44° 15′-44° 30′; longitude 68° 45′-69°.]	
From Belfast south along highway to Ducktrap River.	
Belfast, 2.5 miles south of courthouse, coping top of dam at Little River	
pumping station	22.7
East Northport, 250 feet southeast of junction of roads at Browns Corners,	
at left of road, on ledge; aluminum tablet stamped "50"	50.065
Northport, Saturday Cove, at junction of roads, 15.5 feet southwest of pump, 35 feet northeast of northeast corner of drab-colored building, in	
ledge; aluminum tablet stamped "120"	119. 789
	119. 709
ROCKLAND QUADRANGLE.	
[Latitude 44°-44° 15'; longitude 69°-69° 15'.]	
From Camden southwest to West Rockport.	
Camden, Camden National Bank, in granite pier, Elm street front; alumi-	
num tablet stamped "36"	36. 044
West Rockport, 2 feet west of signboard; mark on stone monument	220. 28
West Rockport, in large bowlder southeast side of road to Warren, 500 feet	
southwest of signboard, 100 feet southwest of house, 25 feet east of center of road; aluminum tablet stamped "228"	227. 980
	221.900
From West Rockport south along highway to Rockland, thence southwest to Thomaston, thence northwest to Warren, thence northeast to West Rockport.	
Rockland, 3.8 miles north of, in ledge west of road along west shore of Chickawaukie Pond, 80 feet south of telephone pole marked "U. S." with	
arrow pointing toward tablet; aluminum tablet stamped "142"	142.029
Rockland, in water table at south side of post office building near south-	
west corner; aluminum tablet stamped "35"	34. 978
Thomaston, 110 feet south of Main Street and 45 feet south of end of iron	
fence on west side of warden's yard at state prison; mark on top of granite	107 00
monument Thomaston, in first course of west pier of old gateway dated "1824" in wall	137.83
of state prison grounds, opposite fire station house; aluminum tablet	
stamped "142"	142. 293
Warren, 0.2 mile south of road forks near, in ledge at left of road; aluminum	
tablet stamped "131".	130. 92 <b>5</b>
Warren, 3.9 miles northeast of, in ledge at junction of roads 50 feet south of	210 005
main road; aluminum tablet stamped "219"	218.887
Bangor, Bluehill, Bucksport, Ellsworth, Mount Desert, Orland, and	Orono

Bangor, Bluehill, Bucksport, Ellsworth, Mount Desert, Orland, and Orono quadrangles.

# HANCOCK, PENOBSCOT, AND WALDO COUNTIES.

The elevations in the following list are based on an aluminum tablet in the post-office and customhouse building at Bangor, stamped "23 Bangor 1899," the elevation of which is accepted as 23.725 feet above mean sea level, as determined by an adjusted circuit from Bucksport, where tidal observations on the Penobscot River were taken during two lunar months in August and September, 1899. The standard

bench marks in this area, which were published in Bulletin No. 185, are included in this list.

The leveling was done as follows: In Bucksport quadrangle by Robert Coe and J. W. Edgerly in 1899, and by F. J. McMaugh in 1904; in Bangor quadrangle by J. W. Edgerly in 1900; in Orono quadrangle by J. W. Edgerly in 1900, and by F. J. McMaugh in 1904; in Orland quadrangle by Robert Coe in 1899, and by A. S. Havens in 1901; in Bluehill and Mount Desert quadrangles by A. S. Havens in 1901; and in Ellsworth quadrangle by C. K. Alexander in 1908.

### BUCKSPORT QUADRANGLE.

[Latitude 44° 30'-44° 45'; longitude 68° 45'-69°.]

From Bangor south along Bucksport branch Maine Central R. R. to Bucksport.	
South Orrington, in foundation of Methodist Church, in middle of south face of third stone from southwest corner; aluminum tablet stamped "61"	Feet.
Bangor 1899".  North Bucksport, 0.7 mile south of, 8 feet southwest of milepost "Bucks-	61. 440
port 6 miles, Portland 150 miles," point of gray bowlder; chisel mark	103. 38
Bucksport Center, 0.9 mile south of, 10 feet south of milepost "Bucksport 4 miles, Portland 152 miles," point of blue bowlder; chisel mark	115. 15
Bucksport, on lowest step of side wall on left side of stone steps to Buck Memorial Library, in front face of coping; aluminum tablet stamped "43	
Bangor 1899"	43. 148
From Bucksport west along highway via Prospect to North Searsport.	
Prospect, 0.25 mile south of, residence of J. R. Killman, in south face of brick, second above foundation and third from southwest corner; alu-	
minum tablet stamped "77 Bangor 1899"	76. 710
Hill, north of road, on large gray bowlder; chisel mark	318. 68
North Searsport, near road forks, 20 feet southwest of signboards "Frankfort 7 miles, Belfast 10 miles, Swanville 3 miles," "Searsport 7 miles,	
Monroe 5 miles," in small gray bowlder; aluminum tablet stamped "393	000 000
Bangor 1899"	392, 663
From North Searsport north along highway via West Winterport to North Newburg.	
West Winterport, residence of J. W. Hobbs, in front face of top front door- step; aluminum tablet stamped "162 Bangor 1899"	161. 650
Ellingwoods corner, 0.25 mile north of, brick residence of Stephen L.	
Perkins, center of capstone of cellar window at south end; aluminum tablet stamped "387 Bangor 1899"	386. 814
From North Searsport southwest along highway to Swanville.	
Swanville, 150 feet south of Nickerson & Quinn's store, west of road, in bowlder; aluminum tablet stamped "209"	209. 410
BANGOR QUADRANGLE.	
[Latitude 44° 45′-45°; longitude 68° 45′-69°.]	
From North Newburg northeast to Hermon Center, thence east along highway to Bangor.	
North Newburg, at crossroads, 90 feet west of signboards "Winterport 11	
miles, Carmel 4 miles, Bangor 11 miles, North Dixmont 9 miles," in ledge; aluminum tablet stamped "180 Bangor 1899"	180. 389
Bangor, at southwest corner of courthouse; aluminum tablet	61, 159

From Hermon Center northwest along highway via Levant to South Corinth, thence east to Oldtown.	
Snow Corner, 100 feet northeast of crossroads, south of highway, at rear of post office, in root of fir tree; nail	Feet. 168. 90
Levant, west face of southeast corner stone of underpinning of post office; aluminum tablet stamped "143 Bangor".  Kenduskeag, in front of residence of Dr. J. B. Benjamine, east of road, in	142. 988
root of 3-foot elm tree; nail.  South Corinth, west of road, about 1,600 feet north of crossroads, in ledge	137. 05
on Cushman Hill; bronze tablet stamped "296 Bangor"	295. 935
minum tablet stamped "151 Bangor". West Oldtown, 300 feet west of corner, 36 feet north of road, southeast face	151. 363
of large bowlder; bronze tablet stamped "126 Bangor"	125. 678
[Latitude 44° 30′-44° 45′; longitude 68° 15′-68° 30′.]	
From Ellsworth north along Maine Central R. R. and highway to Tilden, thence east to Waltham.	
Ellsworth, in foundation of Ellsworth Trust Co.'s bank building; aluminum	
tablet stamped "24".  Ellsworth Falls, 2.6 miles northwest of, on Mariaville road, 150 feet east of	23. 993
road in field, in top face of large bowlder; aluminum tablet stamped "145"	145, 005
aluminum tablet stamped "181"	181. 012
100 feet south of corner, in top face of large bowlder; aluminum tablet stamped "204".  Tilden, at southeast corner of road forks, in top face of large bowlder; alumi-	203. 891
num tablet stamped "231"	230. 938
road, in top face of large bowlder; aluminum tablet stamped "414" Waltham, at summit of hill, 250 feet north of graveyard, opposite school- house, on north side of old cellar, in top face of buried rock; aluminum	414. 243
tablet stamped "480" (triangulation station)	480. 285
From Elisworth east along Maine Central R. R. to Franklin, thence north and west to Waltham.	
Washington Junction, 0.25 mile east of station, on south side of Washington County Ry., in top face of large bowlder; aluminum tablet stamped	-
"172"	172, 354
aluminum tablet stamped "121". Franklin, 1 mile west of, 250 feet north of railroad crossing, west of road, in	121. 547
top face of large bowlder; aluminum tablet stamped "88"	88. 473
face of large bowlder; aluminum tablet stamped "168".  Eastbrook Corners, at southwest side of, in top face of large bowlder; aluminum tablet stamped "168".	168, 063
num tablet stamped "169"	169. 180

## From Waltham southwest to point 2 miles north of Ellsworth Falls.

Weltham I mile south of not offer 0.05 mile outh of and followed	
Waltham, I mile south of post office, 0.05 mile north of road forks, east of road, in top face of large bowlder; aluminum tablet stamped "176" Waltham, 4 miles south of, near small summit (lower elevations toward south), in top face of large bowlder west of road; aluminum tablet	Feet. 176. 007
stamped "168". Ellsworth Falls, 4.5 miles north of, on rock lying west of road; chisel mark	167. 787
"107". Ellsworth Falls, 3.5 miles north of, at southwest corner of No. 8 plantation, 0.5 mile south of schoolhouse, east of road, in top face of large bowlder;	106. 41
aluminum tablet stamped "125"	124. 555
ORONO QUADRANGLE.	
[Latitude 44° 45′-45°; longitude 68° 30′-68° 45′.]	
From Milford northeast along highway 7 miles. Spur line.	
Milford, 7 miles northeast of, near highway bridge over Birch Stream on Milford-Greenfield road, 80 feet south of center of and 28 feet east of center of traveled highway, in ledge; bronze tablet stamped "130 Bangor"	130. 586
From Oldtown southwest along highway and Maine Central R. R. to Veazie.	
Oldtown, St. James Episcopal Church, corner Maine and Middle streets, east end of north face; aluminum tablet stamped "108 Bangor"  Orono, University of Maine, in west face of coping stone of Wingate hall;	108. 106
aluminum tablet stamped "115 Bangor"	115. 529
From Veazie southeast along highway to East Eddington.	
East Eddington, Universalist Church, in northwest corner stone; bronze tablet stamped "193 Bangor"	193. 426
From East Eddington to Clifton. Single-spur line.	
Clifton, 9 feet east of southeast corner of Free Baptist Church, in ledge; 3-inch iron bolt	285, 338
From East Eddington south to East Holden, thence west along Maine Central R. R. to Bangor.	
Harts Corners, in east face of underpinning of Holden townhouse, 11 feet south of entrance; aluminum tablet stamped "296 Bangor"	298. 210
From Oldtown north along Maine Central R. R. to Costigan.	
Milford, in front of station; top of rail.  Oldtown, 3.1 miles north of, east side of track, in ledge; aluminum tablet	129. 2
stamped "133 Bangor"	132. 562
ORLAND QUADRANGLE.	
[Latitude 44° 30'-44° 45'; longitude 68° 30'-68° 45'.]	
From Bucksport via Orland, East Orland, and West Ellsworth to Ellsworth.	
East Orland, 960 feet east of bridge at road forks, 70 feet to left of road, on side of bowlder; aluminum tablet stamped "168 B 1899"	168. 059 275. 497
mora, araminant ourselv bountpour 210 Dangor 1000	210. 101

### From Ellsworth northwest over wagon road to East Holden.

The manual and the state of the	
Nicolin, 50 feet to left of Ellsworth-Bangor road and 10 feet to right of road from Nicolin railroad station to Branch Pond, on gray rock; aluminum	Feet.
tablet stamped "446 Bangor".	446. 475
Dedham, 1.5 miles south of Lake House railroad station, in west side of big	
bowlder; aluminum tablet 1 stamped "287 Bangor"	286. 545
From Orland north to point near East Bucksport. Single-spur line.	
East Bucksport, 3 miles south of, northeast corner stone of East Bucksport	
Church; aluminum tablet stamped "186 Bangor"	186. 119
DISTRIBUTE OWADD ANGLE	

#### BLUEHILL QUADRANGLE.

[Latitude 44° 15'-44° 30'; longitude 68° 30-68° 45'.]

From East Oriend Southeast along highway to Bluehin, thence northeast to Surry.	
North Bluehill, 660 feet west of crossroads, 30 feet north of road running	
west, in bowlder; bronze tablet stamped "337 Bangor 1901"	336. 809
Bluehill, 125 feet east of northwest-southeast road, 75 feet south of public	
wharf, in face of rock ledge; bronze tablet stamped "15 Bangor 1901"	14. 981
Surry, 1.25 miles south of, 15 feet west of road, opposite house on right, about	
250 feet south of road to left in howlder; chisal mark "D"	174 10

### MOUNT DESERT QUADRANGLE.

[Latitude 44° 15'-44° 30'; longitude 68° 15'-68° 30'.]

### From Surry northeast to Ellsworth.

Surry, 0.5 mile east of, 800 feet east of Surry townhall, 15 feet to right of road,	
in rock ledge; bronze tablet stamped "88 Bangor 1901"	88. 874

Mattawamkeag, Millinocket, Passadumkeag, Seboeis, and Winn quadrangles.

## PENOBSCOT COUNTY.

The elevations along Penobscot River in the following list are based on an aluminum tablet in the post-office and customhouse building at Bangor, stamped "23 Bangor 1899." The elevation of this bench mark is accepted as 23.725 feet above mean sea level. A double-rodded line was run, beginning at a bench mark at Oldtown, reported in another list (p. 38). From Millinocket water and spirit levels were extended by the Great Northern Paper Co., and the water-resources branch of the United States Geological Survey at Moosehead, where a junction was made with the Kennebec levels. The extended elevations were found to be in such close agreement with the Kennebec levels, as corrected in 1906 to reliable mean sea-level datum at Portland, that no adjustment has been made in determining the elevations of this list.

The leveling was done in 1904 by F. J. McMaugh.

<sup>1</sup> An adjustment of nearly 2 feet is made in line between here and East Holden.

## PASSADUMKEAG QUADRANGLE.

[Latitude 45°-45° 15'; longitude 68° 30'-68° 45'.]

## From Costigan north along Maine Central R. R. to Enfield.

From Costigan north along maine Central R. R. to Enneld.	
Costigan, 215 feet north of station, railroad bridge, east end of south abutment; aluminum tablet stamped "115".  Greenbush, 1.6 miles south of, in milestone marked "Vanceboro 93 miles, Portland 158 miles"; aluminum tablet stamped "122".  Greenbush station; top of west rail.  Greenbush, 1.4 miles north of, east side of track, in milestone marked "Vanceboro 90 miles, Portland 161 miles"; aluminum tablet stamped "145".  Olamon, in front of station; top of east rail.  Olamon, 0.7 mile north of, east side of track, in milestone marked "Vanceboro 87 miles, Portland 164 miles"; aluminum tablet stamped "144".  Passadumkeag, railroad bridge over Passadumkeag River, in bridge seat east end of south abutment; aluminum tablet.  Enfield, 1.9 miles south of, in milestone marked "Vanceboro 81 miles, Portland 170 miles;" aluminum tablet stamped "185".	Feet. 114. 979 121. 999 133. 5 144. 985 131. 3 143. 957 137. 571 185. 039
SEBOEIS QUADRANGLE.	
[Latitude 45° 15′-45° 30′; longitude 68° 30′-68° 45′.]	
From Enfield northeast along Maine Central R. R. to Lincoln Center.	
Enfield, in front of station; top of east rail.  Enfield, 1 mile north of, in milestone marked "Vanceboro 78 miles, Port-	202. 9
land 173 miles;" aluminum tablet stamped "221"	220, 984
South Lincoln, 1.1 miles southeast of, 4 miles north of Enfield, in milestone	
marked "Vanceboro 75 miles, Portland 176 miles;" aluminum tablet stamped "242"	041 000
South Lincoln, in front of station; top of rail.	241, 989 238, 5
South Lincoln, 1.9 miles northeast of, east side of track, in milestone marked	
"Vanceboro 72 miles, Portland 179 miles;" aluminum tablet stamped	
"241"	240. 975 216. 3
Lincoln, 0.7 mile north of, in milestone marked "Vanceboro 69 miles,	210.0
Portland 182 miles;" aluminum tablet stamped "223"	222.970
WINN QUADRANGLE.	
[Latitude 45° 15′-45° 30′; longitude 68° 15′-68° 30′.]	
From Lincoln Center northeast along Maine Central R. R. to Mattawamkeag.	
Lincoln Center, in front of station; top of east rail	179.0
North Lincoln, in milestone marked "Vanceboro 66 miles, Portland 185	119.0
miles;" aluminum tablet stamped "225"	224. 958
North Lincoln, in front of station; top of east rail.  North Lincoln, 3 miles northeast of, in milestone marked "Vanceboro 63	210. 2
miles, Portland 188 miles;" aluminum tablet stamped "229"	228. 977
Winn, 1.2 miles southwest of, in milestone marked "Vanceboro 60 miles.	
Portland 191 miles;" aluminum tablet stamped "199"	199. 142
Winn, in front of station; top of east rail.	212. 1

## MATTAWAMKEAG QUADRANGLE.

[Latitude 45° 30′-45° 45′; longitude 68° 15′-68° 30′.]

[Latitude 45° 30′-45° 45′; longitude 68° 15′-68° 30′.]	
From Mattawamkeag northwest along highway to Medway.	Feet.
Mattawamkeag, in front of station; top of east rail.  Mattawamkeag, 0.2 mile north of, railroad bridge over Mattawamkeag River,	217.8
east end of south abutment; aluminum tablet stamped "213"	212. 692
num tablet stamped "217".  Mattawamkeag, 6.64 miles northwest of, west of road in clearing, 120 feet northeast of small shack, 160 feet east of log cabin, large bowlder; alumi-	217. 013
num tablet stamped "320"	320. 184 256. 261
MILLINOCKET QUADRANGLE.	
[Latitude 45° 30′-45° 45′; longitude 68° 30′-68° 45′.]	1
From Medway northwest along highway to Millinocket, thence northwest along	
Bangor & Aroostook R. R. to Twin Lakes.	
Medway, 0.27 mile west of ferry, on land of A. T. Reed, 50 feet east of road and 120 feet west of his house, in ledge; aluminum tablet stamped "279".	278. 911
Medway, 5.30 miles northwest of, 745 feet north of Charles T. Powell's house, 35 feet west of road, in bowlder; aluminum tablet stamped "306". Millinocket Congregational Church, southeast corner of granite underpin-	305. 598
ning of tower; aluminum tablet stamped "384"	383. 992
Millinocket, in front of station; top of south rail.  Twin Lake dam, 4.87 miles southwest of Millinocket, top of north pier at	363. 3
24-foot gate opening; aluminum tablet stamped "495"	494. 562
Twin Lake dam, 1 mile east of Norcross, 80 feet south of dam, south of track, in large bowlder; copper bolt	503. 43
Boyd Lake, Passadumkeag, and Suponic quadrangles.	
PENOBSCOT COUNTY.	
The elevations in the following list were determined by pleveling and accord with Bulletin 437.	orimary
The leveling was done in 1915 by C. S. Wells.	
BOYD LAKE QUADRANGLE.	
[Latitude 45°-45° 15'; longitude 68° 45'-69°.]	
From point 4.1 miles west of Howland along highways southwest to La Grange, thence southeast to point 3 miles west of Argyle.	
Howland, 4.1 miles west of, 20 feet south of road, in sandstone rock; chis-	365, 37
eled square painted "365"	303. 37
eled square painted "440"	440. 57
stamped "435"	435. 258
La Grange, 4 miles northeast of, 10 feet west of road, 100 feet northeast of blacksmith shop, in limestone rock; chiseled square painted "461"	460. 93

La Grange, 3 miles northeast of, 15 feet east of road, in limestone bowlder; chiseled square painted "474"	Feet. 473. 96
La Grange, 2.2 miles northeast of, on La Grange and Maxfield road, concrete culvert over small stream, in center of east concrete rail; bronze tablet	
stamped "376".  La Grange, 1 mile east of, on La Grange and Maxfield road, railroad crossing,	375. 68
top of west rail; painted "296"	295. 62
chiseled square painted "317"	316. 53
La Grange, 1.3 miles south of, 25 feet east of road, in large sandstone bowlder; bronze tablet stamped "282".	282. 34
La Grange, 2.4 miles south of, 20 feet east of road, in sandstone bowlder; chiseled square painted "246"	045 88
South La Grange, highway bridge over railroad, in east end of south abut-	245. 77
ment; chiseled square painted "208" South La Grange, 1.2 miles south of, on top of hill, 10 feet east of road, in	207. 79
sandstone bowlder; bronze tablet stamped "211".	210. 89
South La Grange, 2.3 miles south of, in northwest corner of floor of bridge over small stream; copper nail painted "158"	157. 65
South La Grange, 3.5 miles south of, 10 feet east of road, in small rock; chis-	107.00
eled square painted "203"	202. 88
South La Grange, 4.2 miles south of, road forks, in rock at base of sign post;	
chiseled square painted "195". South La Grange, 5.1 miles south of, road forks, 20 feet south of center of	194. 98
forks, in root of pine tree; copper nail painted "221"	220. 74
PASSADUMKEAG QUADRANGLE.	
[Latitude 45°-45° 15′; longitude 68° 30′-68° 45′.]	
From Enfield west along highway to point 4.1 miles west of Howland.	
Enfield, 1 mile west of, bridge over small stream, in west end of south side	
of bridge; copper nail painted "162"	162. 15
top of rock culvert over small stream; chiseled square painted "181"	181. 51
West Enfield, in north end of west abutment of highway bridge over the	
Penobscot River; bronze tablet stamped "153"	152. 652
Howland, 0.8 mile west of, on top of hill, 10 feet north of road, in sandstone	000 05
bowlder; chiseled square painted "227"	226. 95
concrete rail; chiseled square painted "163"	162. 71
Howland, 3.2 miles west of, 20 feet south of road, in top of pointed bowlder;	
bronze tablet stamped "241"	241. 018
From point 3 miles west of Argyle along highways east to Argyle, thence southeast	
to Costigan.	
Argyle, 3 miles west of, road forks at signpost marked "Argyle 3 miles;  La Grange 10 miles," 200 feet northeast of signpost, in concrete door step	
of Andrew Hotch's residence; bronze tablet stamped "222"	222. 196
Argyle, 2 miles west of, ridge over Birch Creek, in northeast corner of bridge	700.00
floor; copper bench mark nail painted "122".  Argyle, 1 mile west of, 20 feet north of road, in sandstone rock; chiseled	122. 02
square painted "178"	177. 67
Argyle, 0.2 mile south of post office, at road forks at Argyle schoolhouse No.	
1. in top of southwest foundation stone: bronze tablet stamped "127"	126 333

Argyle, 1.3 miles south of post office, road forks 20 feet north of center of forks, in sandstone rock; chiseled square painted "132"	Feet. 131. 81
Argyle, 2.5 miles south of post office, concrete culvert over small stream, in center of west concrete rail; bronze tablet stamped "128"	127. 987
bridge; aluminum tablet stamped "115" (U. S. Geol. Survey Bull. 437 p. 23).	114. 979
From Costigan east along highway 6 miles. Spur leveled twice.	
Costigan, 1 mile east of, in north end of bridge beam of wooden bridge over	101 55
culvert; wire nail, painted "122"	121. 55
square, painted "205". Costigan, 3.3 miles east of, road forks at "Spearin" schoolhouse No. 7, 100	205. 07
feet northwest of center of intersection of forks, in sandstone rock; bronze	105 400
tablet stamped "175"	175. 473
square, painted "182". Costigan, 5.6 miles east of, road forks at signpost marked "Greenfield 5 miles; Olamon 8 miles, Milford 11 miles," 20 feet south of signpost, in limestone	181. 70
rock: chiseled square "188"	187. 73
Costigan, 6.1 miles east of, road forks, 200 feet west of intersection of forks, in north of road, in limestone bowlder; bronze tablet stamped "174"	174. 530
From Enfield southeast along highways to East Lowell, thence southwest to Olamon.  Portion of line.	
Enfield, road crossing at, 5 feet east of east rail, in board of crossing floor;	
wire nail, painted "199".  Enfield, 1 mile east of, in east end of north side of bridge over small stream;	199. 25
wire nail nainted "140"	139. 90
Enfield, 0.7 mile south of post office, road forks on sandstone rock; chiseled square, painted "250"	249. 76
Enfield 17 miles southeast of post office, on west side of road, in granite	366. 37
rock; chiseled square, painted "366". Enfield, 2.5 miles southeast of post office, road forks at signpost marked	300. 37
"Lowell 4 miles; Enfield 2.5 miles", 100 feet northwest of signpost in limestone bowlder; bronze tablet stamped "351"	350. 750
Enfield, 3.5 miles southeast of post office, 15 feet north of road, in sandstone rock; chiseled square, painted "335"	335. 16
Lowell 5 miles southwest of post office, 10 feet east of road, in sandstone	
rock; chiseled square, painted "171"	171. 47
rock: chiseled square, painted "175"	175. 05
Olamon, 2.5 miles southeast of, crossroads at signpost marked "Lowell 6.5 miles, Olamon 2.5 miles," 40 feet northwest of center of crossroads, in	
sandstone bowlder; bronze tablet stamped "255"	254. 609
Olamon, 1.5 miles southeast of, 80 feet southwest of center of crossroads, in sandstone bowlder; chiseled square, painted "203"	202. 94
Olaman 0.6 mile east of, at southeast end of bridge over stream, in sand-	134. 37
stone rock; chiseled square "133"	101.07
boro 87 miles: Portland 164 miles: " aluminum tablet stamped "144" (U.	143. 957
S. Geol. Survey Bull. 437, p. 23)	140. 001

#### SUPONIC QUADRANGLE.

[Latitude 45°-45° 15'; longitude 68° 15'-68° 30'.]

# From Enfield southeast along highways to East Lowell, thence southwest to Olamon. Portion of line.

Enfield, 5.5 miles southeast of post office, 15 feet south of road, in limestone	Feet.
rock; chiseled square, painted "334"	333. 79
Enfield, 6.8 miles southeast of post office, 15 feet south of road, in limestone	
rock; chiseled square, painted "342"	341. 75
East Lowell post office, at crossroads, 70 feet southeast of center of cross-	
roads, in sandstone rock; bronze tablet stamped "281"	280. 711
East Lowell, 0.7 mile south of post office, in rock on south bank of small	
stream; chiseled square, painted "208"	207. 72
Lowell post office, in west side of north end of iron bridge over Passadum-	
keag River; iron bolt, painted "177"	177. 23
Lowell, 1 mile west of post office, 10 feet south of road, in limestone rock;	
bronze tablet stamped "163"	163. 122
Lowell, 2 miles southwest of post office, 15 feet south of road, in sandstone	
rock; chiseled square, painted "164"	164. 72
Lowell, 3 miles southwest of post office, 15 feet south of road in sandstone	
rock; chiseled square, painted "175"	174. 62
Lowell, 4 miles southwest of post office, bridge over Passadumkeag River,	
150 feet southwest of center of bridge, in sandstone rock; bronze tablet	
stamped "139"	139. 375
Passadumkeag River; surface of water, July 19, 1915	135. 3

# Cherryfield quadrangle.

### WASHINGTON COUNTY.

The elevations published in the following list are based on a bronze tablet at Millbridge, one-third mile southeast of post office, in brown rock ledge on shore of harbor and 70 feet south of Sawyer's sardine wharf, stamped "7 B 1901," the elevation of which is 7.247 feet above mean sea level, as determined by connection with tide gage at Millbridge upon which high and low water readings were made daily during a period of one lunar month in July and August, 1901. The standard bench marks depending on this datum are referred through sea-level connections to the central datum at Bangor and are stamped with the letter "B" in addition to the figures of elevation and year. The leveling was done in 1901 by A. S. Havens.

### [Latitude 44° 30'-44° 45'; longitude 67° 45'-68°.]

### From Millbridge along highways via Steuben and Unionville to Cherryfield.

Millbridge, at end of Sawyer's sardine wharf, 10 feet from southwest corner; ringbolt through stringpiece	Feet. 9. 56
Millbridge, 70 feet south of Sawyer's sardine wharf, in brown rock ledge on	9. 00
shore of harbor; bronze tablet stamped "7 B 1901"	7. 247
Millbridge, northeast corner of Main Street and road to sardine wharf, on	
granite post; chisel mark	33. 24
Millbridge, southeast corner of Main Street and Harrington road (signboard	
reads "Harrington 8 miles"), on granite post; chisel mark	48, 57

Steuben, at northwest corner of road intersection, on granite post (sign board reads "Gouldsboro 5 miles, Unionville 6 miles"); chisel mark Cherryfield, 0.1 mile south of station, in northwest corner of junction of east-west road (signboard reads "Franklin 18 miles, Harrington 6 miles"), in face of rock ledge; bronze tablet stamped "44 B 1901"	Feet. 46. 32
From Cherryfield east to Harrington, thence northeast to Epping, thence west via Schoodic Lake to Great Falls branch Schoodic Brook, thence southeast to Cherryfield.	
Harrington, 0.6 mile west of, at east end of new steel bridge over Harrington River, on south side of abutment; bronze tablet stamped "B 14 1901".	14.044
Epping, 1.25 miles west of, 60 feet west of crossroad from Columbia railroad station, 10 feet south of road, on bowlder; bronze tablet stamped "226 B 1901".	226, 117
Epping, 3.5 miles west of, East Base Coast and Geodetic Survey base line station, on granite monument; bronze bolt.	
Cherryfield, 9.3 miles northwest of, on Denlois road, 1 mile southeast of road fork to Epping, 40 feet north of bridge over Great Falls Branch Schoodic Brook, 5 feet west of road, in face of large gray bowlder; bronze	254. 187
tablet stamped "151 B 1901"	151.128
Cutler and Eastnort anadrangles	

### Cutler and Eastport quadrangles.

### WASHINGTON COUNTY.

The elevations in the following list depend on the height of a tidal bench mark described as "a hole drilled on Gun Rock, Lubec Channel," the height of which was determined by the United States Engineer Corps in 1878 from fifty-six consecutive day and night observations.

The circuit on Eastport quadrangle was closed through water levels between Eastport and Lubec.

The leveling was done in 1907 by H. M. Gilman.

## EASTPORT QUADRANGLE.

[Latitude 44° 45'-45°; longitude 67°-67° 15'.]

# From Lubec southwest along highways to Whiting, thence northwest to Dennysville, thence east via West Pembroke to Eastport.

thence east via West Pembroke to Eastport.	
Lubec, Lubec Channel, in top of rounded rock, known as Gun Rock, in	
base of extremity of breakwater, established by United States Engineer	Feet.
Corps in 1878 (observations by Capt. Trott, of Lubec); drill hole	8. 291
Lubec, northeast of road, in southwest face of foundation of Disciples	
Church; aluminum tablet stamped "118, 1907"	118.852
West Lubec, 1.2 miles east of, 500 feet west of small wooden bridge in hol-	
low, 250 feet north of road, in rock ledge; aluminum tablet stamped "45,	
1907"	46.082
Whiting, 3.4 miles east of, 2 miles southwest of West Lubec, south edge of	
road, 250 feet south of John Craig's house, in rock ledge; aluminum tablet	
stamped "96, 1907"	97.076
Whiting, 0.3 mile east of road forks, 5 feet north of road at edge of stream in	
hollow, in top surface of rock ledge; aluminum tablet stamped "20,	
1907"	20.940
Whiting, 2.5 miles north of, 80 feet south of large iron bridge east of road in	
top of rock ledge; aluminum tablet stamped "20, 1907"	20.322

<sup>&</sup>lt;sup>1</sup> See Report of Chief of Engineers for 1879, Appendix A, pp. 280-282.

Dennysville, 3.5 miles south of, 30 feet west of road, 80 feet northeast of house at bend in road, in top face of rock ledge; aluminum tablet stamped	Feet.
"147, 1907"	147.671
Dennysville, 660 feet southeast of bridge over Dennys River, near top of	
hill by schoolhouse, in top face of rock ledge southwest of road; aluminum tablet stamped "86, 1907".	87.005
Dennysville, 3 miles north of, 3.2 miles southwest of Pembroke, opposite	07.000
schoolhouse south of road, in rock ledge north of road; aluminum tablet stamped "141, 1907"	141.965
West Pembroke, 100 feet north of Union League Church, south of road, in	141. 900
rock ledge; aluminum tablet stamped "68, 1907"	68, 369
Pembroke, 4 miles east of, 6.7 miles northwest of Eastport, 500 feet southeast of road forks, on opposite side of road from C. H. Leones's house, in top of	00.000
rock ledge west of road; aluminum tablet stamped "62, 1907"	62.975
Eastport, 3.5 miles northwest of, 500 feet east of toll bridge, in west end of	02.0.0
stone watering trough at top of hill; aluminum tablet stamped "62, 1907"	62.657
Eastport, corner of Washington and Water streets, in west face of southwest	
corner of granite belting course of customhouse and post office; aluminum	
tablet stamped "40, 1907"	40.920
CUTLER QUADRANGLE.	
CUILER QUADRANGLE.	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".	22. 440
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of	22. 440
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped "31, 1907".	22. 440 31. 600
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet	31.600
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped "31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped "136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's	
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped "31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped "136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's house, in top face of rock ledge; aluminum tablet stamped "24, 1907"	31.600
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped "22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped "31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped "136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's house, in top face of rock ledge; aluminum tablet stamped "24, 1907"  Cutler, 3.2 miles north of, 1,200 feet south of stream crossing, in top of large	31. 600 136. 226 24. 835
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped ''22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped ''31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped ''136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's house, in top face of rock ledge; aluminum tablet stamped ''24, 1907"  Cutler, 3.2 miles north of, 1,200 feet south of stream crossing, in top of large rock 5 feet west of road; aluminum tablet stamped ''156, 1907"	31. 600 136. 226
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped ''22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped ''31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped ''136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's house, in top face of rock ledge; aluminum tablet stamped ''24, 1907"  Cutler, 3.2 miles north of, 1,200 feet south of stream crossing, in top of large rock 5 feet west of road; aluminum tablet stamped ''156, 1907"  Cutler, 6.5 miles north of, 4 miles south of Whiting, 0.4 mile north of Spring-	31. 600 136. 226 24. 835
[Latitude 44° 30′-44° 45′; longitude 67°-67° 15′.]  From West Lubec southwest along highways to Cutler, thence north to Whiting.  West Lubec, 3.2 miles south of, 500 feet west of stream crossing, in front of Stewart McFadden's house, 5 feet south of road, in rock ledge; aluminum tablet stamped ''22, 1907".  West Lubec, 6.3 miles southwest of, 7.5 miles northeast of Cutler, at end of T road north, north side of road, in top of rock ledge; aluminum tablet stamped ''31, 1907".  Cutler, 3 miles northeast of, 110 feet north of road, 80 feet west of small house on hill, in rock ledge; aluminum tablet stamped ''136, 1907"  Cutler, 600 feet west of road forks, north of road, in front of Samuel Maker's house, in top face of rock ledge; aluminum tablet stamped ''24, 1907"  Cutler, 3.2 miles north of, 1,200 feet south of stream crossing, in top of large rock 5 feet west of road; aluminum tablet stamped ''156, 1907"	31. 600 136. 226 24. 835

Augusta, Bath, Bethel, Bryant Pond, Buckfield, Dixfield, Freeport, Gardiner, Lewiston, and Livermore quadrangles.

ANDROSCOGGIN, CUMBERLAND, FRANKLIN, KENNEBEC, OXFORD, AND SAGADAHOC COUNTIES.

The elevations in the following list of bench marks established by the water-resources branch of the United States Geological Survey under the general direction of H. K. Barrows, district engineer, were determined by a double-rodded primary-level line extended from Augusta along the Maine Central Railroad to Brunswick; thence up Androscoggin River along railroad and highways to Errol, N. H. The New Hampshire elevations are not included in this list. The leveling was begun at a gage bench mark at Hallowell, Me., the stated elevation of which later proved to be unreliable. The elevations

now given are based on mean sea level determined by gage record at Portland, and accord with elevations determined by precise leveling of the topographic branch of the Geological Survey, from Portland to Brunswick, as given in another list (p. 9). At Turner Bridge, 39.7 miles from Brunswick, a 1-foot error was discovered by certain checked relevelings, and the remainder of the line was corrected by that amount; but there yet remains an outstanding discrepancy of 2.3 feet between this line and levels of the topographic branch at Bethel.

In running the base levels of 1905, from Hallowell via Brunswick to Livermore Falls, H. S. Boardman was chief of party. In running the base levels of 1906, from Livermore Falls to Errol, N. H., C. Robert Adams and T. W. Norcross were chiefs of party.

From Augusta southwest along Maine Central R. R. and highway to Brunswick. Double-rodded line.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	AUGUSTA QUADRANGLE.  [Latitude 44° 15′-44° 30′; longitude 69° 45′-70°.]  Augusta porthyyest correst of west wing of state house; aluminum tablet	150.050
	Augusta, northwest corner of west wing of statehouse; aluminum tablet	152, 950 27, 091
	[Latitude 44°-44° 15′; longitude 69° 45′-70°.]  Gardiner, opposite post office, in northeast corner of Savings Institution Building; aluminum tablet.	25, 417
	Richmond, building used for post office, in left side of entrance; aluminum tablet.  Bowdoinham, in west abutment of highway bridge over Cathance River; aluminum tablet.  BATH QUADRANGLE.	30. 935 7. 117
	[Latitude 43° 45′-44°; longitude 69° 45′-70.]	
	Topsham, on east abutment of railroad bridge over Topsham Street, west of track; marked "41.5".  Brunswick, in left side of front entrance to building used as post office and town hall; aluminum tablet.	44, 139 69, 589

### From Brunswick north along Maine Central R. R. and highway up Androscoggin River.

	FREEPORT QUADRANGLE.	
	[Latitude 43° 45′-44°; longitude 70°-70° 15′.]	
3. 1 9. 9	Pejepscot, 58.5 feet south of center of track, 60 feet north of north end of railroad station, in pasture belonging to Emory Barnes, in ledge; aluminum tablet. Lisbon Falls, about 10½ miles from Lewiston, at side of river opposite lower end of Frosts Park, in ledge; aluminum tablet	175, 421 111, 231
	LEWISTON QUADRANGLE.	
	[Latitude 44°-44° 15'; longitude 70°-70° 15'.]	
14.0	Lewiston, 6½ miles from, on south abutment of Moody Brook Bridge, east of track; point marked "U. S. 184"	186, 683
15. 2	Lewiston, 5.3 miles from, on west abutment of Crowley's bridge, south of track;	190, 098
20.6	Lewiston, on west end of Dam No. 4, Union Water Power Company; point marked	170, 608
24.9	Dingley farm, 300 feet east of road, near north line, in large bowlder; aluminum	
26. 7	Babbett & Googin dam, in high point of ledge below (ledge is in bed of river and is an island during high water); aluminum tablet.	265, 527 225, 889

### From Brunswick north along Maine Central R. R. and highway up Androscoggin River-Contd.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	LIVERMORE QUADRANGLE.	
	[Latitude 44° 15′-44° 30′; longitude 70°-70° 15′.]	
36. 2	road, in low flat ledge: aluminum tablet	283, 111
45.6	Strickland, about 1.8 miles above station, 150 feet north of A. E. Hunton's house, about 200 feet east of road, in ledge; aluminum tablet	296, 970
50.9	Farmington, 17.6 miles from east abutment of Shuey plate-girder bridge; aluminum tablet	300, 038
51.9	Livermore Falls, in southwest corner of post-office building; aluminum tablet	349, 355

### From Livermore Falls along the Maine Central R. R. and the Grand Trunk Ry. and highways up Androscoggin River to Errol, N. H.

THE PARTY	LIVERMORE QUADRANGLE.	
1. 2 2. 7 4. 9	Livermore Falls, in southwest corner of post-office building; aluminum tablet	349, 355 355, 716 382, 965 396, 175
	BUCKFIELD QUADRANGLE.	
	[Latitude 44° 15′-44° 30′; longitude 70° 15′-70° 30′.]	
8. 2 10. 4 14. 9	Meadowview, near the west end of the first "out" west of, in first granite ledge west of Meadowview station, south of railway; aluminum tablet.  Gilbertville, on right upstream bridge seat of steel highway bridge over Androscoggin River; aluminum tablet.  East Peru, 0.3 mile east of, on northwest bridge seat of railroad bridge over Worthley Brook; aluminum tablet.	391, 726 395, 591 394, 961
	DIXFIELD QUADRANGLE.	
	[Latitude 44° 30′-44° 45′; longitude 70° 15′-70° 30′.]	
20. 4	Androscoggin River, bridge over, between West Peru and Dixfield, cemented in southwest bridge seat of highway; aluminum tablet	411, 482
Pari	BRYANT POND QUADRANGLE.	
	[Latitude 44° 15′-44° 30′; longitude 70° 30′-70° 45′.]	
25. 2 26. 1	Rumford Falls, in northeast corner of Rumford Water Co.'s building on Commerce Street; aluminum tablet. Rumford Falls, on southwest corner of bridge seat of west abutment of highway	507.787
32.9	bridge over the river just above the upper dam; aluminum tablet. Rumford Center, 0.25 mile from, about 120 feet west of Rumford Center-Rumford Point; easily seen about 5 feet higher than road, set approximately vertical on east side of bowlder at base of hill, opposite point halfway between blazed telegraph	625, 447
35, 4	poles; aluminum tablet Rumford Point, in southeast corner of foundation of A. J. Marbles's house; aluminum	629, 508
30, 4	num tablet	635, 876
100	BETHEL QUADRANGLE.	
	[Latitude 44° 15′-44° 30′; longitude 70° 30′-70° 45′.]	
42.5	Newry Corner (on road to Bethel), 500 feet south of, in east corner of north abutment of high bridge over Bear River; aluminum tablet.	635, 916
48. 2	Androscoggin River, highway bridge over, between Mayville and Bethel, in west	647, 566
53, 2	end of south abutment of; aluminum tablet a. West Bethel, 1 mile west of, in northeast corner of east abutment of highway bridge	
58, 7	over Pleasant River; aluminum tablet Gilead, 0.5 mile west of, in north corner (second course from top) of east abutment of Grand Trunk Railway bridge over Wild River; aluminum tablet.	655, 764 712, 052

a The elevation of this bench mark by topographic branch from Portland is 649.885.

Brassua Lake, Chesuncook, Churchill Lake, Harrington Lake, Long Pond, Matagamon, Millinocket, Moosehead, Mount Katahdin, Norcross, Northeast Carry, Shin Ponds, Staceyville, and Telos Lake quadrangles.

## PENOBSCOT, PISCATAQUIS, AND SOMERSET COUNTIES.

The elevations in the following list of bench marks established by the water-resources branch of the United States Geological Survey, under the general direction of H. K. Barrows, district engineer, were determined from double-rodded primary-level lines run with a 20-inch Gurley wye level and two Philadelphia rods. These elevations result from a preliminary adjustment, under which the elevations at Medway and Moosehead, determined by the primary-level lines of the topographic branch extended from Bangor and Portland were accepted without correction. A new adjustment will not be made unless shown to be advisable when additional primary connections have been made between Penobscot and Kennebec rivers.

In running the base levels of 1905 from Chesuncook to Northeast Carry and from Moosehead west to Jackman, George M. Brett was chief of party. In running the base levels of 1906 on West Branch Penobscot River, from Chesuncook Lake southeast to Norcross, and the base levels of 1907 from Allagash Lake to Grand Lake dam H. S. Boardman was chief of party. In running the base levels of 1908 from Grand Lake dam southeast down East Branch Penobscot River to Medway H. S. Boardman was chief of party and A. L. Grover was instrument man.

### From Chesuncook to Northeast Carry.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	CHESUNCOOK QUADRANGLE.	
	[Latitude 46°-46° 15'; longitude 69° 15'-69° 30'.]	
1. 6 2. 5 2. 94 3. 39 3. 39 4. 17 5. 72 6. 6 7. 3 7. 95 8. 14 8. 7	Chesuncook, 18 feet east of post office, in top of 6-foot post; iron bolt. Chesuncook, 150 feet south of post office, in root of stump; nail. Chesuncook, 1.6 miles from; in pine tree on right side of trail; nail. Chesuncook, 2.5 miles from, small bowlder on left side of trail; nail. Chesuncook, 2.5 miles from, small bowlder on left side of trail; nail. Chesuncook, 2.9 miles from, small bowlder on left side of trail; nail. Chesuncook, 2.9 miles from, in stump on right side of trail; nail. Chesuncook, 3.39 miles from, in stump on right side of trail; nail. Chesuncook, 3.39 miles from; top of bowlder right side of trail; nail. Chesuncook, 3.39 miles from; top of bowlder right side of trail; nail. In telephone pole; spike. Foxhole Rips, at foot of, in ledge on right bank of river; aluminum tablet (permanent bench mark No. 2). Jim Smith's halfway house, 3.1 miles below, in pine tree at southwest end of field; nail. In root of pine tree at right of trail; nail. In root of cedar tree at left of trail; nail. On bowlder at edge of water. In root of cedar tree at right of trail; spike.	931. 757 1, 009. 133 1, 015. 318 930. 449 936. 907 946. 668 949. 060 1, 005. 350 945. 027 951. 444 979. 059 961. 358 954. 868

24012°-Bull. 633-16-4

## From Chesuncook to Northeast Carry-Continued.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	NORTHEAST CARRY QUADRANGLE.	
	[Latitude 45° 45'-46°; longitude 69° 30'-69° 45'.]	Service .
9.7	Jim Smith's halfway house, 150 feet west of, in vertical face of bowlder on right bank,	
10, 35	1 foot from ground; aluminum tablet (permanent bench mark No. 3) In fir tree at right of trail, 3 feet from ground; nail.	964. 571 985, 635
10. 55	In root of fir tree at right of trail: nail	995, 457
11.7	In root of fir tree at right of trail; nail.  Moosehorn Stream, 225 feet above, in poplar tree at right of trail, 1.5 feet from ground;	0001201
All Garden	iron pin.	969. 497
11.9 13.3	In poplar tree at right of trail, 1 foot from ground; spike.  In root of large poplar tree at right of trail; nail.  In root of birch tree at left of trail; nail.	971. 747 969. 117
13. 9	In root of hirch tree at left of trail: nail	969. 784
14.4		
15.6	In root of spruce tree at left of trail; spike.	970. 814
16. 2	In root of spruce tree at left of trail; spike.  In root of fir tree at left of trail; spike.  In root of fir tree at left of trail; spike.	973. 243
16.99	In root of fir tree at left of trail; spike.	973. 020 970. 971
17. 59 17. 9	In root of fir tree at right of trail; spike.  Lobster Stream, east end of bridge over, nearly flush with ground; long iron bolt	970.971
11.0	driven into top of stump.	979, 269
18.4	In telephone pole at right of trail: spike	972. 198
19.5	In root of fir tree at left of trail; spike.  Landing place at river, 500 feet south from, at left of road to Northeast Carry; top	972.307
20.5	Landing place at river, 500 feet south from, at left of road to Northeast Carry; top of bowlder	000 226
21.8	Northeast Carry, 0.5 mile north of, in root of poplar tree west of road; nail	980.336 1,077,924
22.5	Northeast Carry, 200 feet southwest of Winnegarnock House, about 100 feet from	1,011.024
	Northeast Carry, 200 feet southwest of Winnegarnock House, about 100 feet from shore of Moosehead Lake, on top of bowlder; aluminum tablet (permanent bench	The same of the sa
Chunk	mark No. 4)	1,033.429
	Bench mark of Kennebec Water Power Co., marked "22.36;" copper bolt cemented	1 000 504
1 72 1	in same bowlder	1,033.594

## From Moosehead west to Jackman.

		1
	MOOSEHEAD QUADRANGLE.	
	[Latitude 45° 30′-45° 45′; longitude 69° 30′-69° 45′.]	1
	Moosehead, abutment of Canadian Pacific Ry. bridge, southeast corner, on east side of Moosehead Lake; aluminum tablet stamped "1026 Augusta" (permanent	1 000 154
0.86	bench mark No. 1). In third telegraph pole southeast of signpost "Moosehead 1 mile" at left of track, 1 foot from ground; railroad spike.	1,028.154 1,064.979
2.8	In third telegraph pole west of milepost 47, 1 foot from ground; railroad spike	1,018.451
	BRASSUA LAKE QUADRANGLE.	
	[Latitude 45° 30′-45° 45′; longitude 69° 45′-70°.]	
3.9	Milepost 48, 800 feet west of, south of track; small bowlder Moosehead, 4.4 miles west of, on top of top stone of northeast wing wall of bridge over	1,027.079
5, 95	west outlet of Moosehead Lake; aluminum tablet (permanent bench mark No. 2). Rock at south side of track.	1,028.215 1,105.040
7.74	Askwith, 1,000 feet west of, on top of top stone of southeast wing wall of bridge over Misery Stream; aluminum tablet (permanent bench mark No. 3).	1,109.807
9.73 11.06	Milepost 54, 350 feet east of, south of track; bowlder.	1,081.662 1,112.959
12.71	Milepost 55, about 1,200 feet west of, north of track; bowlder. In fourth telegraph pole east of milepost 57, south of track, 2 feet from ground; spike. Milepost 58; spike (temporary bench mark of Canadian Pacific Ry.).	1,138.652
14.6	Mackamp, 1.5 miles east of, 25 feet east of end of dam, 15 feet south of storehouse, in bowlder near south end of Long Pond dam on Moose River; aluminum tablet	1, 171. 516
14.7 15.53	(permanent bench mark No. 4) Milepost 59; spike (temporary bench mark of Canadian Pacific Ry.) Mackamp, 0.5 mile east of, 1,300 feet east of milepost 60; bowlder south of railroad	1, 159. 911 1, 173. 091
17. 2	track.  Mackamp, 1 mile west of, 1900 feet east of inneposition, bowder sould of fairfold track.  Mackamp, 1 mile west of, opposite sign "Mackamp 1 mile;" bowlder north of track.	1, 168. 883 1, 179. 401
11.2	LONG POND QUADRANGLE.	1,110.101
	[Latitude 45° 30′-45° 45′: longitude 70°-70° 15′.]	
	Brassua Lake, on east shore 20 feet from water, 2,000 feet from mouth of Misery Stream,	
18, 88	4,900 feetfrom Moose River outlet, on top of bowlder; aluminum tablet.  Opposite milepost 63; bowlder north of track	1,050.72 1,185,980
19. 2	Mackamp, 3 miles west of, on top stone of northeast abutment of bridge over Parlin Stream; aluminum tablet (permanent bench mark No. 5)	1,168.973
00.00	Milepost 64; spike (temporary bench mark of Canadian Pacific Ry.)	1. 163. 311
22, 22 24, 3	Long Pond station, 800 feet west of; bowlder 25 feet south of track.  Long Pond, 75 feet from shore of, where railroad leaves the pond; northeast corner	1,177.959
26, 55	of stone culvert under railroad track.  Milepost 71, 0.25 mile east of, in telegraph pole south of track; spike	1,177.475 1,165.693

### From Moosehead west to Jackman-Continued.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	LONG POND QUADRANGLE—continued.	
29. 56 30. 2 31. 51	Jackman, opposite railroad station; bowlder south of track.  Jackman, about 3,300 feet west of station; small bowlder south of track.  Jackman, 2 miles west of, on northeast abutment of railroad bridge over Moose River between Wood and Attean ponds; aluminum tablet (permanent bench mark No. 6).	1, 222. 212 1, 199. 445 1, 170. 357
F	om Chesuncook Lake southeast on West Branch Penobscot River to Norcro	ss.
	HARRINGTON LAKE QUADRANGLE.	THE STATE OF THE S
	[Latitude 45° 45′-46°; longitude 69°-69° 15′.]	
	Chesuncook Lake, at foot of, 100 feet south and 30 feet east of end of dam; Great Northern Paper Company's bench mark No. 15 (elevation given, 945.647)	943.019
	Chesuncook dam, near south end of; on large rock marked "G S"	936.102
	Chesuncook dam, in top of high ledge just south of south wing: aluminum tablet	935.440
0.70	(permanent bench mark No. 1) Ripogenus Lake, head of, lower end of long carry, on two medium-sized bowlders; marked "G S".	897.311
2.94	Ripogenus Lake, foot of, near shore in front of hovel; on rock; marked "USGS"	\$92.936 892.594
3.65	Ripogenus Lake, below, on rock by ledge along carry road, marked "G S"	978. 213 978. 450
4.03	On rock on top of highest steep pitch, near big yellow birch on carry road marked "Elevation 976, 44" (Great Northern Paper Co.'s bench mark No. 13).  Carry road, 20 feet north of, on black rock about 2 feet wide by 2½ feet long, by 2 feet high, on top of knoll of putting-in place, small fir 10 feet west marked "Elevation 799,64" (Great Northern Paper Co.'s bench mark No. 12).  (The Arbee 2 in ladge winet tree beside the corryroad on which is placed telephone.	973. 943
4.40	high, on top of knoll of putting-in place, small fir 10 feet west marked 'Elevation 700 62' (Great Northern Paper Co's bench mark No. 12)	797. 137
5.11	"The Arches," in ledge, pine tree beside the carry road on which is placed telephone box bears N. 80° W. 57 feet, end of wing dam bears about N. 45° E. 175 feet; alu-	
5.37	"The Arches," in ledge, pine tree beside the carry road on which is placed telephone box bears N. 80° W. 57 feet, end of wing dam bears about N. 45° E. 175 feet; aluminum tablet (permanent bench mark No. 2).  Big Eddy, north of road, about 200 feet above clearing, maple tree 6 inches in diameter 5 feet east of rock marked "Elevation 688.96," large triangular rock; point of rock (Great Northern Paper Co.'s bench mark No. 11).	724, 831
5.45	"Elevation 683.76;" painted stone (Great Northern Paper Co.'s bench mark No.	686. 487
5,49	10)	681, 288 683, 046
6.48	Little Ambajemackomus Falls, on rock 500 feet below foot of falls, on right shore, marked "USGS"	682, 659 659, 496 659, 725
7.28	Big Ambajemackomus Falls, rock on right shore at head of falls, marked "USGS"	659.725 657.867 657.627
8,56	Horse Race on good-sized white rock near where new telephone line crosses river; point of cross marked 'B M elevation 623.74 U. S. G S'' (Great Northern Paper	
8, 95	Co's bench mark No. 9).  Horse Race, foot of, on right shore, in top of bowlder on small knoll about 75 feet from river, about 220 feet from dead water, birch tree 12 inches in diameter bears west 12 feet, marked "USGSBM No. 3;" aluminum tablet (permanent bench mark	621. 190
11.17	No. 3). Sourdnahunk Deadwater, foot of, on left bank, 1,100 feet above dam, on rock marked	617. 296 605. 132
11.32	"U S G S". Sourdnahunk dam, in ledge on upper end of "heater" above overflow of dam (station "S" on cross-section work of August, 1903, elevation 617.36); wooden plug with nail in center (Great Northern Paper Co.'s bench mark No. 8).	604.867
		614. 801
E CONTRACTOR OF THE PARTY OF TH	MOUNT KATAHDIN QUADRANGLE. [Latitude 45° 45'-46°; longitude 68° 45'-69°.]	
11.00		( Eco 100
14.02	Katahdin Stream, about 0.25 mile above dryway at island, 250 feet from and on opposhore from dryway, on large bowlder marked "U S G 8".	569. 160 568. 767
14.84	Abol Stream, opposite mouth of stream on right bank, on large bowlder marked	567. 190 566. 876
15.08	Abol carry road, right of river, beside road, near upper end of long carry road, 115 feet from bank, in top of large triangular bowlder, poplar tree bears N. 17½ feet, another poplar tree bears E. 9 feet, spotted and marked "USB MNO.4;" aluminum tablet (permanent bench mark No. 4).  Abol Falls, on large round granite rock 30 feet northeast from north end of wing on corryside of the falls, elevation 571 945; mark (Greet Northern Paper Co.25 bench	F00 0FF
15.43	num tablet (permanent bench mark No. 4).  Abol Falls, on large round granite rock 30 feet northeast from north end of wing on carry side of the falls, elevation 571.945; mark (Great Northern Paper Co.'s bench mark No. 7).	580. 275
16.59	Packwackamus Falls, on right bank, opposite middle of lower pitch 60 feet from	569. 408 534. 432
17.64	lower end of carry, on bowlder Packwackamus Deadwater, head of head gift bank, about 200 feet below cottage of	534.056 531.569
18.95	Packwackamus Deadwater foot of 0.72 mile above head of Debsconeag Falls, on	530. 577 533. 721
19.94	W. H. Gannett, on large by rice!  Packwackamus Deadwater foot of, 0.72 mile above head of Debsconeag Falls, on large rock in middle of main channels.  Debsconeag Falls, rock on right dead blow falls, above high water on largest granite rock; mark (Great Northern Laper Co.'s bench mark No. 5).	533. 326 513. 910
	(A E)	
	· VX	

# From Chesuncook Lake southeast on West Branch Penobscot River to Norcross-Continued.

Distance in miles.	Location and description of bench mark.	Elevation in feet.
	MOUNT KATAHDIN QUADRANGLE—continued.	1
19.94	Debsconeag Falls, on right bank, near lower end of carry road, at foot of falls in top of largest granite rock; aluminum tablet set horizontally (permanent bench mark No. 5)	****
20.82	Debsconeag Deadwater, head of, on two large bowlders, 5 feet apart, left shore 75 feet	513.858 503.705
22, 53	north of landing at Joe Frances's ice house Debsconeag Debadwater, foot of, on island 400 feet above Hopkins Pitch, on right	502. 783 502. 287
23. 19	bank of main channel, on two large bowlders 6 feet apart.  See a part bank of the street above head of falls, on two large bowlders 6 feet apart.  Let shore, 180 feet above head of falls, on two large bowlders 6 feet apart.	\$ 502.060 \$ 499.549 \$ 499.648
23. 40	Passamagormuc Falls, foot of, on rock at putting-in place, Joe Cripp's camp, left bank in cove; cross on tree marked "T P elevation 488.733" (supposed to be Great Northern Paper Co.'s bench mark No. 3).	
24. 36	Dead water between Passamagormuc and Ambaieius falls on left bank 300 feet	491.055 491.679
25. 23	above first island above Ambajejus Falls, on large rock.  Ambajejus Falls, on right shore, at top of ridge, in rock; iron pin (Great Northern Paper Co,'s bench mark No. 2).	1 491. 933 514. 459
25.39	Ambajejus Falls, above road at side of bluff between foot of falls and McPhetres Camp, on right bank, at head of Lake Ambajejus, in top of granite bowlder; aluminum tablet set horizontally (permanent bench mark No. 6).	314. 439
		496.608
25.39	Ambajejus Falls, near water's edge opposite bench mark No. 6, on large bowlder	{ 483.982 482.622
	NORCROSS QUADRANGLE.	
	[Latitude 45° 30′-45° 45′; longitude 68° 45′-69°.]	
	North Twin Lake; Great Northern Paper Co.'s bench mark, elevation 503.480 Norcross Cove; on bowlder near old boat landing; Great Northern Paper Co.'s bench	503.42
	mark, elevation 488.661.  North Twin Lake (4.87 miles southwest of Millinocket), top of north pier at 24-foot	488, 568
Practice of	gate opening; aluminum tablet stamped "495"	494.562

# From Allagash Lake to Grand Lake Dam.

[Distances in miles from Chesuncook.]

Marie Land		Line Committee
	CHESUNCOOK QUADRANGLE.	
	[Latitude 46°-46° 15′; longitude 69° 15′-69° 30′.]	
5.00	Umbazooksus Stream, beside carry at head of dead water (elevation 937.04 marked	
	on blazed tree); point on rock (bench mark of Great Northern Paper Co.) On same rock, marked "U S G S No. 7;" point "A" Umbazooksus Stream, on right bank of, at water's edge; rock.	934. 357
5.00	On same rock, marked "U S G S No. 7;" point "A".	934. 332
5.91	Umbazooksus stream, on right bank of, at water's edge; rock.	939. 131
5. 91	On same rock, marked "U S G S No. 6;" point "A". Umbazooksus Lake, 35 feet from shore of, at end of Mud Pond carry; granite rock	939. 558
7.16	On same west, mouled (ULC C. No. 5.2) reint (4.2)	946.372
7. 16 8. 12	On same rock, marked "USGSNo. 5;" point "A".  Mud Pond, about 0.8 mile from putting in place, 5 feet west of Mud Pond carry;	947.043
8.12	rock.	004 407
8. 12	rock.  On same rock, marked "U S G S No. 4;" point "A".  Mud Pond, at putting-in place at end of Mud Pond carry; rock.  On same rock, marked "U S G S No. 3;" point "A".  Mud Pond, 10 feet below north end of dam at outlet; granite bowlder.  On same rock, marked "U S G S No. 2;" point "A".  Mud Pond Brook, about 80 feet north of, 60 feet east of logging camp; rock.	994. 187
8. 87	Mud Pond of nutring in place at and of Mud Pond correspond	994. 142 961. 502
8. 87	On same rock marked "II S G S No 3"? noint "A ?"	961, 470
9.87	Mud Pond 10 feet below north end of dam at outlet: granite bowlder	958, 649
9.87	On same rock, marked "U.S.G.S.No. 2:" point "A"	958, 379
10.05	Mud Pond Brook, about 80 feet north of, 60 feet east of logging camp; rock	953. 806
10.05	On same rock, marked "USGSNo. 1:" point "A"	953, 620
10.45	On same rock, marked "U S G S No. 1;" point "A".  Mud Pond Brook, 600 feet north of foot of quick water, 150 feet east of edge of woods,	000.020
	on top of outcropping ledge (at high water this ledge is entirely surrounded by	
	on top of outcropping ledge (at high water this ledge is entirely surrounded by several feet of water); aluminum tablet.	946, 234
	TELOS LAKE QUADRANGLE.	
	[Latitude 46°-46° 15′; longitude 69°-69° 15′.]	
23.56	Telos dam, about 250 feet from road, 735 feet from opening in woods, in bowlder about	
	3 by 5 feet; aluminum tablet	967. 101
24. 45	Webster Lake, about 75 feet from shore of, in carry between Telos and Webster lakes,	
	in turn around; rock.	899.463
24. 45	On same rock, marked "U S G S No. 13;" point "A"	899.828
26.48	in turn around; rock. On same rock, marked "U S G S No. 13;" point "A". Webster Brook, 80 feet upstream from upper end of carry, in edge of lake (covered	
00 40	in time of high water); rock.	895. 876
26.48	in time of high water); rock. On same rock, marked "U S G S No. 14;" point "A".	895. 717
28. 63 28. 63	Webster Brook Carry, 1.15 miles from inder end and 2 feet south of fock	917.048
29.48	On same rock, marked "U S G S No. 15," point "A". Webster Brook carry, 2 miles from upper end and 2 feet south of; rock.	917.069
29.48	On some roals marked (111 C C S No. 18.2) point (4.2)	831. 431 830. 989
30.73	On same rock, marked "U S G S No. 16;" point "A".  Webster Brook carry, 3.25 miles from upper end and south of, beside blazed and	850. 989
00.10	marked tree; rock.	800, 849
30.73	On same rock, marked "U S G S No. 17;" point "A".	801. 101
	, and a second s	002. 102

# From Allagash Lake to Grand Lake Dam-Continued.

	From Allagash Lake to Grand Lake Dam-Continued.	
Distance in miles.	Location and description of bench mark.	Elevation in feet.
	MATAGAMON QUADRANGLE,	
	[Latitude 46°-46° 15'; longitude 68° 45'-69°.]	
33.36	Indian Pitch, on south bank of Webster Brook, 200 feet upstream from dam, about 10 feet higher than surrounding country and 20 feet from water in brook, in out-	
	cropping ledge: aluminum tablet	790.385
34. 73	Webster Brook carry, 10 feet south of, 1.25 miles below dam at Indian Pitch, in root of pine tree; nail.	781.584
34. 73 36. 12	On root of same tree, marked "U S G S No. 18;" point "A".  Second Lake, near head of, in west end of an outcropping ledge about 3 feet above the general surface of ground (ledge gradually rises toward the east, reaching a maximum height of about 35 feet); aluminum tablet.  Grand Lake, shore of, near Harveys Landing, with chiseled letters and painted white circle around hemispherical head, set flush in ledge; iron bolt marked "U S".	781. 251
	the general surface of ground (ledge gradually rises toward the east, reaching a maximum height of about 35 feet); aluminum tablet	661. 092
42.56	Grand Lake, shore of, near Harveys Landing, with chiseled letters and painted white circle around hemispherical head, set flush in ledge; iron bolt marked	
45.21	Grand Lake dam, 200 feet upstream from west end of, 10 feet from water's edge when	656. 111
	gage at dam reads 13.5 feet, in outcropping ledge; aluminum tablet	662.078
	From Chamberlain Lake northwest to Allagash Lake.	
	. CHURCHILL LAKE QUADRANGLE.	
	[Latitude 46° 15′-46° 30′; longitude 69° 15′-69° 30′.]	
9.60	Allagash Stream, 2 miles below Allagash Falls, in "tote" road near foot of quick water; rock 2½ feet broad and 1 foot high.	045 500
9.60	On same rock marked "II S G S No 12" point "A"	945. 763 945. 677
10.60 10.60	Allagash Stream, I mile below Allagash Falls, 2 feet south of "tote" road; rock On same rock, marked "U S G S No. 11;" point "A".	960. 03: 959. 47:
11.60 11.60	Allagash Stream, at falls, on left bank of stream, 10 feet below wing dam; rock ledge. On ledge near above, marked "U S G S No. 10;" point "A".  Allagash Stream, left bank of, 2 miles below dam at Allagash Lake; large broken	987. 558 987. 490
12.95	Allagash Stream, left bank of, 2 miles below dam at Allagash Lake; large broken bowlder in water's edge.	992.34
12.95 14.25	On same bowlder, marked "U S G S No. 9;" point "A"	992. 269 1, 015. 340
14.25 14.95	bowlder in water's edge. On same bowlder, marked "USGS No. 9;" point "A". Allagash Stream, left bank of, about 0.8 mile from dam at Allagash Lake; flat rock. On same rock, marked "USGS No. 8;" point "A". Allagash Lake, 850 feet upstream from dam, about 175 feet from stream, in outcropping ledge 15 feet from "tote" road and behind a higher ledge which lies between tablet and stream; aluminum tablet.	1,014.968
Fro	om Grand Lake Dam southeast down East Branch Penobscot River to Medwa	ay.
	MATAGAMON QUADRANGLE.	
	[Latitude 46°-46° 15'; longitude 68° 45'-69°.]	
5.82	Stair Falls, at head of lower pitch on right bank, on outcropping ledge 5 to 10 feet from edge of water; aluminum tablet	595. 737
	SHIN PONDS QUADRANGLE. [Latitude 46°-46° 15'; longitude 68° 30'-68° 45'.]	
10.66	Bowlin Falls, 40 feet from edge of water, on right bank at head of falls, in ledge;	
14.05	aluminum tablet. United States fish hatchery, on left bank opposite mouth of Little Spring Brook, in outcropping ledge known as Sufferers Rock; aluminum tablet	401. 618
	STACEYVILLE QUADRANGLE.	
	[Latitude 45° 45′-46°; longitude 68° 30′-68° 45′.]	
24.60	Hunt Island, opposite head of, one-eighth mile above Matagamon House, in granite bowlder on east side of wagon road on left bank of river, about 25 feet from water's above the property of the control o	250 55
27.40	edge; aluminum tablet. Whetstone Falls, on left bank at foot of falls, about 25 feet from water's edge, about	352.554
33.06	150 feet above lower end of carry; rock ledge Soldiers Brook, 300 feet above mouth, on right bank, in granite bowlder about 25 feet from mean low water edge; aluminum tablet	339. 955 314. 924
1	MILLINOCKET QUADRANGLE.	
115-91	[Latitude 45° 30′-45° 45′; longitude 68° 30′-68° 45′.]	
38.25	Grindstone, in north end of coping stone on east pier of Bangor and Aroostook Railroad bridge, left bank of river; aluminum tablet	317. 153
45. 59	road bridge, left bank of river; aluminum tablet.  Ledge Falls, in large flat-topped bowlder, 10 feet east of highway; tablet (not quite horizontal, elevation of highest point, not center).  Medway, 0.27 mile west of, 50 feet east of road, 120 feet west of house of A. T. Reed, in ledge; aluminum tablet stamped "279".	285. 904
48.11	Medway, 0.27 mile west of, 50 feet east of road, 120 feet west of house of A. T. Reed, in ledge: aluminum tablet stamped "279"	278. 911
	in ledge; aluminum tablet stamped "279".	278.91

## APPENDIX.

# SECONDARY ELEVATIONS.


Secondary elevations from records and topographic maps of the United States Geological Survey, including altitudes of well-known summits, water-surface elevations of prominent lakes, and other useful elevations are given below. The figures are approximate only and should not be used for accurate work.

Locality.	Quadrangle.	County.	Eleva-
			Feet.
Abrams Pond, water surface	Ellsworth	Hancock	. 167
Adams Hill.	Gray	Cumberland	593
Alamoosook Lake, water surface	Orland Rockland	Hancock	20
Allen Pond, water surface.		KnoxAndroscoggin	269 342
Anasagunticook Lake, water surface	Buckfield.	Oxford.	403
Annabessacook Lake, water surface	Augusta	Kennebec	171
Anonymous Pond, water surface		Cumberland	294
Auburn Lake, water surface	Lewiston, Poland	Androscoggin	259
Austin Pond, water surface	Bingham	Somerset	1,185
Baker Pond, water surface	do	do	1,063
Bald Head	Newfield	York	1,017
Bald Mountain	Orland	Hancock	1,261
Bald Mountain triangulation station	The Forks	Somerset	2,630
Bald Pate	Sebago	Knox. Cumberland.	1,272 1,160
Barker Pond, water surface.	Skowhegan	Somerset	378
Beach Ridge	Sebago	Cumberland	1,052
Bear Mountain triangulation station	Buckfield	Oxford	1,207
Bear Pond, water surface	Buckfield	Androscoggin, Oxford.	373
Do Bear Mountain	Norwaydo	do	375
Beaver Hill	Berwick	York.	1,065 626
Beech Hill	Wiscassett	Kennebec	543
Beech Hill Pond, water surface	Ellsworth	Hancock	199
Beech Mountain	Mount Desert	do	855
Bigelow Hill triangulation station	Waterville	Somerset	785
Big Hill. Black Brook Pond, water surface	The Forks	Hancock Somerset	1,090 893
Blackstrap Hill	Gray	Cumberland	505
Blaisdell Hill	Orland	Hancock	560
Blinn Hill	Wiscassett	Lincoln	442
Bluehill triangulation station	Bluehill	Hancock	940
Bradbury Mountain Branch Lake, water surface	FreeportOrland	Cumberland	484
Brandy Pond, water surface	Sebago	Cumberland	236 267
Brewer Pond, water surface.	Orland.	Penobscot, Hancock	107
Brown Hill.	Gray	Cumberland	548
Browns Mountain	Mount Desert	Hancock	880
Bryant Pond, water surface	Bryant Pond	Oxford	694
Call Hill.	Wiscassett	Lincoln	342
Cedar Mountain	Newfield	York	1,220
Chase Mountain	Orland	Hancock	820
Chase Pond, water surface	Bingham	Somerset	1,353
Chemo Pond, water surface	Orono	Penobscot	126
China Lake, water surface.	Vassalboro	Kennebec.	123 195
Cobb Hill triangulation station	Bucksport	Hancock	562
Cobbosseecontee Pond, water surface	Augusta, Gardiner	Kennebec	168
Cochnewagan Pond, water surface	Lewiston	do	271
Clark Mountain.	Orland.	Androscoggin	707
Craig Pond, water surface. Crawford Lake, water surface.	Rockland	Knox	213 110
Curtis Hill triangulation station.	Bryant Pond	Oxford.	1,475
Cushman Hill	Boothbay	Lincoln.	221

Locality.	Quadrangle.	County.	Eleva- tion.
			Feet.
Damariscotta Pond, water surface	Wiscassett	Lincoln	51
Davis Pond, water surface	Orono	Penobscot	200
Day Mountain	Bar Harbor	Hancock	610
Day Mountain Dennis Hill Dimmick Mountain	Gardiner	Kennebec	447
Dimmick Mountain	Bingham	Somerset	1,876
Dodling Hill	Norridgewock Mount Desert	Kennebec	650 670
Dog Mountain. Douglas Hill.	Sebago	Cumberland	1,40
Dry Mountain	Bar Harbor	Hancock	1,268
Dry Mountain Dry Pond, water surface	Grav	Hancock	30
Duck Pond, water surface Dutton Hill	do do 	do Lincoln	18
Dutton Hill	do	do	571
Dyer Hill	Wiscassettdo	Lincolndo	430 128
Eagle Lake, water surface	Bar Harbor	Hancock	27
East Peak.	Mount Desert	do	97
East Pond, water surface	Norridgewock	Kennebec	25
East Royce Mountain	Gorham	Oxford	3, 12
Ellis Pond, water surface	Norridgewock	Kennebec	27
Embden Pond, water surface	Anson	Somerset	419
Ephraim Mountain triangulation station	Bucksport	Waldo	720
Eustis Mountain	do	do	54
Fish Pond, water surface	Rockland	Knox	35.
Fitch Hill	Sebago	Cumberland	1,14
Fitz Mountain	Orland	Hancock	60.
Flag Hill	do	Somerset	955
Fletcher Mountain triangulation station	Bingham Ellsworth	Somerset	1,700
Floods Pond, water surface	Ellsworth	Hancock	298
Flying Moosé Mountain	Orland Norridgewock	Kennebec	916 338
Flying Pond, water surfaceFort Ridge	Newfield	Vork	1, 12
Frost Hill.	Norway	York. Oxford	97
Do	Dover	York	301
Olementer IIII	Cuore	Cumberland	493
Gloucester Hill	Graydo	do	278
Goose Pond, water surface	Orland	Hancock	307
Do	Swan Island	do	240
Great Pond, water surface	Ellsworth	do	55
Do	Norridgewock	Kennebec	24
Great Pond Hill	Bar Harbor	Hancock	540
Great Mountain	Orland	do	1,03
Greeley Pond, water surface	Augusta	Kennebec	290 580
Green Hill	Norridgewock	Somerset	15
Do	Ellsworth	do	15
Green Mountain (Mount Desert triangulation	Bar Harbor	do	1,53
station).			
Haggett Hill Halfmoon Pond, water surface Hancock Pond, water surface Hawk Mountain	Boothbay	Lincoln	24
Halfmoon Pond, water surface	Bucksport	Waldo	32
Hancock Pond, water surface	Anson	SomersetOxford	1,06
Hawk Mountain.	Norway	Somerset	33
Hayden Lake, water surface	AnsonBucksport	Waldo	56
Hormon Hill	Bangor	Penobscot	36-
Hermon Pond, water surface	do	Cumberland	12
Highland Lake, water surface	Norway	Cumberland	42
Do	Fryeburg	do	42
Hinkley Hill triangulation station Hobbs Pond, water surface	BangorRockland	Penobscot	49
Hobbs Pond, Water surface	Rockland	Knox	35 20
Holbrook Pond, water surface	Orono Norway	Penobscot	1,00
Holt Hill	Ellsworth	Hancock	42
Horse Hill		Oxford	87
Horse Hill. Hosac Mountain.	Norway Newfield	York	1,08
Howland Hill	Norridgewock	Kennebec	70
Hunt Hill	Wiscassett	Lincoln	35
Jewell Hill triangulation station	Skowhegan	Somerset	61
Jones Hill	Wiscassett	Kennebec	36
Jones HillJordan Mountain	Wiscassett	Hancock	1,18
Jordan Pond, water surface	do Wiscassett	Kennebec.	19 42
	The second secon		
vet determined		Piscataquis	5,27
	Boothbay	Lincoln	29
Comission Time.			49
Keoka Lake, water surface	Norway	Oxiord	
Keninston Hu Keoka Lake, water surface Kezar Lake, water surface Kezar Pond, water surface Kimball Pond, water surface	Fryeburg	do	37 37

Locality.	Quadrangle.	County.	Eleva- tion.
			Feet.
Lake George, water surfaceLittle Austin Pond, water surface	Skowhegan Bingham	Somerset	228 1,213
Little Sebago Lake, water surface	Gray	Cumberland	285
Long Lake, water surface	Norway	do	267
Long Pond, water surface	Augusta	Kennebec	238 533
Long Pond, water surface	Norway Norridgewock	Oxford Kennebec	238
D0	Vassalboro	Kennebec, Lincoln	190
Lovewell Pond, water surface Lower Patten Pond, water surface	Fryeburg	Oxford Hancock	358 131
McCloud Mountain	Bucksport	do	334
McFarland Mountain	Bucksport	do	761
Mack Mountain	Bucksport	Waldo	605
Mainstream Pond, water surface	Skowhegan Newfield	Somerset	314 1,075
Maranacook Lake, water surface	Augusta	York Kennebec	212
Mason Mountain	Orland	Hancock	601
Mead Mountain	Rockland	do	675 139
Megunticook Lake, water surface	do	Knoxdo	1,380
Megunticook Mountain Merrill Hill triangulation station	Lewiston Augusta, Norridge-	Androscoggin	674
Messalonskee Lake, water surface	Augusta, Norridge- wock.	Kennebec	232
Middle Range Pond, water surface	Poland	Androscoggin	305
Moody Mountain	Sebago	York Cumberland,Oxford	783
Moose Pond, water surface	Fryeburg Skowhegan	Somerset	418 243
Mosquito Mountain	Bucksport	Waldo	545
Do	The Forks	Somerset	2,230
Mount Ararat	Bath	Sagadahoe	255
Mount Henry	Orland Norway	Hancock Cumberland	264 666
Mount Tirem	do	Oxford	1,047
Mount Tom	Norridgewock	Somerset	765
Mount Henry.  Mount Tirem.  Mount Tom.  Moxie Pond, water surface.  Moxie triangulation station.	The Forks	do	962 2,925
Mud Pond, water surface	Bangor	Penobscot	117
Nehumkeag Pond, water surface	Wiscassett	Kennebec	82
Nehumkeag Pond, water surface Nequasset Pond, water surface	Bath	Sagadahoc	15
Newport Mountain North Pond, water surface	Bar Harbor Bryant Pond	Hancock	1,060 719
Do	Norridgewock	Oxford Kenebec, Somerset	250
Do Notched Pond, water surface	Gray	Cumberland	345
Oak Hill. Ossipee Hill.	Orland Buxton	HancockYork	880 1,050
Panther Pond, water surface	Cross	Cumberland	277
Peak of Otter	Gray Bar Harbor	Hancock	506
Peaked Hills	Sebago	Cumberland	1,107
Peaked Mountain (Saunders triangulation station).	Orland	Hancock	1,104
Pennesseewassee Lake, water surface	Norway	Oxford	398
Philip Mountain. Phillips Lake water surface	Norridgewock	Kennebec	750 223
Picket Mountain	Orland Newfield	York	854
Phillips Lake, water surface. Picket Mountain. Pigeon Hill.	Eastport	Washington	202
Do Pike Hill	Norway	Oxford	307 870
Pleasant Lake, water surface	do	Oxford Cumberland	425
Pleasant Mountain Pleasant Mountain triangulation station	Rockland	KnoxOxford	1,064
Pleasant Mountain triangulation station	Fryeburg	Lincoln	2,007 146
Pleasant Pond, water surface	Wiscassett	Somerset	1,262
Pleasant Pond Mountain	The Forks	do	2,480
Province Mountain	Newfield	York. Kennebec	1,152
Province Mountain.  Purgatory Pond, water surface.  Pushaw Lake, water surface.	Gardiner Bangor	Penobscot	172 117
Quaker Hill triangulation station	Augusta	Kennebec	598
Ragged Mountain triangulation station	Rockland	Knox	1,300
Randall Mountain Range Pond, water surface Battlesnake Mountain.	Newfield	YorkAndroscoggin	1,105
Rattlesnake Mountain.	(trav	Cumberland	1,046
Rattlesnake Pond, water surface	do	Oxford	977
Rices Hill	Norway	Oxford	1,320
Robinson Mountain	do	Kennebec	400 680
Ring Hill Robinson Mountain Rowe Pond, water surface.	Bingham	Somerset	1,206

Locality.	Quadrangle.	County.	Eleva-
			Feet.
Sabbathday Pond, water surface	Gray	Cumberland	29
Sabattus Mountain triangulation station	Lewiston	Androscoggin	80
Sabattus Pond, water surface	do	do	24
Sawyer Mountain triangulation station	Newfield	York	1,21
Scammon Pond, water surface	Ellsworth	Hancock	14
Schoodic Lake, water surface	Cherryfield	Washington	22
Schoodic Mountain	Bar Harbor	Hancock	43
Sebago Lake, water surface	Gray, Sebago	Cumberland	26
now Mountain	Bucksport	Waldo	74
South Pond, water surface	Bryant Pond	Oxford	71
speckled Mountain triangulation station	do	do	2,20
Sprague Hill	Bath	Sagadahoc	20
Springer Hill	Gardiner	Kennebec	55 26
tafford Pond, water surface	Skowhegan	Somerset	42
starbird Pond, water surface	do	Oxford	44
tearns Pond, water surface tickney Hill triangulation station.	Fryeburg	Somerset	96
stickney Hill triangulation station.	Skowhegan	Oxford	1,77
streaked Mountain triangulation station	Buckfield	Hancock	1,48
stubb Hilltriangulation station	Bucksport	Cumberland	88
Summit Spring Hill	Norway Norridgewock	Somerset	36
Sunset Rock	Bucksport	Waldo	20
wan Lake, water surfaceweets Pond, water surface	do	Hancock	18
weeks I olid, water surface			
Pate Hill	Bath	Sagadahoc	37
Caylor Pond, water surface	Poland	Androscoggin	23
The White Cap	Bar Harbor	Hancock	92
Phird Pond, water surface	Bluehill	do	14
Chompson Lake, water surface	Poland	Oxford, Androscog- gin, Cumberland.	32
Dand motor quefoco	Vassalboro	Kennebec	18
Threecornered Pond, water surface	do	do	17
Phreemile Pond, water surface	Sebago	Cumberland	72
Coddy Pond, water surface	Bluehill, Orland	Hancock	15
Togus Pond, water surface	Vassalboro	Kennebec	18
reat Hill.	Bucksport	Waldo	37
Tripp Pond, water surface	Poland	Androscoggin	30
Turtle Lake, water surface	Bar Harbor	Hancock	32
witchell Pond, water surface	Bryant Pond	Oxford	76
Jpper Patten Pond	Orland	Hancock	16
Wolde Mountain triangulation station	Bucksport	Waldo	1,06
Valdo Mountain triangulation station Vallamatogus Mountain	Bluehill	Hancock	47
Vebb Pond, water surface	Ellsworth	do	13
Vebb Rowe Hill	Sebago	Cumberland	1,37
Veber Pond, water surface	Vassalboro	Kennebec	13
Ventworth Pond, water surface	Skowhegan	Somerset	57
Vest Peak	Mount Desert	Hancock	1,07
Vheeler Hill	Gardiner	Sagadahoc	3:
Jiggin Mountain	Newfield	York	1,2
Villard Hill	Norridgewock	Somerset	5
Villiams Hill	Wiscassett	Kennebec	3.
Villiams Pond, water surface	Bucksport	Hancock	20
Vinding Hill	Norridgewock	Somerset	4
Vinter Hill	Vassalboro	Kennebec	39
Zorle Hill triangulation station	Norridgewock	Franklin	1,19
York Hill triangulation station Youngs Mountain	Mount Desert	Hancock	70
Ounes mountain.	THE OWING TO COOL O		



	A. Page.	Page. Page. 54
	abol Falls	Det wick quadranger
	Abol Stream	Domestin
	Abrams Pond	Bethel quadrangle.       25, 48         Big Eddy.       51
	dams, reobert, revering by	Bigelow Hill triangulation station 54
	dams min.	Big Hill
	Hamoosook Bake	Bingham. 17
	ibany	Bingham quadrangle
-	Alexander, C. K., leveling by 23, 36 Alford Lake 54	Black Brook Pond
	Allagash Lake. 53	Blackstrap Hill
-	Illagash Stream	Blaisdell Hill
	Allen Pond	Blinn Hill
	Ambajejus Falls	Bluehill
	mbejemackomus Falls	Bluehill quadrangle 39, 54, 57
	Anasagunticook, Lake	Bluehill triangulation station 54
	ndroscoggin County 18, 46, 54, 56, 57	Boardman, H. S., leveling by 47, 49
	Indroscoggin River	Boothbay quadrangle 54,55
	nnabessacook Lake 54	Boston & Maine R. R
	nonymous Pond 54	Bowdoinham
	nson14	Bowlin Falls53
,	nson quadrangle	Boyd Lake quadrangle
,	ppleton	Bradbury Mountain
,	argyle	Branch Lake 54
	Artists Bridge	Brandy Pond
	Askwith	Brassua Lake
	thens 15, 16	Brassua Lake quadrangle
	Auburn	Dicto, cr. mr, re-renange of
	Auburn Lake	Brewer Pond.         54           Bridgton Junction.         26
18	Augusta	Briggs Ferry 17
	Augusta quadrangle	Brooks 30
	Austin Pond	Brooks quadrangle
	В.	Brownfield
		Brownfield station 26
	Babbett & Googin dam 47	Brown Hill
	Baker Pond 54	Brown School
	Bald Head 54	Browns Mountain 54
	Bald Mountain	Brunswick 9,47
	Bald Mountain triangulation station 54	Bryant Pond 25, 26, 54
	3ald Pate	Bryant Pond quadrangle 25-26, 48, 54, 56, 57
	Bangor & Aroostook R. R. 41	Buckfield
		Buckfield quadrangle 21-22, 48, 54, 57
	Bangor quadrangle	Bucksport
	Barker Pond	Bucksport Center 36
P	Bath quadrangle	Bucksport quadrangle 36, 54, 55, 56, 57
	Beach Ridge	Burnham quadrangle
	Bear Mountain triangulation station 54	Buxton quadrangle 56
	Beaver Hill	C.
	Beech Hill	Call Hill
	Beech Hill Pond	Canaan. 16
	Beech Mountain	Canton 21, 22
	Beech Monntall	
		Carritunk 17
	Belfast	Carritum
	Belfast       28-30, 35         Belfast quadrangle       28-30	Cass Corner
	Belfast	Cass Corner

	Page.		Page.
Center Belmont School	29	Dutton Hill	55
Center Lovell	27	Dyer Hill	55
Chase Mountain	54	Dyer Long Pond	55
Chase Pond	- 54		
Chemo Pond	54	E.	
Cherryfield		Eagle Lake	55
Cherryfield quadrangle		Eastbrook Corners	37
Chesuncook		East Brownfield	26
Chesuncook dam		East Bucksport	39
Chesuncook Lake		East Eddington	38
Chesuncook quadrangle.		East Fryeburg	27
Chickawaukie Pond		East Hebron	20
China		East Northport	35
China Lake	54	East Orland	38
China station	33	East Palermo	32
Chisholm	48	East Peak	55
Churchill Lake quadrangle	53	East Peru	48
City Point	30	East Pond	55
Clark Mountain.	54	Eastport	46
Classification, standard of	5-6	Eastport quadrangle	
Clifton	38	East Royce Mountain.	55
Cobb Hill triangulation station	54	East Stoneham.	27
Cobbossecontee Pond	54	East Sumner.	
	54	East Sweden	27
Cochnewagan Pond		Edgerly, J. W., leveling by.	36
Coe, Robert, leveling by	36	Elevations, secondary	
Cornish	10	Ellis Pond.	
Cornish station	26	Ellsworth	55
Corston Corner		Ellsworth Falls.	37
Costigan		Ellsworth quadrangle 37–38, 54, 5	
Craig Pond.	54	Elmwood Farm station	THE REAL PROPERTY.
Crawford Lake	54	Embden Center	20
Crowleys	19	Embden Pond	55
Cumberland Junction	9	Enfield	
Cumberland Mills	9,12	Ephraim Mountain	55
Curtis Hill triangulation station	54	Epping	45
Cushman Hill	54	Eustis Mountain	55
Cutler	46		
Cutler quadrangle	46	F.	
		Farmington	48
D.		Fayette	23
Damariscotta Lake	34,55	Fayette Village	23
Datum, nature of	6-7	Fish Pond	55
Davis Pond	55	Fitch Hill	55
Day Mountain	55	Fitz Mountain	55
Dead River station	22	Flag Hill	55
Deadwater station	17	Fletcher Mountain triangulation station	55
Debsconeag Falls		Floods Pond	55
Dedham	38	Flying Moose Mountain	55
Deering Junction	8	Flying Pond	55
Dennis Hill	55	Fort Ridge	55
Dennysville	46	Foxhole Rips	49
Dickvale	21	Franklin	37
Dimmick Mountain	55	Franklin County	
Dingley farm	47 21	Freedom	33
Dixfield		Freeport	9
Dixfield quadrangle	48	Freeport quadrangle	
Dodling Hill.	55	Frost Hill	55
Dog Mountain	55	Fryeburg 20	
Douglas Hill	55	Fryeburg Center.	27
Dover quadrangle	55	Fryeburg quadrangle 27,55,5	0,57
Dry Mountain	55		
DIT I VILLETTE TO THE PARTY OF	55	a	
	55	G. Gardinar	47
Duck Pond	55	Gardiner	47 6,57
			6,57

Page.	Pa	ge.
Gilbertville	Hudson	37
Gilead	Hunt Hill	55
	Hunt Island.	53
	Hurd School.	17
Glendon station	Hurd School	11
Gloucester Hill	I.	
Goodwill		
Goodwill Farm	Indian Pitch	53
Goose Pond	Indian Pond	18
Goose Pond Mountain	J.	
Gorham		
Gorham quadrangle	Jackman	51
Grand Lake. 53	Jay Bridge	48
	Jefferson	34
Grand Trunk Ry 20, 25–26	Jewell Hill triangulation station	55
Gray quadrangle 9,54,55,56,57	Jones Hill	55
Great Mountain 55	Jordan Mountain	55
Great Pond 55	Jordan Pond	55
Great Pond Hill		
Greeley Pond	Joy Ridge	55
Greenbush 40	K.	
Greenbush station 40		
Greene	Katahdin Mountain	55
	Katahdin Stream	51
Green Hill	Keens Mills Cemetery	,48
Green Lake	Kenduskeag	37
Green Mountain	Kennebec County 12, 18, 28, 46, 55, 56,	, 57
Grindstone53	Kenniston Hill	55
Grover, A. L., leveling by 49	Keoka Lake	55
	Ketchum.	25
H.	Kezar Falls.	10
Haggett Hill 55	Kezar Falls quadrangle	
Halfmoon Pond		1
Hallowell	Kezar Lake	55
	Kezar Pond	55
Hancock County	Kilby, H. P., leveling by	19
Hancock Pond 55	Kimball Pond	55
Harbor	Kingdon	32
Harmony 16-17	Kingsbury quadrangle	17
Harrington 45	Klondike School	17
Harrington Lake quadrangle 51	Knox Center	30
Hartford 21		
Hartford station. 21	Knox County	
	Knox station	30
	L.	
Harts Corners		10
Hastings	La Grange	
Havens, A. S., leveling by		56
Hawk Mountain 55		37
Hayden Lake 55	Ledge Falls	53
Heagan Mountain 55	Leeds	19
Heath Church	Leeds Center	22
Hebron	Leeds Junction	19
Herman Hill 55		37
Herman Pond. 55		-10
Highland Lake	Leveling, primary 10-	
Hillegass, E. B., leveling by	Lewiston	
Hinckley Hill triangulation station 55	Lewiston Junction.	20
	Lewiston quadrangle 19–20, 47, 54, 56,	
Hiram	Liberty	
Hobbs Pond	Liberty quadrangle	
Holbrook Pond		40
Holt Hill 55		40
Hope	Lincoln County 28, 54, 55,	56
Hopkins Hill triangulation station 55		16
Horse Hill 55		28
Horse Race		29
Hosac Mountain		29
Howland 41, 42		19
Howland Hill	Lisbon Falls	41

Little Sebago Lake 56 Livermore Falls 23,48 Lobster Stream 50 Loke Mills 223,48 Lobster Stream 50 Long Pond quadrangle 22-24,88 Lobster Stream 50 Long Pond quadrangle 250-51 Lower Patter Pond 56 Lowell 250-51 Lower Patter Pond 56 Lowell 36 Lowell 3	Page.	Page.
Little Sebago Lake		
Lovernore quadrangle.   22-23, 48   Moxis triangulation station.   56	Little Sebago Lake 56	
Lovernore quadrangle   22-23, 48   Moxic triangulation station   56		
Lobek Mills		Moxie triangulation station 56
Long Pond quadrangle	Lobster Stream 50	Mud Pond 52
Long Pond quadrangle	Locke Mills	
Long Pond station		
Lovel   Love	Long Pond quadrangle 50-51	N.
Lovewell Pond	Long Pond station 50	Nehumkeag Pond 56
Lower Patter Pond.   56     Lubec.   45     Lynchylle.   24, 27     McCloud Mountain.   56     McParland Mountain.   56     McAramp.   50     McMaugh, F. J. leveling by   12, 28, 36, 39     Madison Center.   14     Malison.   14     Malison.   15     Madison Center.   14     Malison coperation of.   5     spirit leveling in, publication on   5     spirit leveling in, publication on   5     Mann Rountain.   56     Mann Mountain.   56     Marst Camp.   18     Masson Mountain.   56     Marst Camp.   18     Mattawamkeag quadrangle.   33     Mattawamkeag quadrangle.   41     Mattocks.   10     Mazey, K. F., leveling by   23     Mattawamkeag duadrangle.   41     Mattocks.   10     Mazey, K. F., leveling by   23     Medad Mountain.   56     Mead		Nequasset Pond 56
Lubec	Lovewell Pond	Newfield quadrangle
Lubec		Newhall 9
MacCloud Mountain	Lower Patten Pond 56	
MacCloud Mountain	Lubec	Newry Corner 48
McCloud Mountain.	Lynchville	
McCloud Mountain		Norcross, T. W., leveling by 47
MacKamp.		
McFarland Mountain		Norcross quadrangle 52
Mack Mountain         56           McMaugh, F. J., leveling by         12, 28, 36, 39           Madison         14           Madison Center         14           Maine, cooperation of         55           spirit leveling in, publication on         5           Maine Central R. R.         8-10, 13,           10-22, 26, 30, 33-34, 36-38, 40, 47-48         North Bart Carry quadrangle         50           Mainstream Pond         56           Mann Mountain         56           Maps, topographic, list of         7           Maranacook Lake         56           Marsc Camp         18           Mason Mountain         56           Mattawamkeag         41           Mattocks         10           Maxey, K. F., leveling by         23           Meddworiew         44           Medwavy         41, 3           Medwavy         41, 3           Medway         41, 3           Medway         41, 5           Megunticook Mountain         56           Megunticook Mountain         56           Megunticook Mountain         56           Mespan Frage Pond         56           Middle Range Pond         56	McFarland Mountain 56	
McMaugh, F. J., leveling by         12,28,36,39         North Appleton         28-29           Madison         14         North Bethel         24           Maine, cooperation of         5         spirit leveling in, publication o         5         North Bestel         39           Maine Central R. R.         8-10,13,         Northeast Carry         50           Mainstream Pond         56         North Madison         40           Mann Mountain         56         Mars Camp         7           Maranacook Lake         56         North Newburg         37           Matagamon quadrangle         53         North Newburg         37           Matatawamkeag         41         North Newburg         37           Matatawamkeag quadrangle         41         North Newburg         37           Mattawamkeag quadrangle         41         North Newburg         37           Mattawamkeag quadrangle         41         North Waterford         27           Mead Mountain         56         North Waterford         27           Mead Mountain         56         North Waterford         27           Meedad Mountain         56         North Waterford         27           Meedad Mountain         56 <t< td=""><td>MacKamp</td><td>Norridgewock quadrangle 14, 55, 56, 57</td></t<>	MacKamp	Norridgewock quadrangle 14, 55, 56, 57
Madison Center         14         North Bethel         24           Madison Center         14         Morth Bluehill         39           Maine, cooperation of.         55         Spirit leveling in, publication on.         5           Maine Central R. R.         8-10, 13,         Northeast Carry quadrangle         50           Mainstream Pond         56         North Fryeburg         27           Mann Mountain         56         North Madison         14           Mann Mountain         56         North Madison         14           Mars Camp         18         North Whaterlord         28           Mason Mountain         56         North Waterlord         28           Mattawamkeag         41         North Waterlord         27           Mattawamkeag quadrangle         41         North Waterlord         27           Macdow Iron & Falls         20         North Waterlord         27           Meadow Prox Bridge         24-25         North Waterlord         25           Medawy         44         North Searsport         36           Megunticook Mountain         56         Oak Hill         56           Messolon Skee Lake         56         Osipe Hill         56	Mack Mountain 56	North Anson
Madison Center.         14           Maine, cooperation of.         5           spirit leveling in, publication on.         5           Maine Central R. R.         8-10, 13,           Mainstream Pond.         56           Mainstream Pond.         56           Mann Mountain.         56           Mann Mountain.         56           Maps, topographic, list of.         7           Mars Camp.         18           Mason Mountain.         56           Masson Mountain.         56           Mastayamkeag.         41           Mattawamkeag.         41           Mattawamkeag.         41           Mattocks.         10           Mead Mountain.         56           Meadow Fr, I, leveling by.         23           Mead Mountain.         56           Meadow Fridge.         24-25           Medway.         41, 53           Medway.         41, 53           Megunticook Lake.         56           Messalonske Lake.         56           Millinocket.         41           Millinocket.         41           Millinocket quadrangle.         18, 50           Moosehead.         18, 50<	McMaugh, F. J., leveling by 12, 28, 36, 39	North Appleton 28-29
Maine, cooperation of.         5           spirit leveling in, publication on         5           Maine Central R. R.         8-10,13,           19-22, 26, 30, 33-34, 36-38, 40, 47-48         North Fryeburg.         27           Mainstream Pond         56           Mann Mountain         56           Maps, topographic, list of.         7         North Newburg         37           Mars Camp.         18         North Newburg         37           Marson Mountain         56         North Searsport         28, 35, 36           Mason Mountain         56         North Searsport         36           Matagamon quadrangle         41         North Searsport         36           Mattawamkeag quadrangle         41         North Waterford         26, 54, 55, 56, 57           Meadow Brook Bridge         24-25         North Waterford         26, 54, 55, 56, 57           Medway         41, 53         O         Oak Hill         56           Medway         41, 53         O         Oak Hill         56           Megunticook Lake         56         Osipee Hill         56           Merrill Hill triangulation station         56         Osipee Hill         56           Mosselead         18, 50	Madison	North Bethel. 24
Maine, cooperation of         5         Northeast Carry quadrangle         50           spirit leveling in, publication on         5         Northeast Carry quadrangle         50           Maine Central R. R.         8-10,13,         Northeast Carry quadrangle         27           Mainstream Pond         56         North Mountain         40           Mann Mountain         56         Morth Madison         14           Maranacook Lake         56         North Pond         56           Marson Mountain         56         North Searsport         38           Mason Mountain         56         North Waterford         22           Mattawamkeag         41         North Waterford         22           Mattawamkeag quadrangle         41         North Waterford         22           Meadow Brook Bridge         24-25         North Waterford         22           Meadow Brook Bridge         24-25         Oak Hill         56           Meedadow In Stream         56         Oak Hill         56           Meedunticook Lake         56         Oak Hill         56           Meegunticook Lake         56         Oak Hill         56           Merrill Hill triangulation station         56         Oaker Hill	Madison Center	North Bluehill
Maine Central R. R.         8-10, 13, 19-22, 26, 30, 33-34, 36-38, 40, 47-48         North Fryeburg         27           Mainstream Pond         56         North Madison         14           Mann Mountain         56         North Madison         14           Marps, topographic, list of         7         North Madison         37           Mars Camp         18         North Pond         28, 35, 36           Marrs Camp         18         North Searsport         36           Masson Mountain         56         North Waterford         27           Mattawamkeag         41         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         27           Mattawamkeag probability         41         North Waterford         27           Maxey, K. F., leveling by         23         O         Oak Hill         56           Meadow Broke Bridge         24-25         Oak Hill         56           Meedawy         41, 53         Oldtown         38           Mechanic Falls         20         Oldtown         38-39, 54, 55, 65, 7           Megunticook Lake         56         Ose pond<	Maine, cooperation of 5	
Maine Central R. R.         8-10, 13, 19-22, 26, 30, 33-34, 36-38, 40, 47-48         North Fryeburg         27           Mainstream Pond.         56         North Madison         14           Mann Mountain         56         North Madison         14           Maps, topographic, list of         7         7         North Newburg         37           Mars Camp         18         North Pond         58           Marson Mountain         56         North Searsport         36           Mattawamkeag         41         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         27           Mead Mountain         56         Oak Hill         56           Meadow Fook Bridge         24-25         Oak Hill         56           Megunticook Lake         56         Oak Hill         56           Megunticook Mountain         56         Oassige H	spirit leveling in, publication on 5	Northeast Carry quadrangle 50
10-22, 26, 30, 33-34, 36-38, 40, 47-48   Mainstream Pond	Maine Central R. R 8-10, 13,	
Mainstream Pond         56           Mann Mountain         56           Maps, topographic, list of.         7           Mars Camp.         18           Marson Mountain         56           Mason Mountain         56           Mastawamkeag         41           Mattawamkeag quadrangle         41           Mattocks.         10           Maxoy, K. F., leveling by.         23           Mead Mountain         56           Meadow Brook Bridge         24-25           Medaway.         41, 53           Medway.         41, 53           Megunticook Lake         56           Mesunticook Lake         56           Mespunticook Mountain         56           Mespunticook Mountain         56           Millord.         38           Millordsee         44           Millinocket         44           Millinocket quadrangle         56           Moosehead         18, 50           Moosehead Lake         18           Moosehead Lake         18           Moosehead Uadrangle         38           Moosehead         18, 50           Moosehead Quadrangle         18, 50      <	19-22, 26, 30, 33-34, 36-38, 40, 47-48	
Mann Mountain         56         North Newburg         37           Maps, topographic, list of.         7         North Pond         56           Maranacook Lake         56         North Pond         56           Mars Camp         18         North Searsport         36           Mason Mountain         56         North Waterford         27           Mattawamkeag         41         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         26           Maxey, K. F., leveling by         23         North Waterford         56           Meadow Brook Bridge         24-25         Oak Hill         56           Meadow Brook Bridge         24-25         Oak Hill         56           Medway         41,53         Orland quadrangle         38-39,54,55,65,7           Megunticook Mountain         56         Ornon quadrangle         38-39,54,55,65,7           Merrill Hill triangulation station         56         Oxford         0           Messalonskee Lake         56         Oxford         0           Millord         38         Oxford         20           Millinocket quadrangle         38         Oxford         20           Millin	Mainstream Pond 56	
Maps, topographic, list of.         7         North Pond         56           Maranacook Lake         56         North Pond         56           Marro Camp         18         North Searsport         28,35,36           Mason Mountain         56         North Waterford         27           Mattawamkeag         41         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         27           Mattocks         10         North Pond         56           Mattawamkeag quadrangle         41         North Waterford         27           Mattawamkeag quadrangle         41         North Pond         56           Mattawamkeag quadrangle         41         North Pond         56           Mattocks         10         Oak Hill         North Pond         56           Mead Mountain         56         Oak Hill         56         Oak Hill         56           Meadowife         41,53         Oak Hill         50         Oak Hill	Mann Mountain 56	
Maranacook Lake         56           Marrs Camp         18           Mason Mountain         56           Mason Mountain         56           Matagamon quadrangle         53           Mattawamkeag         41           Mattawamkeag quadrangle         41           Mattocks         10           Maxoy, K. F., Ieveling by         23           Mead Mountain         56           Meadowriew         48           Mechanic Falls         20           Medway         41,53           Megunticook Lake         56           Merrill Hill triangulation station         56           Messalonskee Lake         56           Millord         38           Millord         38           Millords         38           Moosehead         18,50           Moosehead<	Maps, topographic, list of 7	
Marrs Camp.         18         North Searsport.         36           Mason Mountain.         56         North Twin Lake.         52           Mattawamkeag.         41         North Waterford.         22           Mattawamkeag quadrangle.         41         North Waterford.         22           Mattocks.         10         North Waterford.         22           Mattocks.         10         Maxey, K. F., leveling by.         23         O.           Mead Mountain.         56         Mead Workey.         48         Oak Hill.         56           Meadow Brook Bridge.         24-25         Oak Hill.         56           Medway.         41,53         Orland quadrangle.         38-39,54,55,6,57           Megunticook Lake.         56         <	Maranacook Lake 56	
Mason Mountain         56         North Twin Lake         52           Matagamon quadrangle         53         North Waterford         27           Mattawamkeag         41         Norway quadrangle         26,54,55,56,57           Mattawamkeag quadrangle         41         Norway quadrangle         26,54,55,56,57           Mattawamkeag quadrangle         41         North Waterford         26,54,55,56,57           North Waterford         26,54,55,56,57         North Waterford         27           Mattawamkeag quadrangle         41         North Waterford         26,54,55,56,57           North Waterford         26,54,55,56,57         North Waterford         26,54,55,56,57           North Waterford         26,54,55,56,57         North Waterford         0           Mattawamkeag quadrangle         24-25         Nockhill station         0           Mattawamkeag Quadrangle         41,53         Oldrown         38           Mechanic Falls         20         Orono quadrangle	Marrs Camp 18	
Matagamon quadrangle         53         North Waterford         27           Mattawamkeag         41         Norway quadrangle         26, 54, 55, 56, 57           Mattawamkeag quadrangle         41         Notched Pond         56           Maxey, K. F., leveling by         23         O           Mead Mountain         56         Oak Hill         56           Meadow Brook Bridge         24-25         Oakhill station         10           Meadowview         48         Oldtown         38           Medway         41, 53         Orland quadrangle         38-39, 54, 55, 56, 57           Megunticook Lake         56         Orono quadrangle         38, 54, 55           Merill Hill triangulation station         56         Orsipee Hill         56           Misilord         38         Millbridge         44         P           Millinocket         41         Millinocket quadrangle         56         Oxford County         8, 18, 23, 46, 54, 56, 57           Moosehead         18, 50         Palermo Center         33         Palermo Center         33           Moosehead Quadrangle         18, 50         Panther Pond         56           Moosehead Quadrangle         18, 50         Passadumkeag quadrangle         40 </td <td>Mason Mountain 56</td> <td></td>	Mason Mountain 56	
Mattawamkeag         41         Norway quadrangle         26, 54, 55, 56, 57           Mattokoks.         10         56           Maxey, K. F., leveling by         23         0.           Mead Mountain         56         0ak Hill         56           Meadow Brook Bridge         24-25         0ak Hill         56           Meadowiew         48         0ldum         40, 43           Mechanic Falls         20         0ldtown         38           Medway         41, 53         0rland quadrangle         38-39, 54, 55, 56, 57           Megunticook Lake         56         0rono         38-39, 54, 55, 56, 57           Megunticook Mountain         56         0rono quadrangle         38, 54, 55           Merrill Hill triangulation station         56         0ssipee Hill         56           Middle Range Pond         56         0xford         20           Millbridge         44         4         P           Millinocket quadrangle         33         44         4         P           Millinocket quadrangle         18, 50         Palermo Center         33           Moosehead Lake         18         Palermo station         33           Moosehead quadrangle         18, 50	Matagamon quadrangle 53	
Mattawamkeag quadrangle         41         Notched Pond         56           Maxey, K. F., leveling by         23         O           Mead Mountain         56         Oak Hill         56           Meadow Brook Bridge         24-25         Oak Hill         56           Meadowview         48         Oakhill station         10           Mechanic Falls         20         Olamon         40,43           Medway         41,53         Orland quadrangle         38-39,54,55,56,57           Megunticook Lake         56         Orono         38           Merrill Hill triangulation station         56         Oxford         20           Middle Range Pond         56         Oxford         20           Millord         38         Millbridge         44         P           Millinocket         41         Packwackamus Falls         51           Millinocket quadrangle         53         Palermo Center         33           Moosehead         18,50         Palermo Station         33           Moosehead quadrangle         18,50         Palermo station         33           Moosehorn Stream         50         Passadumkeag quadrangle         40,42-43           Mosquito Mountain	Mattawamkeag 41	
Mattocks         10           Maxey, K. F., leveling by         23           Mead Mountain         56           Mead Mountain         56           Meadow Brook Bridge         24-25           Meadowview         48           Mechanic Falls         20           Medway         41,53           Medway         45           Megunticook Lake         56           Megunticook Mountain         56           Merrill Hill triangulation station         56           Messalonskee Lake         56           Millord         38           Millords         38           Millioreket         44           Millinocket quadrangle         55           Moosehead         18,50           Moosehead Lake         18           Moosehead quadrangle         18,50           Moosehead quadrangle         18,50           Moose Pond         56	Mattawamkeag quadrangle 41	
Mead Mountain         56           Meadow Brook Bridge         24-25           Meadowview         48           Mechanic Falls         20           Medway         41,53           Megunticook Lake         56           Merrill Hill triangulation station         56           Merrill Hill triangulation station         56           Messalonskee Lake         56           Millord         38           Millords         38           Millordset         44           Millinocket         41           Millinocket quadrangle         53           Moosehead         18,50           Moosehead Lake         18,50           Moosehead quadrangle         18,50 </td <td>Mattocks 10</td> <td></td>	Mattocks 10	
Meadow Brook Bridge.         24-25           Meadowview.         48           Mechanic Falls.         20           Medway.         41,53           Megunticook Lake.         56           Megunticook Mountain         56           Merrill Hill triangulation station         56           Merrill Hill triangulation station         56           Middle Range Pond         56           Milloridge.         44           Millinocket.         41           Millinocket quadrangle         53           Moosehead         18,50           Moosehead Lake.         18           Moosehead quadrangle         18,50           Moosehead quadrangle         18,50           Moose Pond.         56           Mose Pond.         56           Mount P	Maxey, K. F., leveling by	0.
Meadow Brook Bridge         24–25         Oakhill station         10           Meadowview         48         Olamon         40, 43           Mechanic Falls         20         Olamon         38           Medway         41, 53         Orland quadrangle         38–39, 54, 55, 56, 57           Megunticook Lake         56         Orono quadrangle         38, 54, 55           Merrill Hill triangulation station         56         Ossipee Hill         56           Messalonskee Lake         56         Oxford         20           Middle Range Pond         56         Oxford County         8, 18, 23, 46, 54, 56, 57           Millord         38         Millbridge         44         P.           Millinocket         41         Packwackamus Falls         51           Millinocket quadrangle         53         Palermo Center         33           Moosehead Lake         18         Palermo Senter         33           Moosehead quadrangle         18,50         Palermo station         33           Moosehead Quadrangle         18,50         Passadumkeag quadrangle         40           Moosehorn Stream         50         Passadumkeag quadrangle         40           Moose Pond         56         Passadumkeag	Mead Mountain 56	Oak Hill 56
Meadowview         48         Olamon         40, 43           Mechanic Falls         20         Oldtown         38           Medway         41, 53         Orland quadrangle         38-39, 54, 55, 56, 57           Megunticook Lake         56         Orono         38           Megunticook Mountain         56         Orono quadrangle         38, 54, 55           Merrill Hill triangulation station         56         Oxford         20           Middle Range Pond         56         Oxford         20           Milloridge         44         P.           Millinocket         41         Packwackamus Falls         51           Millinocket quadrangle         53         Palermo Center         32, 33           Moosehead         18, 50         Palermo station         33           Moosehead Lake         18         Palermo station         33           Moosehead quadrangle         18, 50         Passadumkeag         40           Moosehead Lake         18         Passadumkeag         40           Moosehead Lake         18         Passadumkeag         40           Moosehead Quadrangle         18, 50         Passadumkeag         40           Moosehead Lake         18	Meadow Brook Bridge 24-25	
Mechanic Falls         20 Medway         Oldtown         38 Medway           Megunticook Lake         56         Orono         38-39,54,55,56,57           Megunticook Mountain         56         Orono         38           Merrill Hill triangulation station         56         Orono         38           Merrill Hill triangulation station         56         Ossipee Hill         56           Messalonskee Lake         56         Oxford         20           Midlord         38         Oxford         20           Milloride         44         P           Millinocket         44         P           Millinocket quadrangle         53         Palermo         32,33           Moosehead         18,50         Palermo Center         33           Moosehead Lake         18         Palermo station         33           Moosehead quadrangle         18,50         Passadumkeag quadrangle         40           Moosehead Quadrangle         18,50         Passadumkeag quadrangle         40           Moosehead Guadrangle         18,50         Passadumkeag River         44           Moose Pond         56         Passadumkeag River         44           Moount Ararat         56         Peake	Meadowview 48	
Medway.         41,53         Orland quadrangle         38-39, 54, 55, 56, 57         Megunticook Lake.         56         Orono.         38           Megunticook Mountain         56         Orono.         38         38, 54, 55         56, 57           Merrill Hill triangulation station.         56         Oxford.         20         38, 54, 55         56           Messalonskee Lake.         56         Oxford.         20         20         38, 18, 23, 46, 54, 56, 57         66, 57           Milford.         38         38         38, 18, 23, 46, 54, 56, 57         38         38         38, 18, 23, 46, 54, 56, 57         38         38         39, 54, 55, 56, 57         38         38, 18, 23, 46, 54, 56         56         38         38         39, 54, 55, 56, 57         38         38, 18, 23, 46, 54, 56         56         56         38         38         39, 54, 55, 56, 57         38         38, 18, 23, 46, 54, 56, 57         56         56         38         38, 18, 23, 46, 54, 56, 57         38         38         39, 54, 55, 56, 57         38         38         39, 54, 55, 56, 57         38         39, 24, 54, 54, 56, 57         38         39         39, 24, 54, 54, 56, 57         39         39         39, 24, 33         39         39         39         39         39	Mechanic Falls	
Megunticook Lake.         56         Orono quadrangle.         38           Megunticook Mountain         56         Orono quadrangle.         38           Merrill Hill triangulation station.         56         Orono quadrangle.         38, 54, 55           Messalonskee Lake.         56         Oxford.         20           Middle Range Pond.         56         Oxford.         20           Millbridge.         44         P.           Millbridge.         44         P.           Millinocket quadrangle.         53         Palermo.         32,33           Moosehead Lake.         18         Palermo Center.         33           Moosehead Lake.         18         Palermo station.         33           Moosehorn Stream.         50         Passadumkeag.         40           Moose Pond.         56         Passadumkeag quadrangle.         40           Mosquito Mountain.         56         Passadumkeag River.         44           Mosquito Mountain.         56         Peaked Mountain.         56           Mount Ararat.         56         Peaked Mountain.         56           Mount Desert quadrangle.         39,54,55,56,57         Peipescot.         47           Mount Desert quadrangle.	Medway 41,53	
Megunticook Mountain         56         Orono quadrangle         38,54,55           Merrill Hill triangulation station         56         Oxford         20           Messalonskee Lake         56         Oxford         20           Middle Range Pond         56         Oxford County         8,18,23,46,54,56,57           Millford         38         Hillinocket         44         P.           Millinocket         41         Packwackamus Falls         51           Millinocket quadrangle         53         Palermo         32,33           Moosehead         18,50         Palermo Center         33           Moosehead Lake         18         Panther Pond         56           Moosehorn Stream         50         Passadumkeag         40           Moseo Pond         56         Passadumkeag quadrangle         40,42-43           Mosquito Mountain         56         Passadumkeag River         44           Mount Ararat         56         Peaked Mountain         56           Mount Desert triangulation station         55         Pembroke         46           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake	Megunticook Lake 56	
Merrill Hill triangulation station         56         Ossipee Hill         56           Messalonskee Lake         56         Oxford         20           Midde Range Pond         56         Oxford         20           Millord         38         Millorde         44         P.           Millinocket         44         P.           Millinocket quadrangle         53         Palermo         7         51           Millinocket quadrangle         53         Palermo Center         33         32,33           Moosehead         18,50         Palermo Center         33           Moosehead Lake         18         Palermo station         33           Moosehorn Stream         50         Passadumkeag         40           Mose Pond         56         Passadumkeag quadrangle         40,42-43           Mosquito Mountain         56         Passadumkeag River         44           Mount Ararat         56         Peaked Mountain         56           Mount Desert quadrangle         39,54,55,56,57         Pelpescot         47           Mount Desert triangulation station         55         Penbroke         46           Mount Henry         56         Pennesseewassee Lake         56 <td>Megunticook Mountain 56</td> <td></td>	Megunticook Mountain 56	
Messalonskee Lake         56 Middle Range Pond         56 Separation         Oxford         20 Oxford County	Merrill Hill triangulation station 56	
Middle Range Pond         56         Oxford County         8, 18, 23, 46, 54, 56, 57           Millord         38           Millbridge         44         P.           Millinocket         41         Packwackamus Falls         51           Millinocket quadrangle         53         Palermo         32, 33           Moosehead         18, 50         Palermo Center         33           Moosehead Lake         18         Palermo station         33           Moosehead quadrangle         18, 50         Passadumkeag         40           Moosehorn Stream         50         Passadumkeag quadrangle         40, 42-43           Mosquito Mountain         56         Passadumkeag River         44           Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,56,57         Peipescot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Millford       38         Millbridge       44         Millinocket       41         Millinocket quadrangle       53         Moody Mountain       56         Palermo       33         Moosehead       18,50         Moosehead Lake       18         Moosehead quadrangle       18,50         Moosehead quadrangle       18,50         Moosehorn Stream       50         Moose Pond       56         Mosquito Mountain       56         Mosquito Mountain       56         Mount Ararat       56         Mount Desert quadrangle       39,54,55,56,57         Pejepscot       47         Mount Desert triangulation station       55         Mount Henry       56		
Millinocket         41         Packwackamus Falls:         51           Millinocket quadrangle         53         Palermo         32, 33           Moody Mountain.         56         Palermo Center         33           Moosehead         18, 50         Palermo station         33           Moosehead Lake         18         Panther Pond         56           Moosehead quadrangle         18, 50         Passadumkeag quadrangle         40           Moosehorn Stream         50         Passadumkeag quadrangle         40, 42-43           Moose Pond         56         Passadumkeag River         44           Mosquito Mountain         56         Passamagormue Falls         52           Mountain Pond         56         Peaked Mountain         56           Mount Desert quadrangle         39,54,55,56,57         Pelepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Millinocket quadrangle         53         Palermo         32,33           Moody Mountain         56         Palermo Center         33           Moosehead Lake         18         Palermo station         33           Moosehead Quadrangle         18,50         Palermo station         56           Moosehead quadrangle         18,50         Passadumkeag         40           Moosehead Quadrangle         50         Passadumkeag Quadrangle         40,42-43           Moose Pond         56         Passadumkeag River         44           Mosquito Mountain         56         Passadumkeag River         44           Mount Ararat         56         Peaked Mountain         56           Mount Desert quadrangle         39,54,55,56,57         Pepescot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Moody Mountain.         56         Palermo Center.         33           Moosehead.         18,50         Palermo station.         33           Moosehead Lake.         18         Panther Pond.         56           Moosehead quadrangle.         18,50         Passadumkeag.         40           Moosehorn Stream.         50         Passadumkeag quadrangle.         40,42-43           Moose Pond.         56         Passadumkeag River.         44           Mosquito Mountain.         56         Passamagormuc Falls.         52           Mount Ararat.         56         Peaked Mountain.         56           Mount Desert quadrangle.         39,54,55,65,77         Peipscot.         47           Mount Desert triangulation station.         55         Pembroke.         46           Mount Henry.         56         Pennesseewassee Lake.         56		
Moosehead Lake         18,50         Palermo station         33           Moosehead Lake         18         Panther Pond         56           Moosehead quadrangle         18,50         Passadumkeag         40           Moosehorn Stream         50         Passadumkeag quadrangle         40,42-43           Moose Pond         56         Passadumkeag River         44           Mosquito Mountain         56         Passamagormuc Falls         52           Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,6,57         Pejepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Moosehead Lake.         18         Panther Pond.         56           Moosehead quadrangle.         18,50         Passadumkeag.         40           Moosehorn Stream.         50         Passadumkeag quadrangle.         40,42-43           Moose Pond.         56         Passadumkeag River.         44           Mosquito Mountain.         56         Passadumkeag River.         52           Mountain Pond.         56         Peaked Mountain.         56           Mount Ararat.         56         Peak of Otter.         56           Mount Desert quadrangle.         39,54,55,56,57         Pejepscot.         47           Mount Desert triangulation station.         55         Pembroke.         46           Mount Henry.         56         Pennesseewassee Lake.         56		
Moosehead quadrangle         18,50         Passadumkeag         40           Moosehorn Stream         50         Passadumkeag quadrangle         40,42-43           Moose Pond         56         Passadumkeag River         44           Mosquito Mountain         56         Passadumkeag River         56           Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,56,57         Pejepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Moosehorn Stream         50         Passadumkeag quadrangle         40,42–43           Moose Pond         56         Passadumkeag River         44           Mosquito Mountain         56         Passamagormuc Falls         52           Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,56,57         Peipscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56	and on the second secon	
Moose Pond.         56         Passadumkeag River         44           Mosquito Mountain.         56         Passamagormuc Falls.         52           Mountain Pond.         56         Peaked Mountain.         56           Mount Ararat.         56         Peak of Otter.         56           Mount Desert quadrangle.         39,54,55,56,57         Peipscot.         47           Mount Desert triangulation station         55         Pembroke.         46           Mount Henry.         56         Pennesseewassee Lake.         56		
Mosquito Mountain         56         Passamagormue Falls         52           Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,6,57         Pejepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Mountain Pond         56         Peaked Mountain         56           Mount Ararat         56         Peak of Otter         56           Mount Desert quadrangle         39,54,55,56,57         Pejepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56		
Mountain Pond.         56         Peaked Mountain.         56           Mount Ararat.         56         Peak of Otter.         56           Mount Desert quadrangle.         39,54,55,65,77         Peipscot.         47           Mount Desert triangulation station         55         Pembroke.         46           Mount Henry.         56         Pennesseewassee Lake.         56		
Mount Desert quadrangle         39,54,55,56,57         Pejepscot         47           Mount Desert triangulation station         55         Pembroke         46           Mount Henry         56         Pennesseewassee Lake         56	Mountain Pond	
Mount Desert triangulation station 55 Pembroke 46 Mount Henry 56 Pennesseewassee Lake 56		
Mount Henry. 56 Pennesseewassee Lake. 56		
		Pembroke
Mount Katahdin quadrangle		
	Mount Katahdin quadrangle 51-52	Penobscot County 35, 39, 41, 49, 55, 56

Page.	Page.
Perkins, J. M., leveling by	Schlachter, K. E., leveling by
Petit Manan quadrangle	Schoodic Mountain
Phillips Lake	Sea level, mean, definition of 6
Picket Mountain	Searsmont 29
Pigeon Hill	Sebago 9
Pike Hill 56	Sebago Lake
Piscataquis County 12, 49, 55	Sebago Lake station 9
Pitcher School	Sebago quadrangle 9-10, 54, 55, 56, 57
Pleasant Lake	Seboeis quadrangle
Pleasant Mountain	Second Lake
I Total I I I I I I I I I I I I I I I I I I I	Shawmut
Pleasant Pond Mountain 56 Pleasant Pond Mountain 56	Shins Ponds quadrangle
Poland	Sibley Corner
Poland quadrangle 20, 54, 56, 57	Skowhegan
Poland Spring station 20	Skowhegan & Norridgewock Electric Ry 14
Porter 10, 26	Skowhegan quadrangle 14–17, 54, 55, 56, 57
Portland 8, 9, 10	Snow Corner
Portland quadrangle 8-9, 10-12	Snow Falls
Precise leveling8-10	Snow Mountain
Primary leveling 10-53	Soldiers Brook. 53 Solon. 14
Prospect	Somerset County 12, 49, 54, 55, 56
Purgatory Pond	Somerset Ry
Pushaw Lake	Somerville
T GENERAL STATE OF THE STATE OF	Songo Pond
Q.	Sourdnahunk dam 51
	Sourdnahunk Deadwater
Quaker Hill triangulation station 56	South Albion
R.	South Buxton
	South La Grange
Ragged Mountain triangulation station 56	South Lincoln
Randall Mountain 56	South Montville
Rands School	South Orrington
Range Pond	South Paris
Rattlesnake Mountain	South Pond
Revere School	South Somerville
Rices Hill	South Union
Richmond 47	Speckled Mountain triangulation station 57
Richville 9-10	Sprague Hill
Rileys 48	Springer Hill
Ring Hill 56	Staceyville quadrangle 53
Ripogenus Lake	Stafford Pond
Robinson Mountain	Stair Falls
Rockland	Starbird Pond
Rowe Pond	Stearns Pond. 57 Steep Falls. 10
Rumford Center. 48	Steep Falls         10           Steuben         45
Rumford Falls	Stickney Corners
Rumford Junction	Stickney Hill triangulation station 57
Rumford Point	Streaked Mountain triangulation station 57
	Strickland
S.	Stubb Hill triangulation station 57
Sabattus	Summit Spring Rock
Sabattus Mountain	Sumner
Sabattus Pond. 57 Sabbathday Pond. 57	Sunset Rock
Sabbathday Pond. 57 Saco station. 11	Surry
Sagadahoc County	Swan Island quadrangle. 55
St. George Lake	Swan Lake. 57
Sandhill Corner	Swanville
Sawyer Mountain triangulation station 57	Sweden Corner
Scammon Pond 57	Sweets Pond

T. P	age.		Page
Tate Hill	57	Waterville quadrangle	13,54
Taylor Pond	57	Wayne	and the same of the same
Telos dam.	52	Webb Pond	57
Telos Lake quadrangle	52	Webb Rowe Hill.	
The Forks	18	Weber Pond	57
The Forks quadrangle		Webster Brook	52
		Webster Lake	52
The White Cap	57		-
Third Pond	57	Wells, C. S., leveling by	41
Thomaston	35	Wentworth Pond	57
Thompson Lake 2		West Appleton	28
Threecornered Lake	57	West Baldwin	26
Threemile Pond	57	West Bethel	24,48
Tiger Hill	57	West Bridgton	27
Tilden	37	Westbrook station	12
Toddy Pond	57	West Ellsworth	38
Togus Pond	57	West Enfield	42
Topographic maps, list of	7	West Jefferson	34
Topsham	47	West Lubec	-
Treat Hill.	57	West Minot	20
		West Montville	
Tripp Pond 2		West Oldtown	37
Turner	21		
Turtle Lake	57	West Paris	25
Twin Lake dam	41	West Peak	57
Twitchell Pond	57	West Pembroke	46
U.		West Peru	21
Timbanashana Talva	ro	West Poland	20
Umbazooksus Lake	52	West Rockport	35
Umbazooksus Stream	52	West Scarboro station	10-11
Union	34	West Washington	31,32
Union Common	34	West Winterport	36
United States Coast and Geodetic Survey,		Wheeler Hill	57
elevations from	0,13	Whetstone Falls	53
United States Engineer Corps, elevation from.	8,45	Whiting	45
United States fish hatchery	53	Wiggin Mountain	57
Upper Patten Pond	57	Wilkins Corner.	29
Y		Willard Hill.	57
V.	-		57
Vassalboro	13	Williams Hill	
Vassalboro quadrangle	6,57	Williams Pond	57
w.		Winding Hill	57
		Winn	40
Waldo	30	Winn quadrangle	40
Waldoboro quadrangle 3		Winslow	13
Waldoboro station 3		Winslows Mills	34
Waldo County 28, 35, 5	5, 57	Winter Hill	57
Waldo Mountain triangulation station	57	Wiscasset quadrangle 54,55	56,57
Wales	19	Wiscasset, Waterville & Farmington R. R	32-33
Wallamatogus Mountain	57	Woodfords	8
Waltham 3	7,38		100
Warren 3		Y.	
Warren station 3		Yarmouth	9
Washington	32	Yarmouth Junction	9
Washington County	100	York County 10, 23,	54,57
Washington Junction	37	York triangulation station	57
Waterville	13	Youngs Mountain	57
AL GROT ATTO	10	T OUT OF THE OUT OUT OF THE OUT OF THE OUT OF THE OUT OF THE OUT OUT OF THE OUT OF THE OUT	
10 01			



